2023

Wear Resistant Parts

Vegetation Management

Ph: 07 3881 3464
sales@asproducts.com.au
www.asproducts.com.au



ASP
Components
TM







We have testimonials from Australian grass cutting contractors and local councils who have found ASP Boron blades last up to 40% longer than ordinary spring steel or high carbon alternatives. Our extensive range of quality parts and accessories for grass care machinery has been developed to assist council departments, grass cutting contractors and farmers to reduce their running costs. Using ASP's range of quality assured replacement parts, backed by $20,000,000 product liability insurance, you will benefit from excellent prices, maximum wear life, and fast delivery Australia wide.

ASP BLADES COMPLY WITH THE 2011 NSW GOVERNMENT WORK COVER SLASHER BLADE STANDARDS.



SLASHER BLADE LENGTH IS MEASURED FROM THE CENTRE OF THE BOLT HOLE TO THE END OF THE BLADE.
PLEASE CHECK BLADE SIZES BEFORE ORDERING.

Slasher Blades

AGRIFARM

ASP BoronBlue™

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-01724	Suction Lift Blade Left hand cut **BSA-00179** Bush **BSA-09081** Bolt & Nut	355MM	32MM	75MM	12MM	40MM



BEN WYE

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-01724	Suction Lift Blade, Left hand cut **BSA-00179** Bush **BSA-100673** Bolt **BSA-100852** Nut	355MM	32MM	75MM	12MM	40MM
BS-01724R	Suction Lift Blade, Right hand cut **BSA-00179** Bush **BSA-100673** Bolt **BSA-100852** Nut	355MM	32MM	75MM	12MM	40MM





BERENDS (John Berends Implements)

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-02003	Standard step down blade to suit 6 & 7' EHD Left hand cut, OEM Ref: 2003 **BSA-02003B** BUSH **BSA-PG1112** BOLT **BSA-PG1113** NUT	465MM	38MM	100MM	12MM	25MM
BS-02000	Standard step down blade to suit 6' HD Double edge LH & RH OEM Ref: 2000, 2005 **BSA-00178** BUSH **BSA-PG1112** BOLT **BSA-PG1113** NUT	495MM	32MM	75MM	10MM	25MM
BS-01602	Suction Lift blade to suit 6' Side Discharge Left hand cut, OEM Ref: 1987 **BSA-00180** BUSH **BSA-PG1112** BOLT **BSA-PG1113** NUT	460MM	32MM	75MM	16MM	40MM
BS-01585	Flat reversible blade to suit 6' HD Left hand cut, OEM Ref: 1984 **BSA-00178** BUSH **BSA-PG1112** BOLT **BSA-PG1113** NUT	495MM	32MM	75MM	10MM	N/A
BS-01981	Flat reversible blade to suit 4'6" & 5' HD Left hand cut, OEM Ref: 1981 **BSA-01981B** BUSH **BSA-PG1112** BOLT **BSA-PG1113** NUT	368MM	26MM	75MM	10MM	N/A











Please note: Slasher blades are measured from the centre of the bolt hole!

BERENDS (JBI) Cont.

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-04457	Standard step down blade to suit EP slashers Left hand cut, OEM Ref: 1980 **BSA-04457B** BUSH **BSA-PG1112** BOLT **BSA-PG1113** NUT	262MM	25MM	65MM	8MM	25MM
BS-01582	Standard step down blade to suit Pasture Toppers Left hand cut, OEM Ref: 1801 **BSA-00175** BUSH **BRA-100196** BOLT **BSA-100285** NUT	275MM	25MM	65MM	7MM	38MM

CHRIS GROW & GASON

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-09043	Double Edge blade to suit 5' & Multi Gearbox OEM Ref: 225803 **BSA-00178** BUSH **BSA-100675** BOLT **BSA-100852** NUT	250MM	32MM	100MM	10MM	40MM
BS-09044	Double Edge blade to suit 5' & Multi Gearbox OEM Ref: 226572 **BSA-00179** BUSH **BSA-100675** BOLT **BSA-100852** NUT	350MM	32MM	100MM	13MM	40MM
BS-09045	Double Edge blade to suit 6' & Multi Gearbox OEM Ref: 224936 **BSA-00179** BUSH **BSA-100675** BOLT (BSA-S3393, 4" bolt for Mulch setup) **BSA-100852** NUT	450MM	32MM	100MM	13MM	40MM
BS-09047 **Right** Hand Cut BS-09046 **Left** Hand Cut	Suction Lift blades (10mm thick) to suit 5' & Multi Gearbox OEM Ref: 226571 RH & 226570 LH **BSA-00178** BUSH **BSA-100675** BOLT **BSA-100852** NUT	250MM	32MM	100MM	10MM	50MM
BS-08923 **Right** Hand Cut BS-08922 **Left** Hand Cut	Suction Lift blades (10mm thick) to suit 5' & Multi Gearbox OEM Ref: MC1525 & MC1625 **BSA-00178** BUSH **BSA-100675** BOLT **BSA-100852** NUT	357MM	32MM	100MM	10MM	50MM
BS-09048 **Right** Hand Cut BS-09049 **Left** Hand Cut	Suction Lift blade to suit 6' & Multi Gearbox OEM Ref: 225159 (RH) & 225158 (LH) **BSA-00178** BUSH **BSA-100675** BOLT **BSA-100852** NUT	450MM	32MM	100MM	10MM	50MM
BS-09050 **Right** Hand Cut BS-09051 **Left** Hand Cut	Suction Lift blades (13mm thick) to suit 5' & Multi Gearbox OEM Ref: 226569 RH & 226568 LH **BSA-00179** BUSH **BSA-100675** BOLT **BSA-100852** NUT	250MM	32MM	100MM	13MM	50MM
BS-08226 **Right** Hand Cut BS-08227 **Left** Hand Cut	Suction Lift blades to suit 5' & Multi Gearbox OEM Ref: Mc1520 226511(RH) & Mc1620 226512(LH) **BSA-00179** BUSH **BSA-100675** BOLT **BSA-100852** NUT	357MM	32MM	100MM	13MM	50MM

CHRIS GROW & GASON Cont.

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-08228 **Right** Hand Cut BS-08229 **Left** Hand Cut	Suction Lift blade to suit 6' & Multi Gearbox OEM Ref: Mc1500, 223542 (RH) & Mc1600, 223543 (LH) **BSA-00179** BUSH **BSA-100675** BOLT **BSA-100852** NUT	450MM	32MM	100MM	13MM	50MM



DAKEN

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-00467	Twisted double edge blade to suit 5' Left hand cut, OEM Ref: **BSA-06394B** BUSH **BSA-07453K** BOLT & NUT KIT (1 bolt & 1 nut)	330MM	38MM	100MM	10MM	N/A



BS-01724	Suction Lift blade to suit 6' Left hand cut - "Will only suit certain Models" **BSA-00179** BUSH **BSA-100675** BOLT **BSA-100852** NUT	355MM	32MM	75MM	12MM	40MM



BS-01583	Suction Lift blade to suit 759 Series slashers Left hand cut, OEM Ref: 55475DC Bare-co B6000 **BSA-00178** BUSH **BSA-100675** BOLT **BSA-100852** NUT	485MM	32MM	75MM	10MM	35MM



DIGGA

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-07161	Step, Double edge blade Suit 1500 & 1800 Skid Steer **BSA-09272** BOLT & NUT	350MM	38MM	100MM	13MM	40MM



GESSNER

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-01586	Standard Step down blade to suit 15'6" & 21'6"' Double edge LH & RH **BSA-00175** BUSH **BSA-08089** BOLT KIT (1x bolt, bush & nut)	250MM	25MM	65MM	7MM	22MM



FIELDQUIP - Including BUSH HOG & RHINO

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-01583	Suction Lift blade suit LE60, 70 & LS70 slashers L/Hand cut, OEM Ref: 21003, FQ6000, B6000 **BSA-00178** BUSH **BSA-100675** BOLT **BSA-100852** NUT	485MM	32MM	75MM	10MM	35MM
BS-09075	Stepped & Fluted blade suit 5ft deck Bush Hog Ls1500 & LH1500 OEM Ref 36BH, 7555BH Left Hand cut **BSA-09087K** Bolt Kit OEM Ref 7919BH	563MM	38MM	75MM	13MM	50MM
BS-08141	Stepped & Fluted blade suit 6ft deck Bush hog Ls1800 OEM Ref 7556BH, 19160 Left Hand cut **BSA-09087K** Bolt Kit OEM Ref 7919BH	645MM	38MM	100MM	13MM	58MM
BS-09076	Stepped & Fluted blade suit 7ft deck Bush Hog Ls2100 & LH2100 OEM Ref 7557BH Left Hand cut **BSA-09087K** Bolt Kit OEM Ref 7919BH	714MM	38MM	100MM	13MM	58MM
BS-08139	Stepped & Fluted blade suit RH272 & RH472 OEM Ref 00780882 Left Hand cut	571MM	38MM	100MM	13MM	58MM



BSA-09087K Bolt Kit. 1 1/8" thread, 75mm long from under head, 37.5mm x 14mm wide blade shank. Replaces key style bolt as has 2 flats on head for fitment / removal.

HOWARD

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP

The Following 3 blade kits will suit most 5, 6 & 7 Foot Howard Slashers.
Please remember to check the Blade bolt style before ordering.
If in doubt, call our Sales Team on Free Call 1800 253 229.

BS-78663K **Blade & Nib Bolt Kit**	Suction lift blade kit to suit 5', 6' & 7' slashers with Nib Style Beams Left hand cut, OEM Ref: 78663KN KIT INCLUDES 2 X BS-01724 BLADES & 2 X BSA-78299K NIB BOLT KITS	355MM	32MM	75MM	12MM	40MM
BS-78663KHEX **Blade & Hex Head Bolt Kit**	Suction lift blade kit to suit **NUGGET** 120, 135, 150L, 150, 180 & 210 & MD120B, Nug120, HS30 Left hand cut, OEM Ref: 78663KH KIT INCLUDES 2 X BS-01724 BLADES & 2 X Hex Head Bolts, Bushes & Nyloc Nuts	355MM	32MM	75MM	12MM	40MM
BS-08743K **Blade & Nib Bolt Kit**	Leading Edge blade kit alternative Left hand cut, OEM Ref: 78787KN **Suits HD & EHD 150, 180 & 210** KIT INCLUDES 2 X BS-08743 BLADES & 2 X BSA-78299K NIB BOLT KITS	355MM	32MM	90MM	12MM	40MM
BS-09281 **NEW**	H/Duty blade suit EHD240 & EHD240E, XHD240 Left hand cut, OEM Ref: 613400 **BSA-78299K** Nib style bolt kit (Inc. Bush) **BSA-00179** Bush	510MM	32MM	100MM	12MM	45MM

HOWARD... Cont.

ASP BoronBlue™

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-01572	Twisted double edge blade to suit 6' Left hand cut, OEM Ref: 73955, Bare-co B50 **BSA-78299K** Nib style bolt kit **BSA-74222K** Square shank bolt kit	432MM	32MM	75MM	12MM	N/A
BS-01573	Twisted double edge blade to suit 5' Left hand cut, OEM Ref: 72900, Bare-co B6001 **BSA-78299K** Nib style bolt kit **BSA-74222K** Square shank bolt kit	280MM	32MM	75MM	12MM	N/A
BS-01574	Stepped down double edge blade to suit 6', HD240 L/H & R/H cut, OEM Ref: 74598A **BSA-78299K** Nib style bolt kit **BSA-74222K** Square shank bolt kit	355MM	32MM	75MM	12MM	40MM
BS-01724 LEFT HAND BS-01724R **RIGHT HAND**	Suction lift blade to suit 5', 6' & 7' Nugget & HD etc OEM Ref: 78663, Bare-co B6002 **BSA-78299K** Nib style bolt kit (Inc. Bush) **BSA-74222K** Square shank bolt kit (Inc. Bush) **BSA-09321** Hex Bolt Kit suit Nugget etc (Inc. Bush) **BSA-00179** Bush	355MM	32MM	75MM	12MM	40MM
BS-08743	Leading Edge blade alternative Left hand cut, OEM Ref: 78787, Bare-co B6004 **BSA-78299K** Nib style bolt kit (Inc. Bush) **BSA-00179** Bush	355MM	32MM	90MM	12MM	40MM
BSA-00489 SUITS HD210 & EHD210	Nib style Beam / Head flat to suit 7 foot slasher OEM Ref: 78814 **USE BSA-00478 SPACER** **BSA-74808K** Mounting bolt kit (4 bolts & nuts) **BSA-100673** Beam to spacer bolt (require 2) **BSA-100852** Beam to spacer nut (require 2)	1414MM	N/A	130MM	10MM	N/A
BSA-00486 SUITS HD180, EHD180 & EHD360	Nib style Beam / Head flat to suit 6 foot slasher OEM Ref: 78816 **USE BSA-00479 SPACER** **BSA-74808K** Mounting bolt kit (4 bolts & nuts) **BSA-100673** Beam to spacer bolt (require 2) **BSA-100852** Beam to spacer nut (require 2)	1116MM	N/A	130MM	10MM	N/A
BSA-00484 SUITS HD150, EHD150, HD300B & EHD300	Nib style Beam / Head flat to suit 5 foot slasher OEM Ref: 78818 **USE BSA-00480 SPACER** **BSA-74808K** Mounting bolt kit (4 bolts & nuts) **BSA-100673** Beam to spacer bolt (require 2) **BSA-100852** Beam to spacer nut (require 2)	812MM	N/A	130MM	10MM	N/A

Beam length is from blade bolt hole centres

SPACER BEAMS

BSA-00480 suit BSA-00484 Beams OEM 78734 (722 x 130 x 12mm)
BSA-00479 suit BSA-00486 Beams OEM 78732 (1026 x 130 x 12mm)
BSA-00478 suit BSA-00489 Beams OEM 78693 (1314 x 130 x 12mm)

Looking for a cheaper blade option?

ASP manufacturers the following 3 blades in a standard Spring Steel. Whilst they are not to the same quality standards of our European Boron blades they are comparative to many ASP competitors blades and are priced accordingly!

BS-01583BC suits Daken, Fieldquip, Himac & Jarrett etc
BS-01724BC suits Agrifarm, Ben Wye, Daken, Howard & Kanga
BS-08743BC suits HD & EHD Howard etc

(Also available in kits to suit Howard BS-78663KBC & BS-08743KBC)

JARRETT

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-01075	Heavy Duty stepped down blade to suit 6' Left hand cut, OEM Ref: 21353	560MM	45MM	100MM	13MM	45MM
BS-01583	Suction Lift blade to suit 4' to 6' slashers Left hand cut, OEM Ref: 21003, Bare-co B6000 **BSA-00178** BUSH **BSA-100675** BOLT **BSA-100852** NUT	485MM	32MM	75MM	10MM	35MM
BS-01582	Standard step down blade to suit 1mtr & 4' Left hand cut, OEM Ref: 21010 **BSA-21008** BOLT **BSA-100852** NUT	275MM	25MM	65MM	7MM	38MM

KANGA

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-00467	Twisted double edge blade to suit S, M, H & XH Left hand cut, OEM Ref: 21016 **BSA-06394B** BUSH **BSA-07453K** BOLT & NUT KIT (1 bolt & 1 nut)	330MM	38MM	100MM	10MM	N/A
BS-01724	Suction Lift blade to suit 6' & 7' etc Left hand cut - Replaces OEM 100-134, ASP blade has different hole size - Must use with fasteners below: OPTION 1 **BSA-00179** 3/4" ID BUSH OPTION 1 **BSA-100675** 3/4" HEX BOLT OPTION 1 **BSA-100852** 3/4" NUT OPTION 2 **BSA-00190** 7/8" ID BUSH OEM REF 100-136 OPTION 2 **BSA-07453K** 7/8" HEX BOLT / NUT OPTION 3 **BSA-09027** C/SUNK, SQUARE SHANK BOLT KIT OEM REF 100-135	355MM	32MM	75MM	12MM	40MM

BSA-09027

LOXTON

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-07652	Flat double edge blade LH & RH cut, OEM Ref: SL056 **BSA-07659** BUSH **BSA-07658** BOLT KIT (1 x bolt, nut & bracket)	238MM	23MM	65MM	8MM	N/A
BS-07615	Standard step down double edge blade LH & RH cut, OEM Ref: SL057 **BSA-07659** BUSH **BSA-07658** BOLT KIT (1 x bolt, nut & bracket)	238MM	23MM	65MM	8MM	22MM
BS-07653 RIGHT HAND BS-07654 LEFT HAND	Suction Lift blade Right hand cut, OEM Ref: SLP054 Left hand cut, OEM Ref: SLP055 **BSA-07659** BUSH **BSA-07658** BOLT KIT (1 x bolt, nut & bracket)	238MM	23MM	65MM	8MM	15MM

RIGHT HAND

LEFT HAND

McLEOD / MF

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-01075	Heavy Duty stepped down blade to suit 6' Left hand cut **BSA-01074** BUSH **BSA-700427** 1" PIN **BSA-700430** NUT	560MM	45MM	100MM	13MM	45MM
BS-07805	Suction lift blade to suit 6' Left hand cut **BSA-01074** BUSH **BSA-700427** 1" PIN **BSA-700430** NUT	560MM	45MM	100MM	13MM	45MM
BS-00986	Stepped down blade to suit 5' Left hand cut **BSA-01073** BUSH **BSA-700419** 7/8" PIN **BSA-700423** NUT	495MM	35MM	75MM	13MM	40MM
BS-1138	Heavy Duty stepped down blade to suit 5' Left hand cut **BSA-01074** BUSH **BSA-700427** 1" PIN **BSA-700430** NUT	495MM	45MM	100MM	13MM	45MM
BS-07161	Stepped down Double edge blade to suit 4' Left & Right hand cut **BSA-07161B** BUSH **BSA-700419** 7/8" PIN **BSA-700423** NUT	331MM	38MM	100MM	10MM	47MM

Fasteners to suit McLeod with 7/8" PIN

BSA-700420	CUP	**BSA-700419**	7/8" PIN
BSA-700421	BOSS	**BSA-700423**	7/8" NUT
BSA-701962	KEY	**BSA-01073**	BUSH

Fasteners to suit McLeod with 1" PIN

BSA-700428	CUP	**BSA-700427**	1" PIN
BSA-700431	BOSS	**BSA-700430**	1" NUT
BSA-701962	KEY	**BSA-01074**	BUSH



BOSS
(welded to top of disc, with KEY slot)



CUP
(Recessed for Dome Head Pin)




PIN
(Dome head with KEY slot)

SCHULTE

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-08138 RIGHT HAND	Stepped & Fluted blade, Right Hand cut, OEM Ref 401-046A, 401-026 *(can use with **BS-09088** Flat Blade)* **BSA-09094K** Bolt kit OEM Ref 251-203 7/8" length	571MM	38MM	100MM	13MM	58MM
BS-08139 LEFT HAND	Stepped & Fluted blade, Left Hand cut, OEM Ref 401-047A, 401-027 *(can use with **BS-09088** Flat Blade)* **BSA-09094K** Bolt kit OEM Ref 251-203 7/8" length	571MM	38MM	100MM	13MM	58MM
BS-08140 RIGHT HAND	Stepped & Fluted blade. Right Hand cut, OEM Ref 401-049A, 401-029 *(Can use with **BS-08959** flat blade)* **BSA-09094K** Bolt kit OEM Ref 251-203 7/8" length	645MM	38MM	100MM	13MM	58MM
BS-08141 LEFT HAND	Stepped & Fluted blade Left Hand cut, OEM Ref 401-048A, 401-028 *(Can use with **BS-08959** flat blade)* **BSA-09094K** Bolt kit OEM Ref 251-203 7/8" length	645MM	38MM	100MM	13MM	58MM

SCHULTE... Cont.

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-09088	Mulch Blade. Flat double edge for both Left & Right hand cut, Use with BS-08138 & BS-08139 blades *OEM Ref 401-033* suits **BSA-09094K** bolt (OEM Ref 251-203) with 7/8"shank length, Pentagon bolt to fit both step & flat blade on mulch setup.	571MM	38	75MM	10MM	
BS-08959	Mulch Blade. Flat double edge for both Left & Right hand cut, Use with BS-08140 & BS-08141 blades *OEM Ref 401-034* suits **BSA-09094K** bolt (OEM Ref 251-203) with 7/8"shank length, Pentagon bolt to fit both step & flat blade on mulch setup.	645MM	38	75MM	10MM	



BSA-09094K Bolt Kit has 1 1/8" thread diameter with 5 sided pentagon shank and 7/8" long blade shank to suit 38mm blade

SUPERIOR & PAGE

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-01586	Standard step down double edge blade LH & RH cut, OEM Ref: S3608 **BSA-00175** BUSH **BSA-08089** BOLT KIT (bolt kit includes 1x bolt, bush & nut)	250MM	25MM	65MM	7MM	22MM
BS-P1927	Flat reversible blade Left hand cut, OEM Ref: S2427 **BSA-00178** BUSH **BSA-08042** BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	305MM	32MM	75MM	10MM	N/A
BS-P1938/10	Standard step down double edge blade LH & RH cut, OEM Ref: S4065, P1938 **BSA-00178** BUSH **BSA-08042** BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	305MM	32MM	75MM	10MM	40MM
BS-01599	Flat reversible blade to suit 5' Left hand cut, OEM Ref: S4062, P1502 **BSA-00180** BUSH **BSA-S2115K** BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	305MM	32MM	75MM	16MM	N/A
BS-00797	Standard step down double edge blade to suit 5' LH & RH cut, OEM Ref: S4600, P4073 **BSA-00180** BUSH **BSA-S2115K** BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	305MM	32MM	75MM	16MM	40MM
BS-01601	Suction lift blade to suit 5' & Multi Gearbox Left hand cut, OEM Ref: S4064, P1503, S4090 **BSA-00180** BUSH **BSA-S2115K** BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	305MM	32MM	75MM	16MM	40MM
BS-01601R	Suction lift blade to suit 5' & Multi Gearbox Right hand cut, OEM Ref: S4091 **BSA-00180** BUSH **BSA-S2115K** BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	305MM	32MM	75MM	16MM	40MM
BS-S2428	Flat reversible blade to suit 6' Left hand cut, OEM Ref: S2428 **BSA-00178** BUSH **BSA-08042** BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	460MM	32MM	75MM	10MM	N/A

SUPERIOR & PAGE CONTINUED

ASP BoronBlue™

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-P2028	Standard step down double edge blade to suit 6' LH & RH cut, OEM Ref: S6064, P2028, S2424 **BSA-00178** BUSH **BSA-08042** BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	460MM	32MM	75MM	10MM	40MM
BS-01600	Flat reversible blade to suit 6' & 7' Left hand cut, OEM Ref: S5062, P1584, P4098 **BSA-00180** BUSH **BSA-S2115K** BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	460MM	32MM	75MM	16MM	N/A
BS-01602	Suction Lift blade to suit 6' & 7' Left hand cut, OEM Ref: S5064, S5061, P1585 **BSA-00180** BUSH **BSA-S2115K** BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	460MM	32MM	75MM	16MM	40MM
BS-01602R	Suction Lift blade to suit 6' & 7' Right hand cut, OEM Ref: S5065, S2116 **BSA-00180** BUSH **BSA-S2115K** BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	460MM	32MM	75MM	16MM	40MM
BS-01603	Standard step down blade to suit 6' & 7' Left hand cut, OEM Ref: S5063 **BSA-00180** BUSH **BSA-S2115K** BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	460MM	32MM	75MM	16MM	40MM
BS-01604	Standard step down double edge blade to suit 6' & 7' LH/RH cut, OEM S2142, P4099 Bare-co B6999 **BSA-00180** BUSH **BSA-S2115K** BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	460MM	32MM	75MM	16MM	40MM
BS-01606	Large step down double edge blade to suit 6' & 7' LH & RH cut, OEM Ref: S2143, S2164 **BSA-00180** BUSH **BSA-S2115K** BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut)	450MM	32MM	75MM	16MM	75MM
BSA-S4058	Superior beam / head flat to suit 4' & 4'6" with round holes. 20mm mounting bolt holes @ 152mm centres. **BSA-S3393** MOUNTING BOLT (require 2) **BSA-100852** NUT (require 2)	609MM	N/A	75MM	10MM	N/A
BSA-S2112	Superior beam / head flat to suit 4' & 4'6" with square holes. 20mm mounting bolt holes @ 152mm centres. **BSA-S3393** MOUNTING BOLT (require 2) **BSA-100852** NUT (require 2)	609MM	N/A	75MM	10MM	N/A
BSA-S6058	Superior beam / head flat to suit 6' with round holes. 20mm mounting bolt holes @ 152mm centres. (USE BSA-S6081 SPACER BEAM) **BSA-S3393** MOUNTING BOLT (require 2) **BSA-100852** NUT (require 2)	916MM	N/A	75MM	10MM	N/A
BSA-S2113	Superior beam / head flat to suit 6' with square holes. 20mm mounting bolt holes @ 152mm centres. (USE BSA-S6081 SPACER BEAM) **BSA-S3393** MOUNTING BOLT (require 2) **BSA-100852** NUT (require 2)	916MM	N/A	75MM	10MM	N/A

Beam Bolt & Nut: BSA-100675 Bolt & BSA-100852 Nut

Beam Bolt & Nut: BSA-100675 Bolt & BSA-100852 Nut

SUPERIOR & PAGE CONTINUED

ASP BoronBlue™

Part Number	Description	Beam length is from centre of blade bolt holes LENGTH	HOLE	WIDTH	THICK	STEP
BSA-S7058	Superior beam / head flat to suit 7' with round holes. 20mm mounting bolt holes @ 152mm centres. (USE BSA-S7059 SPACER BEAM) **BSA-S3393** MOUNTING BOLT (require 2) **BSA-100852** NUT (require 2)	1221MM	N/A	75MM	10MM	N/A
						
		Beam Bolt & Nut: BSA-100675 Bolt & BSA-100852 Nut				
BSA-S7060	Superior beam / head flat to suit 7' with **square holes.** 20mm mounting bolt holes @ 152mm centres. (USE BSA-S7059 SPACER BEAM) **BSA-S3393** MOUNTING BOLT (require 2) **BSA-100852** NUT (require 2)	1221MM	N/A	75MM	10MM	N/A
						
		Beam Bolt & Nut: BSA-100675 Bolt & BSA-100852 Nut				
	SUPERIOR 16MM Thick spacer beams **BSA-S6081** SUIT 6 FOOT (790mm Long) **BSA-S7059** SUIT 7 FOOT (1090mm Long) (20mm bolt holes @ 152mm centres)					
		Beam Bolt & Nut: BSA-100675 Bolt & BSA-100852 Nut				
BSA-1496	**Page beam** / head flat to suit 6' with round holes. 16.5mm mounting bolt holes @ 146mm centres. USE BSA-1383 SPACER BEAM	916MM	N/A	75MM	10MM	N/A
						
BSA-4411	**Page beam** / head flat to suit 6' with square holes. 16.5mm mounting bolt holes @ 146mm centres. USE BSA-1383 SPACER BEAM	916MM	N/A	75MM	10MM	N/A
						
BSA-5496	**Page beam** / head flat to suit 7' with round holes. 16.5mm mounting bolt holes @ 146mm centres. (USE BSA-4597 SPACER BEAM)	1221MM	N/A	75MM	10MM	N/A
						
BSA-5411	**Page beam** / head flat to suit 7' with square holes. 16.5mm mounting bolt holes @ 146mm centres. (USE BSA-4597 SPACER BEAM)	1221MM	N/A	75MM	10MM	N/A
						
	PAGE 16MM Thick spacer beams **BSA-1383** SUIT 6 FOOT (790mm Long) **BSA-4597** SUIT 7 FOOT (1090mm Long) (16.5mm bolt holes @ 146mm centres)					
BSA-08043	Hex head bolt kit alternative to suit 8mm & 10mm thick blades (1x high tensile bolt, bush & lock nut). **BSA-00178** BUSH **BSA-PG1112** BOLT **BSA-PG1113** NUT					
BSA-08044	Hex head bolt kit alternative to suit 16mm thick blades (1x high tensile bolt, bush & lock nut). **BSA-00180S** BUSH **BSA-PG1112** BOLT **BSA-PG1113** NUT					
BSA-08042	Dome head bolt kit to suit 8 & 10mm thick blades (1x Dome head bolt, bush & lock nut). **BSA-00178** BUSH **BSA-S2115M** BOLT **BSA-PG1113** NUT					

BEAM LENGTHS ARE FROM CENTRE OF BLADE HOLES

SUPERIOR & PAGE CONTINUED

Part Number	Description
BSA-S2115K	Dome head bolt kit to suit 16mm thick blades (1x Dome head bolt, bush & lock nut). **BSA-00180** BUSH **BSA-S2115** BOLT **BSA-PG1113** NUT
BSA-S2114	3/4 X **2 7/8"** DOME HEAD BOLT ONLY (USE WITH BSA-00180 BUSH & BSA-PG1113 NUT)
BSA-S8127	3/4 X **3 1/2"** DOME HEAD BOLT





WARATAH / SILVAN

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-07453	Standard step down blade Left hand cut *(Note: Double Cutting Edge style coming soon)* **BSA-07161B** BUSH **BSA-07453K** BOLT KIT (bolt kit includes 1x bolt & nut)	331MM	38MM	75MM	8MM	47MM
BS-07161	Heavy Duty step down blade DOUBLE EDGE STYLE **BSA-07161B** BUSH **BSA-07453K** BOLT KIT (bolt kit includes 1x bolt & nut)	331MM	38MM	100MM	10MM	47MM





WOODS

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-08138 R/H BS-08139 L/H	Stepped & Fluted blade BATWING BW180X BS-08138 is Right Hand cut BS-08139 is Left Hand cut	571MM	38MM	100MM	13MM	58MM
BS-09076	Stepped & Fluted blade - Suits 7 Foot deck Left Hand cut (Blade Pin NOT available)	714MM	38MM	100MM	13MM	58MM





SLASHER - UNIVERSAL

Part Number	Description	LENGTH	HOLE	WIDTH	THICK	STEP
BS-08959	Universal Blade Flat double edge for both Left & Right hand cut, extra long 350mm cutting edge allows for blade to be cut down. Use BSA-06394B, BSA-00191 or BSA-00192 bushes depending on bolt size.	645MM	38	75MM	10MM	
BS-09251	Universal Blade **Step (40mm)** double edge for both Left & Right hand cut, extra long 340mm cutting edge allows for blade to be cut down. Use BSA-06394B, BSA-00191 or BSA-00192 bushes depending on bolt size.	645MM	38	75MM	10MM	40MM





ASP CASE HARDENED SLASHER BLADE BUSHES - QUICK REFERENCE CHART

Part No	O/D	I/D	Thick	Part No	O/D	I/D	Thick
BSA-01074	45	25	14	**BSA-00180**	32	20	17
BSA-06394B	38	22	11	**BSA-00190**	32	22	14
BSA-02003B	38	19.5	14	BSA-01981B	25	19	11
BSA-07161B	37	22	13	**BSA-00175**	25	16	9
BSA-01073	35	22	14	**BSA-07659**	22	16	10
BSA-00178	32	19	11				
BSA-00179	32	20	14	BSA-04457B	25	19	9
BSA-00192	38	16	11	BSA-00191	38	19	11


ASP SLASHER BLADES ARE MANUFACTURED IN EUROPE FROM HIGH QUALITY BORON STEEL TO ENSURE WEAR CAPABILITIES THAT AT THE VERY LEAST MEET OEM STANDARDS BUT GENERALLY FAR EXCEED THEM.

ASP BLADES COMPLY WITH THE 2011 NSW GOVERNMENT WORK COVER SLASHER BLADE STANDARDS.

SLASHER - MISCELLANEOUS

BSA-700494 McLEOD & M/F CLUTCH DISC
151mm x 57mm x 4.7mm thick

BSA-S4027 SUPERIOR CLUTCH DISC
165mm x 64mm x 3.2mm thick



NOTES:

SLASHER BLADE SIZE CHART

Part No	Brand	Length	Width	Thick	Hole	Step	Form
BS-07652	LOXTON	238	65	8	23	0	Flat
BS-07615	LOXTON	238	70	8	23	22	Step
BS-07654	LOXTON	238	70	8	23	15	Step
BS-07653	LOXTON	238	70	8	23	15	Step
BS-01586	GESSNER	250	65	7	25	22	Double Edge
BS-09046 / 47	GASON	250	100	10	32	50	Step
BS-09050 / 51	GASON	250	100	13	32	50	Step
BS-04457	BERENDS	262	65	8	26	25	Step
BS-01582	JARRETT	275	65	7	25	38	Suction
BS-01573	HOWARD	280	75	12	32	0	Twisted
BS-P1938/10	PAGE/SUPERIOR	305	75	10	32	40	Step
BS-P1927	PAGE/SUPERIOR	305	75	10	32	0	Flat
BS-01599	PAGE/SUPERIOR	305	75	16	32	0	Flat
BS-00797	PAGE/SUPERIOR	305	75	16	32	40	Step
BS-01605	PAGE/SUPERIOR	305	75	16	32	40	Step
BS-01601	PAGE/SUPERIOR	305	75	16	32	40	Suction
BS-00467	DAKEN	330	100	10	38	15	Twisted
BS-07161	WARATAH	331	100	10	38	47	Step
BS-07453	WARATAH	331	75	8	38	47	Step
BS-09044	GASON	350	100	13	32	50	Step
BS-01724	HOWARD	355	75	12	32	40	Suction
BS-08743	HOWARD	355	90	12	32	40	Suction
BS-01574	HOWARD	355	75	12	32	40	Step
BS-08226/7	CHRIS GROW/GASON	357	100	13	32	50	Suction
BS-01981	BERENDS	368	75	10	26	0	Flat
BS-01572	HOWARD	432	75	12	32	0	Twisted
BS-08228/9	CHRIS GROW/GASON	450	100	13	32	50	Suction
BS-09045	GASON	450	100	13	32	50	Step
BS-09048 / 49	GASON	450	100	10	32	50	Suction
BS-01602	PAGE/SUPERIOR	460	75	16	32	40	Suction
BS-S2428	PAGE/SUPERIOR	460	75	10	32	0	Flat
BS-P2028	PAGE-SUPERIOR	460	75	10	32	40	Step
BS-01603	PAGE/SUPERIOR	460	75	16	32	40	Step
BS-01606	PAGE/SUPERIOR	460	75	16	32	75	Step
BS-02003	BERENDS	460	100	12	38	25	Step
BS-01583	JARRETT	485	75	10	32	35	Step
BS-02000	BERENDS	495	75	10	32	25	Step
BS-01585	BERENDS	495	75	10	32	0	Flat
BS-1138	MCLEOD	495	100	13	45	45	Step
BS-00986	MCLEOD	495	75	13	35	40	Step
BS-09281	HOWARD	510	100	12	32	45	Step
BS-01075	MCLEOD	560	100	13	45	45	Step
BS-07805	MCLEOD	560	100	13	45	40	Suction
BS-08959	UNIVERSAL	645	75	10	38	0	Flat
BS-09251	UNIVERSAL	645	75	10	38	40	Step
BS-08138/39	SCHULTE/WOODS/RHINO	571	100	13	38	58	Suction
BS-08140/41	SCHULTE/WOODS/RHINO	645	100	13	38	58	Suction
BS-09076	FIELDQUIP, WOODS ETC	714	100	13	38	58	Step

SLASHER BLADE LENGTH IS MEASURED FROM CENTRE OF HOLE

ASP Components ™

MULCHING HAMMERS & FLAILS



HAMMER



FLAIL





ASP Cast hammers and ground tools are manufactured using a Nickel Chromium Molybdenum Alloy similar to that used in the mining industry for bucket teeth on heavy earth moving equipment. ASP Flails are made in Europe from Boron steel.

ASP offers a huge range of parts delivered Australia wide with same day despatch on all stocked items for orders received prior to 2pm.




Check out our website:

www.asproducts.com.au


AGRIFARM

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-06943 or BS-06943HF Hard Faced Option	Double edge 'Y' blade. OEM Ref A37094 AMM, ACM & AHM models **BSA-09250** Bush - 55mm long **BSA-06943B** - 16mm thick Spacers		25.4MM	60MM	10MM	171MM A= 204 B= 55 
CI-1401	Cast hammer flail OEM Ref A-37644 **CIA-08472 BOLT** **CIA-100852 NUT** ASM models use CIA-08028 fastener kit		A= 120 B= 40 R= 90 16.5mm Hole			


AGRIMASTER

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-08490	Double edge blade 'Y' blade Suits MKD200/230/250/280 OEM 300 0106		25.5MM	60MM	8MM	118MM A= 147 B= 62 
BS-08491	Flat double edge blade Suits MKD200/230/250/280		25.5MM	60MM	8MM	118MM A= 147 
CI-11/20	Cast hammer flail OEM Ref 30011 Em31, Suits FA 175,200 &2 25 CIA-08331 & CIA-08332 Bolt & Nut		A= 150 B= 60 R= 90 20.5mm Hole			

ALLOWAY


Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-505-3000HF Hard Faced	Double edge Y blade BSA-500-3-0008 D Ring BSA-500-3-0445 U-Bar BSA-09058 Bolt & Nut		17MM	50MM	5MM	170MM A= 190 B= 55  

ALPEGO







Part Number	Description	Diagram				
CI-08682	Cast hammer flail OEM Ref MK0A00212. P40061		A= 137 B= 40 R= 95 18.5mm Hole			

PLEASE CHECK BLADE SIZES BEFORE ORDERING FLAILS & HAMMERS

BECCHIO

Part Number	Description	Diagram		
CI-09279	Cast hammer flail		A= 120 B= 40 R= 110 19.5mm Hole	

BERTI


Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole	
BS-08835	Double edge 'Y' blade suits TSB High body & King etc OEM Ref 6010F28 BSA-09103 Bush CIA-08330 Bolt & Nut		28.5MM	60MM	10MM	171MM A= 204 B= 55	
BS-09117	Double edge Flat blade option		28.5MM	60MM	10MM	171MM A= 204	
CI-06/16	Cast hammer flail EM06 suit AF Low body, TA/P & TA/M OEM Ref MP0008, **'P'** type hammer **CIA-08700 Bolt Kit**		A= 137 B= 40 R= 95 16.5mm Hole				
CI-08853	Cast hammer flail, '**M**' type Mega Rotor.TFH/F & TFH/M, TFB/M, TBM/S OEM Ref: Mp0794 Use **CIA-09322 BOLT KIT** Hex Head bolt with 2 points removed, replaces the OEM style square head bolt).		A= 137 B= 84 R= 95 20mm Hole				
CI-08909 or CI-08909HF Hard Faced Option	Cast hammer flail '**A**' type suit:TFB, TFB/SB, EKR/S low body, TA/PF, TBM & TA. OEM Ref MP3922 (Use **CIA-08992 BOLT KIT** Hex Head bolt with 2 points removed, replaces the OEM style square head bolt).		A= 137 B= 52 R= 95 20mm Hole				
CI-08496	Cast hammer flail - double edge 'T' type Eco forest, all ECF models with reversible hammers MD1950		A= 71 B= 80 R= 80 30mm Hole				

BOMFORD


Part Number	Description	Diagram		
CI-FMB003	Cast 'boot' flail. OEM Ref: 0295901 CIA-08031 2mm Collar 0280101 CIA-08029 Bolt Kit 0367525 (Bolt kit includes 1 x bolt, lock nut & washer)		A= 68 B= 12 C= 85 40mm wide cutting edge 16mm x 32mm hole	

Ph: 07 3881 3464 or email: sales@asproducts.com.au


BOMFORD Cont.

Part Number	Description	Diagram		
CI-08773	Double edge 'T' flail. OEM Ref: 46399.01 CI-08776 Flail Kit (kit includes flail, collars & fasteners) CIA-08774 Bush (2 per flail) CIA-08775 Bolt Kit		A= 70 B= 38 R= 105 25.4mm Hole	




BREVIGLIERI

Part Number	Description	Diagram		
CI-06/16	Cast hammer flail suit Flash SR, Turbo-T, Master & Super Master OEM Ref 56123		A= 137 B= 40 R= 95 16.5mm Hole	


BUFFALO

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole	
BS-08719	Double edge 'Y' blade (Use with BSA-08097 bush to reduce hole dia to 17mm)		25.4MM	65MM	10MM	140MM A= 170 B= 50	



CELLI

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole	
BS-06943 Or BS-06943HF Hard Faced Option	Double edge suit Scorpio etc 'Y' blade **BS-279003** Straight blade option **BSA-06943B** 16mm thick Spacer **BSA-09269** 11.5mm thick spacer		25.4MM	60MM	10MM	171MM A= 204 B= 55	
BS-09290 BS-09291	Double edge 'Y' blade Suit Gemini OEM Ref 702611 NEW Straight Double edge blade OEM Ref 702612		16.5MM	50MM	10MM	A= 123 B= 53	
CI-1400	Cast hammer flail suit Vega OEM Ref 704052		A= 120 B= 40 R= 110 16.5mm Hole				






COSMAG

Part Number	Description	Diagram		
CI-11/20	Cast hammer flail Em31 Suits FA200		A= 150 B= 60 R= 90 20.5mm Hole	

FAE



Part Number	Description	Diagram		
CI-FMB14	Cast hammer flail Reversible OEM Ref 111120001		A= 70 B= 60 R= 80 31mm Hole	
CI-08996	Cast hammer flail Em32		A= 76 B= 22 R= 95 16.5mm Hole	

FALC

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole	
BS-06943 Or BS-06943HF Hard Faced Option	Double edge 'Y' blade OEM Ref 43.01.51		25.4MM	60MM	10MM	171MM A= 204 B= 55	
BS-279005	Double edge 'L' blade		25.4MM	60MM	10MM	171MM A= 204 B= 47	
BS-279003	Double edge Flat blade		25.4MM	60MM	10MM	171MM A= 204	
CI-08942 Or CI-08942HF Hard Faced Option	Hammer Flail alternative for BS-06943 'Y' blades		A= 115 B= 50 R= 171 25.5mm Hole				
CI-08999	Hammer Flail OEM Ref 66 00 00		A= 105 B= 54 R= 98 25.5mm Hole				



BSA-06943P	Flat head Threaded 1" Pin with Nut & Washers	
BSA-06944P	Flat head Split Pin style 1" Pin	
BSA-06943B	16mm Thick Spacer Bush (2" OD & 1" ID)	
BSA-09269	11.5mm Thick Spacer Bush (used with Straight blade)	

FERRI


Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole	
BS-08490	Double edge blade 'Y' blade Suits MKD200/230/250/280		25.5MM	60MM	8MM	115MM A= 147 B= 62	

Ph: 07 3881 3464 or email: sales@asproducts.com.au


FERRI Cont.

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-08491	Flat double edge blade Suits MKD200/230/250/280		25.5MM	60MM	8MM	115MM
			A= 147			
CI-08750	Double edge 'T' flail KIT (kit includes flail, bush, 2 x Spacers & fasteners)		A= 64 B= 38 R= 115 25.4mm Hole			





FORIGO

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-09039	Double edge 'Y' blade use BSA-09040 Bush, BSA-09041 End Spacer x 2 & BSA-09042 Bolt & Nut		25.4MM	60MM	10MM	125MM
			A= 153 B= 60			

GESSNER / LOFTNESS


Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-09143HF	**HARD FACED** Double edge 'Y' blade BSA-09144 U Bracket BSA-09145 Bush		24MM	60MM	8MM	150MM
			A= 173 B= 50			

HOWARD (KRONOS)

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BM-181024	Single edge blade **BMA-151002** Shackle **BSA -09270** Spacer **BMA-08034** Bolt kit		16 x 36MM	40MM	12MM	
			A= 98 B= 39			
BS-06943 Or BS-06943HF Hard Faced Option	Double edge 'Y' blade suit Alce & Kronos etc BSA-06944P Pin & Split pin BSA-06943B 16mm Spacer (2" OD) BSA-09269 11.5mm Spacer		25.4MM	60MM	10MM	171MM
			A= 204 B= 55			
BS-279005	Double edge 'L' blade	 A= 204 B= 47	 279005			
BS-279003	Double edge Flat blade	 A= 204				 279003
CI-08942	Hammer Flail alternative for BS-06943 'Y' blades suit Alce etc		A= 115 B= 50 R= 171 25.4mm Hole			
BSA-06944P	Pin to suit 25.4mm hole complete with Spit Pin					




**** PLEASE CHECK BLADE DIMENSIONS ****

JANKE


Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-Y90HF HARD FACED	Riveted 'Y' blade assembly use with **BSA-Y90CC** Bush & Fastener Kit (includes Bush, Bolt, Nut & 2 X washers)		20MM	65MM	10MM	145MM A= 170 B= 80 (total of both together)



JOHN BERENDS IMPLEMENTS


Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-08001	Double edge blade 'Y' blade Suits pre 2000 mulchers OEM Ref: 1600 use with bolt & nut kit BSA-09081		20.5MM	50MM	10MM	120MM A= 138 B= 55
BS-08471	Double edge 'L' blade OEM Ref: 1599 use with bolt & nut kit BSA-09081		20.5MM	50MM	10MM	120MM A= 138 B= 55
BS-08291	Double edge blade 'Y' blade Suits HIGH body mulchers OEM Ref: 1609 use with bolt & nut kit BSA-09081		20.5MM	50MM	10MM	165MM A= 185 B= 55









KRONE

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BM-336003	Double edge blade 'Y' blade		14.5MM	40MM	5MM	115MM A= 134 B= 40



KUHN


Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-06943 Or BS-06943HF Hard Faced Option	Double edge 'Y' blade **BSA-06944P** Pin & Split pin **BSA-06943B** 16mm Spacer **BSA-09269** 11.5mm Spacer **BSA-06944P** Split Pin style Bolt		25.4MM	60MM	10MM	171MM A= 204 B= 55
CI-08942	Hammer Flail alternative for BS-06943 'Y' blades OEM Ref JX136378					A= 115 B= 50 R= 171 25.4mm Hole










Ph: 07 3881 3464 or email: sales@asproducts.com.au

MALETTI



Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-08009	Double edge 'Y' blade (Comes supplied as 2 x BS-06943 flails & 1 x BSA-08097 bush)		17MM	60MM	10MM	171MM A= 204 B= 55 

MASCHIO


Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-08303	Double edge 'Y' blade OEM Ref: T40005142 Suits CL, ML & MS models (Use with BS-09022 Flat blade)		25.5MM	60MM	8MM	190MM A= 210 B= 61 
BS-08304	Double edge blade 'Y' blade to suit BA models OEM Ref: T21004040 (Requires 2 of BSA-01981B spacers)		16.5MM	45MM	8MM	120MM A= 136 B= 60 
BS-08490	Double edge blade 'Y' blade to suit some models OEM Ref: 3000106		25.5MM	60MM	8MM	115MM A= 147 B= 62 
CI-1400	Cast hammer flail Em04 T24004025 Suits BL & CR models		A= 120 B= 40 R= 110 16.5mm Hole 			
CI-11/20	Cast hammer flail Em31 OEM Ref M03400410R		A= 150 B= 60 R= 90 20.5mm Hole 			

Have questions? Please email: sales@asproducts.com.au



McCONNEL

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
CI-1387	Double edge 'T' flail. OEM Ref: 73.14.366 **CI-1387K** Flail Kit suit F10 (Note: will not suit F14 head) (Kit includes Flail, bush & fasteners) **CIA-1387BK** Fastener kit (includes 1 x bush, bolt & lock nut)		A= 60 B= 38 R= 135 25.4mm Hole 			
CI-09248	H/Duty Single sided Hammer option suit F10					
BS-09100	Double edge Y blade suit ROBOCUT mowers (44 required per set) **BSA-09113** Bush / Spacer **BSA-09114** Bolt & Nut		12.5MM	40MM	6MM	90MM A= 100 B= 45 


MDB GREEN CLIMBER

Part Number	Description	Diagram		
CI-09062	Cast hammer flail Suits LV600 etc Mulcher		A= 85 B= 40 R= 100 14.5mm Hole	


M.E.A.A.T

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole	
BS-06943	Double edge 'Y' blade Suits TS140, TS160 & TS300		25.4MM	60MM	10MM	171MM	
BS-06943HF	Hard Faced Alternative						
BS-279005	Double edge 'L' blade		A= 204 B= 47				
BS-279003	Double edge Flat blade		A= 204				
CI-08682	Cast hammer flail		A= 137 B= 40 R= 95 18.5mm Hole				


MOTT

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole	
BM-100759HD	Double edge 'Y' blade BM-100761 Shackle BMA-102670 Pin BMA-00026 Split pin		13 x 27MM	40MM	5MM	65MM	
			A= 82 B= 39				

MURATORI







Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole	
BS-08814	Double edge 'Y' blade OEM Ref: 12007800		20.5MM	40MM	10MM	97MM	
			A= 110 B= 46				

MUTHING


Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole	
CI-06/16	Cast hammer flail HS Model EM06 CIA-08028 Bolt & Nut (90mm long from under the head)		A= 137 B= 40 R= 95 16.5mm Hole				

Ph: 07 3881 3464 or email: sales@asproducts.com.au

NOBILI & OMARV

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-06943	Double edge, 'Y' blade Suits BNU, BNG, NK, RM, P. OEM Ref: N2555004		25.4MM	60MM	10MM	171MM
		A= 204 B= 55				
BS-06943HF	**Hard Faced Alternative**					
BSA-06943P	Flat head Threaded 1" Pin with Nut & Washers	 BSA-06943P				
BSA-06944P	Flat head Split Pin style 1" Pin	 BSA-06944P				
BSA-06943B	16mm Thick Spacer Bush. 2" OD & 1" ID					
BSA-09269	11.5mm Thick Spacer Bush (used with Straight blade)					
BS-279005	Double edge 'L' blade	 A= 204 B= 47				
						
BS-279003	Double edge Flat blade OEM Ref: N1551000	 A= 204				
						
BS-1781000	Double edge 'Y' blade Suits BNE & TB OEM Ref: N1781000		16.5MM	40MM	8MM	110MM
		A= 128 B= 35				
						
CI-1400	Cast hammer flail Em04 OEM Ref N1891002 Suits TBL, VK, VKE, VKD, VKR, WMU & BNE					
		A= 120 B= 40 R= 110 16.5mm Hole				
						
CI-08926	H/Duty Hammer flail alternative to the BS-06943.					
						
CI-08942	Hammer Flail alternative for BS-06943 'Y' blades OEM Ref N2555002					
						
CI-09279	Cast hammer flail EM04/19 Some models with19.5mm hole					
NEW		A= 120 B= 40 R= 110 19.5mm Hole				
						

NOREMAT

Part Number	Description	Diagram				
CI-09208	Cast hammer flail Use CIA-08774 Bushes x 2					
		A= 65 B= 58 R= 70 25.5mm Hole				
						



NEW!
FINE GRIT TUNGSTEN HARD FACED HAMMERS & FLAIL BLADES.




ASP is introducing a select range of popular Hammers & Flails with a **fine grit tungsten coating** to the cutting edge, as an option.

Unlike the traditional application of tungsten grit hard facing, that is applied in a weld form, the ASP hard faced option is applied in a thin coating that does not reduce the cutting performance of the flail or hammer.


One of the most common comments we receive from people that have had traditional hard facing applied to their hammers or flails, is that as the blade wears down to where the tungsten weld has been applied it creates a thick, blunt, rounded edge, rendering the blade useless for cutting in some applications.

Talk to us today about your requirements.


ORSI & PERUGINI

Part Number	Description		
CI-08989 CI-08989HF	Cast hammer flail, single edge W Forrest models OEM Ref 00023109 **Tungsten Hard Faced option**		A = 70 B = 60 R = 80 31mm Hole	
CI-08753	Cast hammer flail Suits TBL, VK, VKE, VKD, VKR, WMU & BNE **CIA-08028** Special Bolt set		A= 147 B= 54 R= 97 16.5mm Hole	
CI-09206	Cast hammer flail Comfort, Dynamic & Twice models OEM Ref 00023130		A= 146 B= 54 R= 100 20.5mm Hole	

SALIBA

Part Number	Description	Diagram		
CI-09293 NEW	Cast hammer flail Em08 / 20 TLB series etc.		A= 120 B= 40 R= 90 20.5mm Hole	


SAUERBURGER

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-09028HF	HARD FACED Double edge 'Y' blade Use **BSA-09034** Fastener kit (includes Pin, Bush & Roll Pins) or BSA-09103 Bush		29MM	60MM	6MM	180MM A= 210 B= 45









Ph: 07 3881 3464 or email: sales@asproducts.com.au




SEPPI

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-08304	Double edge blade 'Y' blade to replace CI-1400 (Requires 2 of BSA-00192 spacers)		16.5MM A= 136 B= 60	45MM	8MM	120MM 


Please check your blade sizes prior to ordering. If you require help, please contact the sales team on 07 3881 3464 or email sales@asproducts.com.au

CI-09273 NEW	Cast hammer flail Em08/20		A= 120 B= 40 R= 90 20.5mm Hole	
CI-1401	Cast hammer flail Em08 OEM Ref: 13002041 **CIA-08028** Special bolt set (OEM Ref: 13002075)		A= 120 B= 40 R= 90 16.5mm Hole	
CI-1400	Cast hammer flail Em04 OEM Ref: 13002001 **CIA-08028** Special bolt set (OEM Ref: 13002075)		A= 120 B= 40 R= 110 16.5mm Hole	
CI-08989 CI-08989HF	Cast hammer flail, single edge OPT240, Miniforst, Midiforst. DT, Superforst & Forst M **Tungsten Hard Faced option**		A = 70 B = 60 R = 80 31mm Hole	
CI-FMB14	Cast hammer flail Reversible OEM Ref: 11001008		A= 70 B= 60 R= 80 31mm Hole	


SICMA

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-08814	Double edge 'Y' blade Suits TS, TSL & TVF		20.5MM A= 110 B= 46	40MM	10MM	97MM 
BS-08490	Double edge blade 'Y' blade		25.5MM A= 147 B= 62	60MM	8MM	118MM 
BS-08491	Flat double edge blade		25.5MM A= 147	60MM	8MM	118MM 





SICMA - CONTINUED

Part Number	Description	Diagram		
CI-11/20	Cast hammer flail Em31		A= 150 B= 60 R= 90 20.5mm Hole	



SIMATECH

Part Number	Description	Diagram		
CI-09293 NEW	Cast hammer flail EM08/20 DHL Range DHL80 & 95		A= 120 B= 40 R= 90 20.5mm Hole	



SOVEMA

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole	
BS-06943 BS-06943HF Hard Faced Alternative	Double edge 'Y' blade	 A= 204 B= 55	25.4MM	60MM	10MM	171MM	
BS-279005	Double edge 'L' blade	 A= 204 B= 47					 279005
BS-279003	Double edge Flat blade	 A= 204					 279003
CI-08817	Single edge flail **BSA-08818** Shackle		A= 79 B= 70 14mm x 25mm hole 3mm thick steel				


TIERRE

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole	
BS-09021	Double edge 'Y' blade BSA-08880 Bush		25.4MM	60MM	7MM	A= 215 B= 50	
BS-09022	Double edge Flat blade		25.4MM	60MM	8MM	A= 210	




TRIMAX

Part Number	Description	Diagram		
CI-08996	Cast hammer flail OEM 16022, 411-480-643 Warlord etc		A= 76 B= 22 R= 95 16.5mm Hole	
CI-09249	Gamma Flail style hammer. Cast hammer flail OEM 411-160-105 Can use CI-09249K (flail, bolt, nut & bush) CIA-09275 Bolt & Nut CIA-09276 Bush (16OD x 10ID x 10mm)		A= 55 B= 11 R= 85 16.5mm Hole	


WOODS

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-505-3000HF (Hard Faced)	Double edge blade 'Y' blade, Hard Faced Use with: BSA-500-3-0008 D Ring BSA-500-3-0445 U-Bar BSA-09058 Bolt & Nut		17MM	50MM	5MM	170MM
			A= 190 B= 55			
						

ZANON & INO

Part Number	Description	Diagram	HOLE	WIDTH	THICK	LENGTH from centre of hole
BS-09059 NEW	Double edge 'Y' blade		20.5MM	40MM	8MM	
			A= 119 B= 52			
						
CI-09062	Cast hammer flail Suits **Ino** Mulcher EM37		A= 85 B= 40 R= 100 14.5mm Hole			
						
CI-1401	Cast hammer flail Em08 CIA-08028 Fastener kit		A= 120 B= 40 R= 90 16.5mm Hole			
						

ZENIT & MULCH MASTER

Part Number	Description	Diagram		
CI-08999	Hammer Flail **BSA-06944P** Pin & Split Pin		A= 105 B= 54 R= 98 25.5mm Hole	
CI-08999HF	HARD FACED OPTION			

Flails					
	Width	Thickness	Length	Length	Hole
Part No.	W(mm)	T(mm)	(centre)	(overall)	H(mm)
BS-06943	60	10	171	204	25.4
BS-08001	50	10	120	138	20.5
BS-09290	50	10	105	123	16.5
BS-08291	50	10	165	185	20.5
BS-08303	60	8	190	210	25.5
BS-08304	45	8	120	136	16.5
BS-08471 "L"	50	10	120	138	20.5
BS-08490	60	8	115	150	25.5
BS-08491 FLAT	60	8	115	150	25.5
BS-08719	65	10	140	173	25.4
BS-08835	60	10	171	204	28.5
BS-09021	60	7	195	215	25.4
BS-09022	60	8	190	210	25.4
BS-09028	60	6	180	210	29
BS-09039	60	10	125	153	25.4
BS-09059	40	8	100	119	20.5
BS-1781000	40	8	110	128	16.5
BS-279003 FLAT	60	10	171	204	25.4
BS-279005 "L"	60	10	171	204	25.4
BM-336003	40	5	115	134	14.5
BM-100759HD	45	5	65	82	13 x 27
BM-181024	40	12	70	98	16 x 36
BS-505-3000HF	50	5	170	190	17
BS-Y90	65	10	145	170	20

Hammer					
	Radius	Cutting	Hole	Knuckle	Ref
Part No.	R (mm)	CF (mm)	H (mm)	KW	OEM
CI-06/16	95	137	16.5	40	EM06
CI-08753	97	147	16.5	54	
CI-08817	70	70	14 X 25	6	
CI-08853	105	140	20	84	
CI-08909	98	140	20	52	
CI-08926	175	88	25.4	51	
CI-08996	95	76	16.5	22	
CI-08999	98	105	25.5	54	
CI-09062	95	85	14.5	40	
CI-1400	110	120	16.5	40	EM04
CI-1401	90	120	16.5	40	EM08
CI-11/20	90	150	20.5	60	EM11
CI-08942	171	115	25.4	50	
CI-FMB14	80	70	31	60	
CI-08496	80	71	31	80	
CI-FMB003	85L, 68H	40W	16 x 32	11	
CI-09293	90	120	20.5	40	
CI-08773	105	60	25.4	38	
CI-1387	135	60	25.4	38	
CI-08682	95	137	18.5	40	
CI-09279	110	120	19.5	40	



Y FLAILS



L FLAILS



FLAT FLAIL



STD HAMMER



T HAMMER



BOOT HAMMER

QUALITY STUMP GRINDER & FIXED MULCHER TEETH, AT AFFORDABLE PRICES!


AHWI type



BD-19 Tungsten Twin Tooth

OE Ref 14L1

AHWI type



BD-115 Tungsten Side Cutter, Left Hand

OE Ref BFS47L

AHWI type



BD-116 Tungsten Side Cutter, Right Hand

OE Ref BFS47R

AHWI type



BD-9 Tungsten Twin Tooth

OE Ref HDT01

BRADCO



BD-92 Tungsten Bradco Magnum Double Edge

DRAGON



BD-120 Tungsten 90mm Tooth Dragon type. 5/8" UNF Thread.

FECON



BD-12C Tungsten 15EZ-C type

OE Ref 15EZ

FECON AXE



BD-97 Reversible Double-edged Samurai Style cutting tooth



ASP Components™



700 SERIES

BD-69



Tungsten Stump Grinder Tooth.
Use BSA-09134 Nut

700 SERIES

BD-69W



Collar to suit 700 Stump Grinder Tooth

900 SERIES

BSD-MC01



Tungsten Stump Grinder Tooth.
Use BSA-09057 Nut

900 SERIES

BD-70W



Collar to suit 900 Stump Grinder Tooth

1100 SERIES

BD-71



Tungsten Stump Grinder Tooth.
Use BSA-09135 Nut

YELLOW JACKET (type)



Tungsten Stump Grinder Tooth, (Yellow Jacket Type)
use BMA-08060 Nut

QUAD CUTTER


BSD-MC-Q12



Saw type 'Beaver' Tooth
3/4"UNF Thread

QUAD CUTTER

BD-60



Suit Diamond & Quadco QH10078T
(1/2 UNF x 1" OD shank)

OE Ref 22-0019

PO Box 3175 Clontarf DC Qld 4019,
359 MacDonnell Rd Clontarf Qld 4019
Ph: 07 3881 3464
Email: sales@asproducts.com.au
www.asproducts.com.au
ABN: 91 088 139 520



AUSTRALIA'S LARGEST BORON PARTS RANGE
PERFORMANCE
BORON
DURABILITY

ASP Components™











LA PIÑA
WORK WELL DONE

In association with our 23 year partnership with La Pina, ASP supply an array of wear resistant products that are manufactured to World Class Standards. Production of parts incorporates the latest technological advantages in Boron Steel processing. Boron steel is used to provide our customers with superior wear resistant characteristics and excellent value for money! ASP distribute our parts Australia wide and provide fast delivery coupled with great customer service.