

2023

Wear Resistant Parts

Agricultural Parts



Ph: 07 3881 3464

sales@asproducts.com.au

www.asproducts.com.au

Ripper Points & Sweeps

Reversible Point - Coil Tine

AS-01317 40mm x 12mm x 300mm (31SL-1)
AS-01319 50mm x 16mm x 310mm (31SL-3)
AS-01320 65mm x 16mm x 310mm (31SL-4)

7/16 Bolt holes at 51mm centres
ASP-09024 Bolt & Nut



Reversible Point - Suit Rear Mount Coil Tines

AS-800006 40mm x 16mm x 270mm


14mm Bolt holes at 45mm centres
ASP-09023 Bolt & Nut



Reversible Point


AS-01329 65mm x 13mm x 380mm

1/2" Bolt holes at 57mm centres
ASP-09023 Bolt & Nut



Universal Ripper Point

AS-01349 62.5mm x 20mm x 300mm
 4 x 1/2" Bolt holes / slots to suit between
 51mm to 112mm centres - **ASP-09023** Bolt & Nut



Feed Down Point

AS-01335 Short style (314H) 43cm long
AS-01336 Long style (315H) 58cm long

2" wide x 1/2" thick Point to suit
 Yeoman, Napier etc

AS-09247 Clamp & Screw



North American Chisel Plough Point -

AS-01322 55mm x 15mm x 400mm
 13.5mm Bolt holes at 45 - 65mm centres
ASP-09023 Bolt & Nut



Sweeps - suit Coil Tines

AS-5305 5 Inch x 6mm
AS-5306 6 Inch x 6mm
AS-5308 8 Inch x 6mm
AS-53010 10 Inch x 6mm
AS-53012 12 Inch x 6mm



TUNGSTEN HARD FACED SWEEPS
 Use **ASP-09024** Bolt & Nut

Scarifier & Harvester Point

AS-05230 180mm x 45mm wide
AS-05230H **HARD FACED**
 Knock on cast point
 OEM Ref 6Y5230 & 2D5572



Alabama Sweeps

ASP-58118-8 18"
ASP-58120-8 20"
ASP-58122-8 22"
ASP-58124-8 24"



Spanish BORON 8mm Thick
 Sweeps, 2 x 1/2" Bolt Holes suit Friction Trip etc

Cast Aerator "Shattertine"

CI-08862 Left Hand
CI-08863 Right Hand
CI-08862H **HARD FACED**
CI-08863H **HARD FACED**

(13.5mm holes @ 46mm centres,
 9" long from centre of top hole)
 Same design as the AerWay Shattertine.
 To fit Berends, Agrifarm, Agrivator & Leda etc



Coil Tines & S Tines

Coil Tine - Vertical

AR-01488 25mm Sq Left Hand
AR-01489 25mm Sq Right Hand

AR-01476 32mm Sq Left Hand
AR-01477 32mm Sq Right Hand

Use AS-01317 / 19 / 20 Points or AS-53 Sweep:

'A' Dimension:
25mm Tines are 780mm
32mm Tines are 930mm



LEFT HAND


Coil Tine - Front

AR-01480 25mm Sq Left Hand
AR-01481 25mm Sq Right Hand

AR-01468 32mm Sq Left Hand
AR-01469 32mm Sq Right Hand

Use AS-01317 / 19 / 20 Points or AS-53 Sweeps

'A' Dimension:
25mm Tines are 580mm
32mm Tines are 680mm




Coil Tine - Rear 25mm

AR-Q25SVVDX L/Hand
AR-Q25SVVSX R/Hand

Use AS-800006 Rev. Point
270mm x 40mm x 16mm
(Use ASP-09023 Bolt)

Not suitable for ASP Sweeps




Coil Tine - Rear 30mm

AR-Q30SVVDX L/Hand
AR-Q30SVVSX R/Hand

Use AS-800006 Rev. Point
270mm x 40mm x 16mm
(Use ASP-09023 Bolt)

Not suitable for ASP Sweeps



H/Duty S Tine - 75mm x 12mm


AR-F70SVV S Tine
AR-AF7012/60 Clamp 60mm Bar
AR-AF7012/65 Clamp 65mm Bar



Clamp

Points to suit 75mm x 12mm S Tine


AR-550299 Reversible Point
AR-550301 180mm Sweep
AR-550308 Bolt & Nut M10x55



S Tines, Tines & Shanks


S Tine 45mm x 12mm

AR-F45SVV S Tine




Points & Sweeps to suit 45mm x 12mm S Tines

- AR-550027 4" Sweep
- AR-550028 6" Sweep
- AR-550067 Reversible Point 255 x 55 x 6mm
- AR-550034 Reversible Point 40 x 6mm
- AR-550102 Reversible Point 40 x 8mm
- AR-AF4512/50 Clamp 50mm Bar
- AR-AF4512/65 Clamp 65mm Bar
- AR-VF4512 Bolt & Nut



S Tine 32mm x 12mm

AR-F12SVV S Tine



Points & Sweeps to suit 32mm x 12mm S Tines

- AR-550027 4" Sweep
- AR-550028 6" Sweep
- AR-550034 Reversible Point 40 x 6mm
- AR-550102 Reversible Point 40 x 8mm
- AR-AF3212/16 Clamp 50mm x 16mm Bar
- AR-AF3212/50 Clamp 50mm x 50mm Bar
- AR-VF4512 Bolt & Nut M10 x 45mm



Rigid Tine

AR-01107 32mm Square x 785mm

2 x 7/16" Bolt holes at 46 to 53mm centres

Use AS-01317, AS-01319 or AS-01320 Points & AS-53.. Sweeps




Cultivator Shank

AR-01512
50mm x 25mm
x 530mm

Use AS-01329 Point

Suits Yeoman, Berends, Waratah & Jarrett style cultivators.



3 x 1" Shanks

AR-01537 75 x 25 x 785mm
Bull nose leading edge for better trash flow. Heat Treated. Suits Friction Trip assemblies.



Beet Knife Tine

AR-01536 32mm Square
Beet Knife Tine, 32mm square x 740mm long with 3 x 3/8" holes at 32mm - 57mm centres




Weeder Rake & Cultivator Tines

Multi Weeder Rake Tine 16mm

AR-01383 Left Hand
AR-01384 Right Hand


692mm Height,
325mm length,
14.3mm Eye



Multi Weeder Rake Tine 19mm

AR-01385 Left Hand
AR-01386 Right Hand

692mm Height,
325mm length,
14.3mm Eye




Multi Weeder Tracking Rake

AR-01449 Right Hand
AR-06919 Left Hand

Vertical Eye
16mm Tine

NEW



Tracking Rake Tine

AR-01448 Tine 16mm,


692mm Height
365mm Length



Cultivator Rake Tine 19mm with 25mm ID Ferrule

AR-01396 Height 686mm,
Length 816mm

AR-01400 Height 686mm,
Length 435mm



Baselier Bed Former Blade

AR-09213 335mm long x 40mm x 10mm thick

Baselier Inter-Row Blade

AR-09216 230mm long x 40mm x 10mm thick

Approx 90mm long **TUNGSTEN WELD**
2 x 12mm holes at 80mm centres



Struik Inter-Row Blade

AR-09217 210mm long x 40mm x 10mm thick

2 x 12mm holes at 60mm centres
Approx 90mm long **TUNGSTEN WELD**



Crescent Knives

AR-05459 & AR-05460 LH & RH

11mm Hole & 11mm X 34mm Slot Hole
@ 42mm centres.
Length A = 290mm,
Length B = 150mm
50mm Wide x 10mm Thick



Ripper Legs, Points & U Bolts

Ripper Point suit Yeoman

TUNGSTEN HARD FACED - With Tile

ACAG-08742

Standard Hard Faced with tile



Ripper Point suit Yeoman

H/DUTY TUNGSTEN HARD FACED

ACAG-08742H

H/Duty Hard Faced



ASP Ripper Point

ACAG-003 Point



(Will also suit #8 Agrowplow Shanks)

ASP Ripper Point

TUNGSTEN HARD FACED

ACAG-003HF



ASP Ripper Legs

ACAG-024 24" Complete Assembly

ACAG-031 30" Complete Assembly

ACAG-001 24" Shank only

ACAG-030 30" Shank only

ACAG-SUB Clamp Assembly (Top & Bottom)

1" (25mm) shear pin

**Breakout force approximately
4000ft.lbs for 24" Leg**

**Approximate power
requirements per shank:
7.5-11KW (10-15 HP)**

**Suits 100mm square RHS
frames**

**NOW WITH
TUNGSTEN HARD FACING
AS STANDARD ON
THE SHANK LEADING EDGE**
(Standard Point & Guard supplied
with Complete Assembly).



ASP Ripper Leg Parts

ACAG-015 Shin Guard

ACAG-015H **HARD FACED** Shin Guard

ACAG-014 Shear Pin

ACAG-EN761 Pin Clip



Ripper Point & Guard -

Gessner

TUNGSTEN HARD FACED

ACAG-09160H Gessner style Point

ACAG-09161H Gessner style Shin Guard
(Use ACAG-014 Pin & ACAG-EN761 Clips)



U & V Bolts

Suit toolbar size

AR-07328 U Bolt 4 x 4 x 3/4"

AR-315031K U Bolt 7 x 7 x 3/4"

AR-315032K U Bolt 7 x 7 x 7/8"

AR-315033K U Bolt 6 x 4 x 3/4"

AR-315034K U Bolt 6 x 6 x 3/4"

ASP-101-350 V Bolt 100x100x22mm

ASP U Bolts are grade 8.8 high tensile.
Supplied complete with nuts and spring washers.



Clamps & Wedges, Rotary Hoe Blades

Clamps & Wedges - 2" Toolbar

AR-04279 1" Tine to 2" Toolbar
AR-04285 Wedge to suit AR-04279

AR-04277 1 1/4" Tine to 2" Toolbar
AR-04283 Wedge to suit AR-04277


AR-04278 **Spreader Clamp**
AR-04283 Wedge to suit AR-04278



Clamps & Wedges - 2 1/2" Bar

AR-04273 1 1/4" Tine to 2 1/2" Toolbar
AR-04283 Wedge to suit AR-04273

AR-04274 **Spreader Clamp**
AR-04283 Wedge to suit AR-04274



Clamps & Wedges - 3 1/2" Bar

AR-01496 1 1/4" Tine to 3 1/2" Toolbar
AR-04346 Wedge to suit AR-01496

AR-01495 **Spreader Clamp**
AR-04346 Wedge to suit AR-01495



Clamps & Wedges - 4" Toolbar

AR-03896 1 1/4" Tine to 4" Toolbar
AR-04346 Wedge to suit AR-03896

AR-06964 **Spreader Clamp**
AR-04346 Wedge to suit AR-06964



DURA-TUNG RANGE FROM ASP!

THE DURABLE TUNGSTEN RANGE FROM ASP USES AN ULTRA TOUGH TUNGSTEN COATING FOR MAXIMUM WEAR RESISTANCE WHILST STILL MAINTAINING A SHARP CUTTING EDGE!

DESIGNED EXCLUSIVELY FOR THE AGRICULTURAL INDUSTRY.
AVAILABLE ON A SELECT RANGE OF ASP HOE BLADES.




Thin coating of fine grit TUNGSTEN hard facing along the cutting edge and bottom of the blade enables maximum wear resistance without reducing the cutting ability of the blade.



eurozappa

ASP Hoe Blades are sold as pairs (1 left hand & 1 right hand). They are shipped in sturdy boxes, generally 20 blades per box.

ASP Rotary Hoes blades are manufactured in Italy from Boron Steel.
OEM numbers are for reference only.



SPEED BLADE

ASP Rotary Hoe and Power Harrow blades are the hardest, longest lasting blades sold in Australia. They are super hardened to 50Rc where others often are softer. We can do this because our blades are made from European Boron steel which enables them to be made harder without the risk of them becoming brittle. As well, ASP blades undergo a special heat treatment process that produces different characteristics in the steel where really needed, extra hardness at the blade edge and extra elasticity at the bolt holes.





POWER BLADE

Rotary Hoe Blades

	APPLICATION	OEM REF	TYPE	SIZE A	SIZE B	HOLE	CENTRES	SECTION	BOLT
AGRATOR									
RH-08782 RH-08783	MRP SERIES	MR30856 MR30857	POWER 237004	193mm	140mm	16.5mm	75mm	105x8mm	RHA-08118 M16 X 48mm
RH-09146 RH-09147	MRP SERIES		SPEED 225046	210mm	140mm	16.5mm	75mm	105x8mm	RHA-08118 M16 X 48mm
BREVIGLIERI									
RH-08116 RH-08117	B83, 103, 123, 170, 250 DOBLE & MAXI	0064818 D/S	POWER 153016	185mm	135mm	14.5mm	57mm	80x8mm	RHA-08419 M14 X 40mm
RH-08924 RH-08925	H/DUTY 10MM		POWER 153064	180mm	135mm	14.5mm	57mm	80x10mm	RHA-08419L M14 X 55mm
RH-08243 RH-08244	B83, 103, 123, 170, 250 DOBLE & MAXI	0064811 D/S	SPEED 153015	185mm	135mm	14.5mm	57mm	80x8mm	RHA-08419 M14 X 40mm
CELLI									
RH-08386 RH-08387	'A' SERIES	522514 522515	POWER 153011	185mm	135mm	12.5mm	50mm	70X6mm	N/A
RH-08392 RH-08393	ALPHA, C & CE	331526 331527	POWER 153027	185mm	135mm	14.5mm	50mm	70X7mm	RHA-08419 M14 X 40mm
RH-08390 RH-08391	ALPHA, C & CE	331528 331529	SPEED 153028	195mm	135mm	14.5mm	50mm	70X7mm	RHA-08419 M14 X 40mm
RH-08388 RH-08389	AG SERIES	531511 531512	SPEED 153025	164mm	110mm	12.5mm	40mm	60X6mm	N/A
RH-08116 RH-08117	E, HV, H, F, G, K, PIONEER, TIGER & ERGON	722533/34 422512/13 B6225/6	POWER 153016	185mm	135mm	14.5mm	57mm	80X8mm	RHA-08419 M14 X 40mm
RH-08924 RH-08925	H/DUTY 10MM	722547 722548	POWER 153064	180mm	135mm	14.5mm	57mm	80X10mm	RHA-08419L M14 X 55mm
RH-08243 RH-08244	E, HV, H, F, G, K, PIONEER, TIGER & ERGON	722537/38 422514/15	SPEED 153015	185mm	135mm	14.5mm	57mm	80x8mm	RHA-08419 M14 X 40mm
RH-08986 RH-08987	LONG SHANK ALTERNATIVE TO RH-08116 / 7	B6229 / 30	POWER 153055	207mm	135mm	14.5mm	57mm	80x10mm	RHA-08419L M14 X 55mm
RH-09177 RH-09178	SUPER TIGER	722560 722561	POWER 153060A	180mm	135mm	16.5mm	57mm	80x10mm	RHA-08118 M16 X 48mm
RH-09223 RH-09224	LONG SHANK SUPER TIGER		POWER 153055A	207mm	135mm	16.5mm	57mm	80X10mm	RHA-08118 M16 X 48mm

Rotary Hoe Blades

	APPLICATION	OEM REF	TYPE	SIZE A	SIZE B	HOLE	CENTRES	SECTION	BOLT
FALC									
RH-08116 RH-08117	C,CS & E	762427 762428	POWER 153016	185mm	135mm	14.5mm	57mm	80x8mm	RHA-08419 M14 X 40mm
RH-08924 RH-08925	H/DUTY ALTERNATIVE TO RH-08116 / 7		POWER 153064	180mm	135mm	14.5mm	57mm	80x10mm	RHA-08419L M14 X 55mm
RH-08243 RH-08244	C,CS & E		SPEED 153015	185mm	135mm	14.5mm	57mm	80x8mm	RHA-08419 M14 X 40mm
RH-08782 RH-08783	F, G, GAMMA & KAPPA	762719 /20 25.09.59 / 60	POWER 237004	193mm	135mm	16.5mm	75mm	105x8mm	RHA-08118 M16 X 48mm
RH-09146 RH-09147	F, G, GAMMA & KAPPA		SPEED 225046	210mm	140mm	16.5mm	75mm	105x8mm	RHA-08118 M16 X 48mm
RH-08396 RH-08397	D SERIES	79970 79971	POWER 255012	215mm	140mm	14.5mm	56mm	80x8mm	RHA-08419 M14 X 40mm
FORIGO									
RH-09035 RH-09036	G35 STONE BURIER	G3596100 & 110		A 160mm	B 113mm	14.5mm	48mm	90X8mm	
RH-09177 RH-09178	SUPER TIGER	G4595000 & 5100		A 177mm	B 135mm	14.5mm	56mm	100X8mm	
HOWARD									
RH-08396 RH-08397	HR35 - R2 ROTOR	79970 79971	POWER 255012	215mm	140mm	14.5mm	56mm	80X8mm	RHA-08419 M14 X 40mm
RH-08105 RH-08106	R500,HR30,35,E , AR,ST	63604 63605 B4001 / 2	POWER 225026	173mm	142mm	13mm	57mm	90x8mm	RHA-08119 1/2" X 1 1/2 UNF
RH-08007 RH-08008	AH,CH,RC,R600 HR40-3,AH.S.M HR50-61s	9862 / 9863 B7001 / 2	POWER 225025	170mm	137mm	16.5mm	51mm	90x8mm	RHA-08118 M16 X 48mm
RH-08007-10 RH-08008-10	AH,CH,RC,R600 HR40-3,AH.S,M HR50-61s	9862 / 9863 B7001/2	POWER 225084DX	175mm	137mm	16.5mm	51mm	90x10mm	RHA-08118 M16 X 48mm
RH-08110 RH-08111	AH,CH,RC,R600 HR40-3,AH.S,M HR50-61s	9950 / 9951 B9001 / 2	SPEED 225072	210mm	145mm	16.5mm	51mm	90x8mm	RHA-08118 M16 X 48mm
RH-08112 RH-08113	LONG SHANK	9910 / 9911 B9003 / 4	POWER 225024	210mm	137mm	16.5mm	51mm	90x8mm	RHA-08118 M16 X 48mm
RH-08782 RH-08783	H/DUTY HR50, 60,61 F ROTOR	762719 762720	POWER 237004	193mm	135mm	16.5mm	75mm	105x8mm	RHA-08118 M16 X 48mm

Rotary Hoe Blades

	APPLICATION	OEM REF	TYPE	SIZE A	SIZE B	HOLE	CENTRES	SECTION	BOLT
KRONE & KUHN									
RH-08782 RH-08783	E, EL KUHN RF KRONE	52359600 52359700	POWER 237004	193mm	135mm	16.5mm	75mm	105x8mm	RHA-08118 M16 X 48mm
RH-09146 RH-09147	E, EL KUHN RF KRONE		SPEED 225046	210mm	140mm	16.5mm	75mm	105x8mm	RHA-08118 M16 X 48mm
MASCHIO									
RH-08394 RH-08395	B, BI, C & SC SERIES (TERANOVA)	0110427 0110426	SPEED 255013	215mm	140mm	14.5mm	56mm	80x8mm	RHA-08419 M14 X 40mm
RH-08396 RH-08397	B, BI, C & SC SERIES (TERANOVA)	0110429 0110428	POWER 255012	215mm	140mm	14.5mm	56mm	80x8mm	RHA-08419 M14 X 40mm
RH-08398 RH-08399	G SERIES	20100413 20100412	SPEED 255025	257mm	142mm	16.5mm	68mm	90x10mm	RHA-08420 M16 X 58mm
RH-08400 RH-08401	G SERIES	20100415 20100414	POWER 255026	257mm	142mm	16.5mm	68mm	90x10mm	RHA-08420 M16 X 58mm
RH-08404 RH-08405	S SERIES	255028	POWER 255028	225mm	145mm	16.5mm	56mm	90x8mm	RHA-08420 Check bolt length: RHA-08420, M16 x 58mm or RHA-08118 M16 x 48mm
RH-09153 RH-09154	PANTERA	09400419 09400418	POWER 255107	215mm	135mm	16.5mm	56mm	90x10mm	RHA-08420 Check bolt length: RHA-08420, M16 x 58mm or RHA-08118 M16 x 48mm
SICMA									
RH-08116 RH-08117	SP & RG	S4814516/17 4814002/003	POWER 153016	185mm	135mm	14.5mm	57mm	80x8mm	RHA-08419 M14 X 40mm
RH-08243 RH-08244	SP & RG	S4814518 S4814519	SPEED 153015	195mm	135mm	14.5mm	57mm	80x8mm	RHA-08419 M14 X 40mm
WECAN									
RH-08116 RH-08117	DGW & MGW LG80HP		POWER 153016	185mm	135mm	14.5mm	57mm	80x8mm	RHA-08419 M14 X 40mm
VALENTINI									
RH-09153 RH-09154	ER HERCULES	4.2 -7.7MTR	POWER 255107	215mm	135mm	16.5mm	56mm	90x10mm	RHA-08420 Check bolt length: RHA-08420, M16 x 58mm or RHA-08118 M16 x 48mm
NOTE: PLEASE CHECK DIMENSIONS FOR CORRECT BLADES									

**ASP HOE BLADES ARE SOLD IN EQUAL QUANTITIES OF LEFT & RIGHT HAND.
OEM REFERENCE NUMBERS ARE FOR IDENTIFICATION ONLY - NOT SOLD AS GENUINE.**

Power Harrow Blades


Right Hand

Left Hand




PH-08786 & PH-08787

Suits **CELLI**
KR & Maxi
OEM Ref
622603
622604




PH-08796 & PH-08797

Suits **KUHN & EMY**
HR & HRB
OEM Ref
525604
525605




PH-08798 & PH-08799

Suits **KUHN & EMY**
HR & HRB
OEM Ref
52539400A
52539500A




PH-08800 & PH-08801

Suits **CELLI** (ER, LASER, RANGER, GO ETC)
HOWARD (FALC & FOX)
MASCHIO & SICMA
ETC



PH-08802 & PH-08803


Suits **MASCHIO**
DC, DS, DL
OEM Ref
35938
100222 / 3



PH-08930 &

PH-08931


Suits **AMAZONE**
OEM Ref 962337
862338



PH-09221 &

PH-09222


Suits **LELY - CLUB TINE**
OEM Ref 116990111 / 112



Power Harrow Blades


PH-09225 & PH-09226

Suits KUHN
OEM Ref 52596410
/ 52596510




PH-09227 & PH-09228

Suits KUHN
OEM Ref K2500090
/100




PH-09266

RINALDI R2 TINE



PHA-08804



More than 70 years of experience endorse our track record. We are leaders in the production of Discs, Points, Tines, Mouldboards, Blades and Clamps. All our pieces are made with Boron Steel which guarantees the perfect balance between the maximum resistance to wear and flexibility.

ASP SPEED TILLER DISCS

AMAZONE


ASP-08903BB
ASP-09229BB

20" x 4mm Flat Back, 4 x 12.5mm Holes @ 120mm PCD suit Catros
26" x 6mm Flat Back, 4 x 12.5mm Holes @ 170mm PCD suit Certos

K-LINE

ASP-1120
ASP-99
ASP-08858
ASP-09000

22" x 5mm 70mm Round Centre, 4 x 18mm @ 137mm PCD
24" x 6mm 70mm Round Centre, 4 x 18mm @ 137mm PCD
26" x 6mm 70mm Round Centre, 4 x 18mm @ 137mm PCD
28" x 6mm 70mm Round Centre, 4 x 18mm @ 137mm PCD



KUHN

ASP-09295
ASP-09296BB

20" x 5mm Flat Back, 6 x 11mm Sq Holes @ 100mm PCD suit Optimer H2203180
20" x 6mm Flat Back, 6 x 11mm Sq Holes @ 100mm PCD suit Optimer H2234350

LELY

ASP-09029

22" x 5mm 62mm Round/key, 5 x 14.5mm Holes @113mm PCD

MASCHIO

ASP-09289

20" x 5mm Flat Back, 4 x 12.5mm Holes @ 98mm PCD

POTTINGER

ASP-09138

22" x 5mm Flat Back, 4 x 12.5mm Holes @ 110mm PCD, 56mm Dish

Agricultural Discs



ASP Discs are among the finest, longest wearing BORON discs manufactured in the world.

All ASP Discs & Coulters come with a warranty, guaranteeing the user maximum working life.

Don't settle for high carbon steel discs...
INSIST ON ASP SPANISH BORON STEEL!

BoronBlue™



Reference Chart - Machine Make

AITCH	AITCHISON	D	DUNCAN	HU	HUTCHMASTER	MIL	MILLER
ALFM	ALFARM	DB	DAVID BROWN	IH	INT. HARVESTER	MSW	MOURILYN
BNL	BONEL	E	ENNOR ENG	JA	JARRETT	NG	NAPIER
BH	BUSH HOG	ES	EASY-FIX	JB	JOHN BERENDS	SH	SHEARER
BR	BIG RIG	EZ	EZEE-ON	JD	JOHN DEERE	SOV	SOVEREIGN
BT	BETTINSON	GZY	GRIZZLY	JK	JANKE	STG	STEIGER
CH	CHAMBERLAIN	GR	GIBBONS	KEL	KELLOW	TW	TAYLORWAY
CL	CLOUGH	GN	GESSNER	KRS	KRAUSE	TNR	TOWNER
CA	CASE	HE	HODGE	MA	MANNUM AG	W	WILLETT
CS	CONNOR SHEA	HB	H-BAGSHAW	MF	MASSEY FERG	WK	WALKER
CW	COUNTRY WIDE	HT	HOLDEN HT	MH	MURRAY	Y	YEOMAN

PART NUMBER	THICK	CONCAVE	CENTER HOLE	CENTER HOLE SIZE MM	RADIAL HOLES	PCD	DESCRIPTION	AGPOINT PART NO	GWT/ McCOY PART NO	KG
SCALLOP & FLUTED DISCS										
18"										
ASP-6C	5 MM	56 MM	DUAL SQUARE	30 MM & 33 MM			NG, JA, BNL	184-092SD	1815-S-8	6
20"										
ASP-12C	4 MM	58 MM	DUAL SQUARE	27 MM & 30 MM			SH,JA,BNL,NG,GR	204-102SD	2015-S-2	6
ASP-08903BB	4 MM FLAT BACK	54 MM	NIL		4 X 12.5 MM	120 MM	AMAZONE CATROS SPEED TILLER			6
ASP-09295	5 MM FLAT BACK	52 MM	NIL		6 X 11 MM	100 MM	KUHN OPTIMER H2203180			
ASP-09296	6 MM FLAT BACK	52 MM	NIL		6 X 11 MM	100 MM	KUHN OPTIMER H2234350			
ASP-13C	4 MM FLAT BACK	45 MM	DUAL SQUARE	27 MM & 30 MM			IH, MF, MH			6
ASP-09289	5 MM FLAT BACK	54 MM	NIL		4 X 12.5 MM	98 MM	MASCHIO SPEED TILLER 65700201			7
22"										
ASP-34C	4 MM	60 MM	DUAL SQUARE	27 MM & 30 MM			JA, DB			8
ASP-1120	5 MM	63 MM	ROUND	70 MM	4 X 18 MM	137 MM	K-LINE SPEED TILLER & GZY GRUMPY	225-3SB	22044	10
ASP-41C	5 MM	62 MM	DUAL SQUARE	30 MM & 33 MM			NG340, HDGE, BNL, JB			10
ASP-43	5 MM	70 MM	ROUND	70 MM	6 X 18 MM	113 MM	CS, BABY GIANT	225-171SB	2218-SB-1	10
ASP-42C	5 MM FLAT BACK	62 MM	DUAL SQUARE	27 MM & 30 MM			IH 3-4, MF, MH	225-9SFD	2218-SF-1/9	10
ASP-09029	5 MM	60 MM	ROUND - KEY	62 MM	5 X 14.5 MM	113 MM	LELY TULIP			10
ASP-09138	5 MM FLAT BACK	56 MM			4 X 12.5 MM	110 MM	POTTINGER			10
24"										
ASP-92C	5 MM	76 MM	DUAL SQUARE	30 MM & 33 MM			SH 500, NG 690, HDGE 245-288SD	245-226S	2418-S-15	11
ASP-09294BB	5 MM FLAT BACK	70 MM	DUAL SQUARE	27 MM & 30 MM			IH 3-4, MF, MH			11
ASP-100C	6 MM	76 MM	DUAL SQUARE	30 MM & 33 MM			SH, HDGE, BNL, NG, JD, BH	246-43SD	2425-S-37/40	13
ASP-100C-F	6 MM FLUTED	95 MM	DUAL SQUARE	30 MM & 33 MM			SH, HDGE, BNL, NG, JD, BH			13
ASP-101C	6 MM	76 MM	DUAL SQUARE	39 MM & 41 MM			HDGE, BNL, NG, IH, JA, SH, GR670	246-38SD	2425-S-8/38	13
ASP-101C-F	6 MM FLUTED	76 MM	DUAL SQUARE	39 MM & 41 MM			HDGE, BNL, NG, IH, JA, SH, GR670			13
ASP-103	6 MM	84 MM	ROUND	70 MM	6 X 18 MM	113 MM	CS BABY GIANT, CS710, 760, 780	246-1SB	2425-SB-1	13
ASP-99	6 MM	73 MM	ROUND	70 MM	4 X 18 MM	137 MM	K-LINE & GRIZZLY GRUMPY	246-3SB	2425-SB-3	13

Agricultural Discs

PART NUMBER	THICK	CONCAVE	CENTER HOLE	CENTER HOLE SIZE MM	RADIAL HOLES	PCD	DESCRIPTION	AGPOINT PART NO	GWT/ McCOY PART NO	KG
SCALLOP DISCS										
26"										
ASP-133	6 MM	57 MM	ROUND	25.4 MM	4 X 18 MM	228 MM	MSW			16
ASP-138	6 MM	67 MM	ROUND	135 MM	4 X SQ 13.5 MM	228 MM	BNL TRASH INCORP	266-138S		16
ASP-139	6 MM	89 MM	ROUND	100 MM	6 X 22 MM	185 MM	GRIZZLY	266-26SB	2625-SB-26	16
ASP-1322	6 MM FLAT BACK	81 MM	DUAL SQUARE	39 MM			IH, 770, 590, 501	266-1SF	26161	16
ASP-140	6 MM	91 MM	ROUND	78 MM	6 X 22 MM	190 MM	CS LITTLE GIANT, CS780, E, BNL	266-1SB	2625-SB-1	16
ASP-141C	6 MM	81 MM	DUAL SQUARE	39 MM & 41 MM	KUHN DISC XM2,		HDGE, BNL, NG670, 710-740, JA	266-49SD	2625-S-14/35	16
ASP-143C	6 MM	91 MM	DUAL SQUARE	54 MM & 60 MM			SH 700, IH3-5	266-16SD	26143C	16
ASP-143C-F	6 MM	91 MM	DUAL SQUARE	54 MM & 60 MM			SH 700, IH3-5		26143CW	16
ASP-160C	6 MM	91 MM	DUAL SQUARE	30 MM & 33 MM			JD, HDGE, BNL, BH	266-9SD	26160C	16
ASP-09229BB	6 MM FLAT BACK	60 MM	NIL		4 X 13 MM	170 MM	AMAZONE CERTOS			16
ASP-160SH	6 MM	60 MM	DUAL SQUARE	30 MM & 33 MM			JD, HDGE, BNL, BH			16
ASP-08858	6 MM	83 MM	ROUND	70 MM	4 X 18 MM	137 MM	K-LINE, ROCCA IND. & GRUMPY	266-3SB		16
ASP-08858-F	6 MM FLUTED	83 MM	ROUND	70 MM	4 X 18 MM	137 MM	K-LINESPEED TILLER & GRUMPY			16
ASP-151	8 MM	89 MM	ROUND	100 MM	6 X 22 MM	185 MM	GRIZZLY	268-2SB	2631-SB-2	20
ASP-152	8 MM	95 MM	ROUND	52 MM			STG, EZ, CW	268-7S	2631-S-3	20
ASP-153	8 MM	100 MM	ROUND	78 MM	6 X 22 MM	190 MM	CS 780, CS LITTLE GIANT, BNL, E	268-1SB	2631-SB-1	20
ASP-154C	8 MM	81 MM	DUAL SQUARE	39 MM & 41 MM			HDGE, BNL, NG, ALLIS, JA	268-49SD		20
ASP-155	8 MM	91 MM	ROUND	58 MM			KELLOW	268-155S	2631-S57	20
ASP-1263	8 MM FLAT BACK	81 MM	DUAL SQUARE	39 MM			IH, 770, 590, 501			20
28"										
ASP-09000	6 MM	81 MM	ROUND	70 MM	4 X 18 MM	137 MM	K-LINE SPEED TILLER			19
ASP-1178	6 MM	102 MM	DUAL SQUARE	54 MM & 60 MM			IH 3-5, SH700	286-1021S	28185C	19
ASP-166C	6 MM	69 MM	DUAL SQUARE	39 MM & 41 MM			CN, SH, NG, BNL, HE, JA	286-29SD		19
ASP-167C	6 MM	102 MM	DUAL SQUARE	39 MM & 41 MM			HDGE, BNL, NG670, JA, SH	286-606SD	2825-S-95	19
ASP-167C-F	6 MM FLUTED	102 MM	DUAL SQUARE	39 MM & 41 MM			HDGE, BNL, NG670, JA, SH			
ASP-168-S	6 MM	102 MM	ROUND	100 MM	6 X 22 MM	185 MM	GRIZZLY	286-8SB	2825-SB-8	19
ASP-170	6 MM	102 MM	ROUND	78 MM	6 X 22 MM	190 MM	E, BNL, CS, LITTLE GIANT	286-1013S		19
ASP-168	8 MM	102 MM	ROUND	100 MM	6 X 22 MM	185 MM	GRIZZLY	288-1SB	28169S	24
ASP-171	8 MM	102 MM	ROUND	78 MM	6 X 22 MM	190 MM	E, BNL, CS, LITTLE GIANT	288-1086SB	2831-SB2	24
ASP-175C	8 MM	102 MM	DUAL SQUARE	39 MM & 41 MM			CS, HDGE, BNL, MSW	288-1073S		24
ASP-175C-F	8 MM FLUTED	102 MM	DUAL SQUARE	39 MM & 41 MM			CS, HDGE, BNL, MSW			
ASP-178	8 MM	102 MM	ROUND	52 MM			CW, EZEE & STG	288-17S		24
ASP-08981	8 MM	102 MM	ROUND	44 MM			DELMADE, TATU & BALDAN			24
ASP-179	8 MM FLAT BACK	92 MM	SQUARE	40 MM			IH 770	288-1SF	2831-SF-1	24
30"										
ASP-08812	8 MM	94 MM	ROUND	52 MM			CW			28
32"										
ASP-190	8 MM FLAT BACK	110 MM	SQUARE	46 MM			IH 780	328-1SF	3231-SF-1	33
ASP-193-C	10 MM	112 MM	SQUARE	59 MM			ALFARM 080, TNR620	3210-10SD	3237-S-10	40
ASP-199S	10 MM	112 MM	ROUND	100 MM	6 X 22 MM	185 MM	GRIZZLY (10 TEETH)	3210-2SB	32199S	40
36"										
ASP-09262	12 MM	123 MM	ROUND	100 MM	6 X 22 MM	185 MM	GRIZZLY TINY (10 TEETH)	3612-2SB		63
PLAIN DISC										
14"										
ASP-3C	5 MM	30 MM	ROUND	26 MM	6 X 7 MMSQ	110 MM	PIONEER			4
28"										
ASP-08561	8 MM FLAT BACK	95 MM	SQUARE	40 MM			IH 770			24
30"										
ASP-09112	6 MM	100 MM	ROUND	25 MM	NOT HEAT-TREATED, SUITABLE ONLY FOR FIRE PITS					

ASP CAN MANUFACTURE MOST STYLES & SIZES OF DISCS & COULTERS.




PLEASE CONTACT US TO DISCUSS YOUR REQUIREMENTS.

Ph: 07 3881 3464 or Email: sales@asproducts.com.au



Coulters

NUMBER	THICK	STYLE	BEVEL	CENTER HOLE	CENTER HOLE SIZE MM	RADIAL HOLES	PCD	DESCRIPTION	AGPOINT PART NO	GWT PART NO	KG
COULTERS											
10.8"											
ASP-6195	3 MM	PLAIN	DOUBLE	ROUND	72 MM	5 X 9 MM	95 MM	CS 470 DRILLS	C1103	6195	1.5
12.5"											
ASP-6197A	3 MM	PLAIN	DOUBLE	ROUND	52 MM	6 X 10.5 MM	95 MM	DUNCAN	C1208	6281	2
13"											
ASP-08988	3 MM	FLUTED	SINGLE	ROUND	20 MM	6 X 6.7 MM	75 MM	SKF AGRI HUB			2
13.5"											
ASP-6198	3 MM	PLAIN	DOUBLE	ROUND	72 MM	5 X 9 MM	95 MM	CS 470 DRILLS	C1320	6336	2
15"											
ASP-1117	4 MM	15 SCALL	SINGLE	ROUND	45 MM	6 X 8.7 MM	76 MM	AGROWPLOW			4
ASP-1118	4 MM	11 SCALL	SINGLE	ROUND	45 MM	6 X 8.7 MM	76 MM	AGROWPLOW			4
16"											
ASP-6408	3 MM	PLAIN	SINGLE	ROUND	25 MM	6 X 7 MM	73 MM	MASON	C1609		3
ASP-6407/5	5 MM	PLAIN	DOUBLE	ROUND	64 MM	5 X 13 MM	108 MM	HOLDEN HT HUB, Y, GN, CS	C1635	6407	5
18"											
ASP-1011	4 MM	FLUTED	FLUTED	ROUND	63.5 MM	5 X 13 MM	108 MM	HOLDEN HT HUB, YEOMAN	C1860W	6473	5
ASP-6200	5 MM	PLAIN	SINGLE	ROUND	77 MM	4 X 10.5 MM	112 MM	JOHN DEERE	C1870	6480	6
ASP-09132	6 MM	PLAIN	SINGLE	ROUND	64 MM	5 X 13 MM	108 MM	HT, YEOMAN, GN, CS	C1872	6472	6
ASP-08878	6 MM	PLAIN	DOUBLE	ROUND	64 MM	5 X 13 MM	108 MM	HOLDEN HT HUB, Y, GN, CS	C1874		6
20"											
ASP-1171	6 MM	PLAIN	SINGLE	ROUND	64 MM	5 X 13 MM	108 MM	HT, VARIOUS STALK CUTTERS	C2072	6523	10
ASP-08865	6 MM	PLAIN	DOUBLE	ROUND	64 MM	5 X 13 MM	108 MM	Y, HT, GN, CS, GIANT	C2070	6522	10
22"											
ASP-1061 A	5 MM	SCALLOP	SCALLOP	ROUND	74 MM	6 X 13 MM	105 MM CSK	NVI, BAKER			9
ASP-09320BB	6 MM	PLAIN	SINGLE	ROUND	64 MM	5 X 13MM	108 MM	HT, DOUBLE DISC OPENER ETC			12
26"											
ASP-6667	6 MM	PLAIN	DOUBLE	ROUND	47 MM	4 X 18 MM	165 MM	HODGE	C2608		14
ASP-6668	6 MM	PLAIN	DOUBLE	ROUND	51 MM	4 X SQ 14 MM	165 MM CSK	HODGE	C2609		14
ASP-6670	6 MM	PLAIN	DOUBLE	ROUND	102 MM	8 X 13 MM	292 MM	BONEL	C2610		14
ASP-6671	6 MM	PLAIN	DOUBLE	ROUND	64 MM	5 X 13 MM	108 MM	HOLDEN HT HUB, Y, GN, CS	C2612		14
30"											
ASP-6202	6 MM	PLAIN	DOUBLE	ROUND	102 MM	8 X 12 MM	292 MM	BONEL	C3014		20
ASP-6766	6 MM	PLAIN	DOUBLE	ROUND	51.5 MM	4 X 18 MM	165 MM	HODGE & GESSNER	C3015		20
ASP-6202/8	8 MM	PLAIN	DOUBLE	ROUND	102 MM	8 X 12 MM	292 MM	BONEL	C3014		28
ASP-6766/8	8 MM	PLAIN	DOUBLE	ROUND	51.5 MM	4 X 18 MM	166 MM	HODGE & GESSNER	C3015		28



OEM & Competitors part numbers are for reference only. ASP encourages you to measure your Discs & Coulters prior to ordering.

PO Box 3175 Clontarf DC Qld 4019,
359 MacDonnell Rd Clontarf Qld 4019

Ph: 07 3881 3464

Email: sales@asproducts.com.au

www.asproducts.com.au

ABN: 91 088 139 520



In association with our 23 year partnership with La Pina, ASP supply an array of wear resistant products that are manufactured to World Class Standards.

Production of parts incorporates the latest technological advantages in Boron Steel processing. Boron steel is used to provide our customers with superior wear resistant characteristics and excellent value for money! ASP distribute our parts Australia wide and provide fast delivery coupled with great customer service.