

Wear Resistant Parts

2024

- Agricultural
- Vegetation Management
- Grass Care



Ph: 07 3881 3464

sales@asproducts.com.au

www.asproducts.com.au

SIMPLE TO ORDER
PHONE 07 3881 3464
EMAIL sales@asproducts.com.au

Feel free to discuss your requirements with our sales team on the above numbers or via email
sales@asproducts.com.au



PAYMENT OPTIONS:

We provide most payment options including:
Mastercard, Visa, EFT, cheque & 30 day trading accounts for approved repeat customers.

NATIONAL DISTRIBUTION

Rapid dispatch & competitive freight rates Australia wide. Ask us for the best freight options for your requirements.



SERVICE YOU CAN COUNT ON NO MATTER WHERE YOU ARE IN AUSTRALIA!
Fast, efficient dispatch. Experienced, friendly and service oriented sales team.

ASP ACCOUNT HOLDERS - WEBSITE ORDERS

Please email accounts@asproducts.com.au or call **07 3881 3464** to request your secure website account login details. Place orders, check current pricing & stock, review previous orders etc.

www.asproducts.com.au

ASP has the sole Australian distributorship rights for two of Europe's leading specialist wear resistant parts manufacturers.

Our suppliers utilize world class manufacturing techniques and source the finest raw materials to ensure you get maximum wear life and value for money!



LA PIÑA
WORK WELL DONE





CONTENTS

| | |
|---|----------------------|
| Ripper Points, Tines, Shanks, Clamps etc | Pages 4 - 9 |
| Rotary Hoe & Power Harrow Blades | Pages 9 - 14 |
| Speed Tiller Discs | Pages 14 |
| Discs & Coulters | Pages 14 - 17 |
| | |
| Slasher Blades | Pages 18 - 31 |
| | |
| Mulcher Flails & Hammers | Pages 32 - 46 |
| Stump Grinder & Fixed Mulcher Teeth | Page 47 |
| | |
| Push Mower & Finishing Mower Blades | Pages 48 - 51 |
| Turf Cutter / Harvester Blades | Page 52 |
| Ride On Mower Blades | Pages 53 - 80 |
| | |
| Edger Blades | Page 81 |
| Trimmer Line & Trimmer Heads | Pages 82 - 87 |
| Litter Pickup Tools | Page 84 |

QUALITY PARTS, AFFORDABLE PRICES!

ASP components offer quality aftermarket & OEM parts at affordable prices. Any reference to OEM or Competitor names or part numbers are for ease of identification only. Not sold as genuine.

As with any aftermarket part, check your warranty prior to use.

Ripper Points & Sweeps

Reversible Point - Coil Tine

AS-01317 40mm x 12mm x 300mm (31SL-1)
AS-01319 50mm x 16mm x 310mm (31SL-3)
AS-01320 65mm x 16mm x 310mm (31SL-4)

7/16 Bolt holes at 51mm centres

ASP-09024 Bolt & Nut



Reversible Point - Suit Rear Mount Coil Tines

AS-800006 40mm x 16mm x 270mm

14mm Bolt holes at 45mm centres

ASP-09023 Bolt & Nut



Reversible Point

AS-01329 65mm x 13mm x 380mm

1/2" Bolt holes at 57mm centres

ASP-09023 Bolt & Nut




Universal Ripper Point

AS-01349 62.5mm x 20mm x 300mm

4 x 1/2" Bolt holes / slots to suit between

51mm to 112mm centres - **ASP-09023** Bolt & Nut



Feed Down Point

AS-01335 Short style (314H) 43cm long

AS-01336 Long style (315H) 58cm long

2" wide x 1/2" thick Point to suit
 Yeoman, Napier etc

AS-09247 Clamp & Screw



North American Chisel Plough Point -

AS-01322 55mm x 15mm x 400mm

13.5mm Bolt holes at 45 - 65mm centres

ASP-09023 Bolt & Nut



Sweeps - suit Coil Tines

AS-5305H 5 Inch x 6mm

AS-5306H 6 Inch x 6mm

AS-5308H 8 Inch x 6mm

AS-53010H 10 Inch x 6mm

AS-53012H 12 Inch x 6mm

TUNGSTEN HARD FACED SWEEPS

Use **ASP-09024** Bolt & Nut



Scarifier & Harvester Point

AS-05230 180mm x 45mm wide

AS-05230H **HARD FACED**

Knock on cast point

OEM Ref 6Y5230 & 2D5572



Alabama Sweeps

ASP-58118-8 18"

ASP-58120-8 20"

ASP-58122-8 22"

ASP-58124-8 24"

Spanish BORON 8mm Thick

Sweeps, 2 x 1/2" Bolt Holes @ 56mm centres suit

Friction Trip etc Use **ASP-09370** Bolt & Nut



3 x 1" Shanks & Friction Trips

AR-01537 shank 75 x 25 x 785mm

Bull nose leading edge for better trash flow. Heat Treated. Suits Friction Trip assemblies.



AR-01539 Friction Trip

AR-06370 Hardware kit



Coil Tines & S Tines

Coil Tine - Vertical

AR-01488 25mm Sq Left Hand
AR-01489 25mm Sq Right Hand

AR-01476 32mm Sq Left Hand
AR-01477 32mm Sq Right Hand

Use AS-01317 / 19 / 20 Points or AS-53 Sweeps

'A' Dimension:
25mm Tines are 780mm
32mm Tines are 930mm

LEFT HAND




Coil Tine - Front

AR-01480 25mm Sq Left Hand
AR-01481 25mm Sq Right Hand

AR-01468 32mm Sq Left Hand
AR-01469 32mm Sq Right Hand

Use AS-01317 / 19 / 20 Points or AS-53 Sweeps


'A' Dimension:
25mm Tines are 580mm
32mm Tines are 680mm



Coil Tine - Rear 25mm

AR-Q25SVVDX L/Hand
AR-Q25SVVSX R/Hand


Use only AS-800006
Reversible Point
270mm x 40mm x 16mm
(Use ASP-09023 Bolt)
Not suitable for
ASP Sweeps



Coil Tine - Rear 30mm


AR-Q30SVVDX L/Hand
AR-Q30SVVSX R/Hand

Use only AS-800006
Reversible Point
270mm x 40mm x 16mm
(Use ASP-09023 Bolt)
Not suitable for
ASP Sweeps




H/Duty S Tine - 70mm x 12mm

AR-F70SVV S Tine
AR-AF7012/60 Clamp 60mm Bar
AR-AF7012/65 Clamp 65mm Bar



Points to suit 70mm x 12mm S Tine

AR-550299 Reversible Point
AR-550301 180mm Sweep
AR-550308 Bolt & Nut M10x55




S Tines, Tines & Shanks

S Tine

45mm x 12mm

AR-F45SVV S Tine



Points & Sweeps to suit 45mm x 12mm S Tines


AR-550027 4" Sweep
AR-550028 6" Sweep
AR-550067 Reversible Point 255 x 55 x 6mm
AR-550034 Reversible Point 40 x 6mm
AR-550102 Reversible Point 40 x 8mm
AR-AF4512/50 Clamp 50mm Bar
AR-AF4512/65 Clamp 65mm Bar
AR-VF4512 Bolt & Nut



S Tine

32mm x 12mm

AR-F12SVV S Tine



Points & Sweeps to suit 32mm x 12mm S Tines

AR-550027 4" Sweep
AR-550028 6" Sweep
AR-550034 Reversible Point 40 x 6mm
AR-550102 Reversible Point 40 x 8mm
AR-AF3212/16 Clamp 50mm x 16mm Bar
AR-AF3212/50 Clamp 50mm x 50mm Bar
AR-VF4512 Bolt & Nut M10 x 45mm



Rigid Tine

AR-01107 32mm Square x 785mm

2 x 7/16" Bolt holes at 46 to 53mm centres

Use AS-01317, AS-01319 or AS-01320
Points & AS-53.. Sweeps




Cultivator Shank

AR-01512
50mm x 25mm
x 530mm

Use AS-01329 Point

Suits Yeoman, Berends,
Waratah &
Jarrett style cultivators.



Cast Aerator "Shattertine"

CI-08862 Left Hand
CI-08863 Right Hand
CI-08862H **HARD FACED**
CI-08863H **HARD FACED**
CIA-09362 Bolt & Nut

(13.5mm holes @ 46mm centres,
9" long from centre of top hole)
Same design as the AerWay Shattertine.
To fit Berends, Agrifarm, Agrivator & Leda etc



Beet Knife Tine

AR-01536 32mm Square
Beet Knife Tine, 32mm square x 740mm long with
3 x 3/8" holes at 32mm - 57mm centres



Weeder Rake & Cultivator Tines

Multi Weeder Rake Tine 16mm

AR-01383 Left Hand
AR-01384 Right Hand


692mm Height,
325mm length,
14.3mm Eye



Multi Weeder Rake Tine 19mm

AR-01385 Left Hand
AR-01386 Right Hand

692mm Height,
325mm length,
14.3mm Eye



Multi Weeder Tracking Rake

AR-01449 Right Hand
AR-06919 Left Hand

Vertical Eye
16mm Tine
14.5mm Hole
670mm Height



Tracking Rake Tine

AR-01448 Tine 16mm,


692mm Height
365mm Length



Cultivator Rake Tine 19mm with 25mm ID Ferrule

AR-01396 Height 686mm,
Length 816mm

AR-01400 Height 686mm,
Length 435mm



Baselier Bed Former Blade

AR-09213 335mm long x 40mm x 10mm thick

Baselier Inter-Row Blade

AR-09216 230mm long x 40mm x 10mm thick

Approx 90mm long **TUNGSTEN WELD**
2 x 12mm holes at 80mm centres



Struik Inter-Row Blade

AR-09217 210mm long x 40mm x 10mm thick

2 x 12mm holes at 60mm centres
Approx 90mm long **TUNGSTEN WELD**



Crescent Knives

AR-05459 & AR-05460 LH & RH

11mm Hole & 11mm X 34mm Slot Hole
@ 42mm centres.
Length A = 290mm,
Length B = 150mm
50mm Wide x 10mm Thick



Ripper Legs, Points & U Bolts

Ripper Point suit Yeoman

TUNGSTEN HARD FACED - With Tile

ACAG-08742

Standard Hard Faced with tile



Ripper Point suit Yeoman

H/DUTY TUNGSTEN HARD FACED

ACAG-08742H

H/Duty Hard Faced

(With extra Rib at back of point)



ASP Ripper Point

ACAG-003

Point



(Will also suit #8 Agrowplow Shanks)

ASP Ripper Point

TUNGSTEN HARD FACED

ACAG-003HF



ASP Ripper Legs

ACAG-024 24" Complete Assembly

ACAG-031 30" Complete Assembly

ACAG-001 24" Shank only

ACAG-030 30" Shank only

ACAG-SUB Clamp Assembly (Top & Bottom)

1" (25mm) shear pin

**Breakout force approximately
4000ft.lbs for 24" Leg**

**Approximate power
requirements per shank:
7.5-11KW (10-15 HP)**

**Suits 100mm square RHS
frames**



**NOW WITH
TUNGSTEN HARD FACING
AS STANDARD ON
THE SHANK LEADING EDGE**
(Standard Point & Guard supplied
with Complete Assembly).

ASP Ripper Leg Parts

ACAG-015 Shin Guard

ACAG-015H **HARD FACED** Shin Guard

ACAG-014 Shear Pin

ACAG-EN761 Pin Clip



Gessner Ripper Point, Guard &

Shear Pin

TUNGSTEN HARD FACED

ACAG-09160H

Gessner style Point

ACAG-09161H

Gessner style Shin Guard

ACAG-014

Shear Pin (refer above for size)

ACAG-EN761

Pin Clip



U & V Bolts

Suit toolbar size

AR-07328 U Bolt 4 x 4 x 3/4"

AR-315031K U Bolt 7 x 7 x 3/4"

AR-315032K U Bolt 7 x 7 x 7/8"

AR-315033K U Bolt 6 x 4 x 3/4"

AR-315034K U Bolt 6 x 6 x 3/4"

ASP-101-350 V Bolt 100x100x22mm

ASP U Bolts are grade 8.8 high tensile.
Supplied complete with nuts and spring washers.



Clamps & Wedges, Rotary Hoe Blades

Clamps & Wedges - 2" Toolbar

AR-04279 1" Tine to 2" Toolbar
AR-04285 Wedge to suit AR-04279

AR-04277 1 1/4" Tine to 2" Toolbar
AR-04283 Wedge to suit AR-04277

AR-04278 **Spreader Clamp**
AR-04283 Wedge to suit AR-04278



Clamps & Wedges - 2 1/2" Bar

AR-04273 1 1/4" Tine to 2 1/2" Toolbar
AR-04283 Wedge to suit AR-04273

AR-04274 **Spreader Clamp**
AR-04283 Wedge to suit AR-04274



Clamps & Wedges - 3 1/2" Bar

AR-01496 1 1/4" Tine to 3 1/2" Toolbar
AR-04346 Wedge to suit AR-01496

AR-01495 **Spreader Clamp**
AR-04346 Wedge to suit AR-01495



Clamps & Wedges - 4" Toolbar

AR-03896 1 1/4" Tine to 4" Toolbar
AR-04346 Wedge to suit AR-03896

AR-06964 **Spreader Clamp**
AR-04346 Wedge to suit AR-06964



DURA-TUNG RANGE FROM ASP!

THE DURABLE TUNGSTEN RANGE FROM ASP USES AN ULTRA TOUGH TUNGSTEN COATING FOR MAXIMUM WEAR RESISTANCE WHILST STILL MAINTAINING A SHARP CUTTING EDGE! DESIGNED EXCLUSIVELY FOR THE AGRICULTURAL INDUSTRY. AVAILABLE ON A SELECT RANGE OF ASP HOE BLADES.



Thin coating of fine grit TUNGSTEN hard facing along the cutting edge and bottom of the blade enables maximum wear resistance without reducing the cutting ability of the blade.



eurozappa

ASP Hoe Blades are sold in EQUAL QUANTITIES of left hand & right hand. They are shipped in sturdy boxes, generally 20 blades per box.

ASP Rotary Hoes blades are manufactured in Italy from Boron Steel. OEM numbers are for reference only.

A



B

SPEED BLADE

ASP Rotary Hoe and Power Harrow blades are the hardest, longest lasting blades sold in Australia. They are super hardened to 50Rc where others often are softer. We can do this because our blades are made from European Boron steel which enables them to be made harder without the risk of them becoming brittle. As well, ASP blades undergo a special heat treatment process that produces different characteristics in the steel where really needed, extra hardness at the blade edge and extra elasticity at the bolt holes.

A





B

POWER BLADE

Rotary Hoe Blades

| APPLICATION | | OEM REF | TYPE | SIZE A | SIZE B | HOLE | CENTRES | SECTION | BOLT |
|--|---|---|------------------|--------|--------|--------|---------|---------|--------------------------|
| AGRATOR | | RH-08782 -10 & RH-08783 -10 NEW 10mm THICK OPTION RH-08782 - 10T & RH-08783 - 10T NEW HARD FACED 10mm THICK OPTION | | | | | | | |
| RH-08782 RH-08783 | MRP SERIES | MR30856 MR30857 | POWER 237004 | 193mm | 140mm | 16.5mm | 75mm | 105x8mm | RHA-08118 M16 X 48mm |
| <i>*Tungsten Hard Faced Option available</i> | | | | | | | | | |
| RH-09146 RH-09147 | MRP SERIES | | SPEED 225046 | 210mm | 140mm | 16.5mm | 75mm | 105x8mm | RHA-08118 M16 X 48mm |
| BREVIGLIERI | | | | | | | | | |
| RH-08116 RH-08117 | B83, 103, 123, 170, 250 DOBLE & MAXI | 0064818 D/S | POWER 153016 | 185mm | 135mm | 14.5mm | 57mm | 80x8mm | RHA-08419 M14 X 40mm |
| <i>*Tungsten Hard Faced Option available</i> | | | | | | | | | |
| RH-08924 RH-08925 | H/DUTY 10MM | | POWER 153064 | 180mm | 135mm | 14.5mm | 57mm | 80x10mm | RHA-08419L M14 X 55mm |
| <i>*Tungsten Hard Faced Option available</i> | | | | | | | | | |
| RH-08243 RH-08244 | B83, 103, 123, 170, 250 DOBLE & MAXI | 0064811 D/S | SPEED 153015 | 185mm | 135mm | 14.5mm | 57mm | 80x8mm | RHA-08419 M14 X 40mm |
| <i>*Tungsten Hard Faced Option available</i> | | | | | | | | | |
| CELLI | | | | | | | | | |
| RH-08386 RH-08387 | 'A' SERIES | 522514 522515 | POWER 153011 | 185mm | 135mm | 12.5mm | 50mm | 70X6mm | N/A |
| RH-08392 RH-08393 | ALPHA, C & CE | 331526 331527 | POWER 153027 | 185mm | 135mm | 14.5mm | 50mm | 70X7mm | RHA-08419 M14 X 40mm |
| RH-08390 RH-08391 | ALPHA, C & CE | 331528 331529 | SPEED 153028 | 195mm | 135mm | 14.5mm | 50mm | 70X7mm | RHA-08419 M14 X 40mm |
| RH-08388 RH-08389 | AG SERIES | 531511 531512 | SPEED 153025 | 164mm | 110mm | 12.5mm | 40mm | 60X6mm | N/A |
| RH-08116 RH-08117 | E, HV, H, F, G, K, PIONEER, TIGER & ERGON | 722533/34 422512/13 B6225/6 | POWER 153016 | 185mm | 135mm | 14.5mm | 57mm | 80X8mm | RHA-08419 M14 X 40mm |
| <i>*Tungsten Hard Faced Option available</i> | | | | | | | | | |
| RH-08924 RH-08925 | H/DUTY 10MM | 722547 722548 | POWER 153064 | 180mm | 135mm | 14.5mm | 57mm | 80X10mm | RHA-08419L M14 X 55mm |
| <i>*Tungsten Hard Faced Option available</i> | | | | | | | | | |
| RH-08243 RH-08244 | E, HV, H, F, G, K, PIONEER, TIGER & ERGON | 722537/38 422514/15 | SPEED 153015 | 185mm | 135mm | 14.5mm | 57mm | 80x8mm | RHA-08419 M14 X 40mm |
| <i>*Tungsten Hard Faced Option available</i> | | | | | | | | | |
| RH-08986 RH-08987 | LONG SHANK ALTERNATIVE TO RH-08116 / 7 | B6229 / 30 | POWER 153055 | 207mm | 135mm | 14.5mm | 57mm | 80x10mm | RHA-08419L M14 X 55mm |
| <i>*Tungsten Hard Faced Option available</i> | | | | | | | | | |
| RH-09177 RH-09178 | SUPER TIGER | 722560 722561 | POWER 153060A | 180mm | 135mm | 16.5mm | 57mm | 80x10mm | RHA-08118 M16 X 48mm |
| RH-09223 RH-09224 | LONG SHANK SUPER TIGER | | POWER 153055A | 207mm | 135mm | 16.5mm | 57mm | 80X10mm | RHA-08118 M16 X 48mm |

Rotary Hoe Blades

| APPLICATION | | OEM REF | TYPE | SIZE A | SIZE B | HOLE | CENTRES | SECTION | BOLT |
|----------------------------|--|---|---|------------|------------|--------|---------|---------|-------------------------------|
| FALC | | RH-08782 -10 & RH-08783 -10 NEW 10mm THICK OPTION RH-08782 - 10T & RH-08783 - 10T NEW HARD FACED 10mm THICK OPTION | | | | | | | |
| RH-08116 RH-08117 | C,CS & E | 762427 762428 884070/71 | POWER 153016 | 185mm | 135mm | 14.5mm | 57mm | 80x8mm | RHA-08419 M14 X 40mm |
| RH-08924 RH-08925 | H/DUTY ALTERNATIVE TO RH-08116 / 7 | | POWER 153064 | 180mm | 135mm | 14.5mm | 57mm | 80x10mm | RHA-08419L M14 X 55mm |
| RH-08243 RH-08244 | C,CS & E | 884000 884001 | SPEED 153015 | 185mm | 135mm | 14.5mm | 57mm | 80x8mm | RHA-08419 M14 X 40mm |
| RH-08782 RH-08783 | F, G, GAMMA & KAPPA | 762719 /20 25.09.59 / 60 | POWER 237004 | 193mm | 135mm | 16.5mm | 75mm | 105x8mm | RHA-08118 M16 X 48mm |
| RH-09146 RH-09147 | F, G, GAMMA & KAPPA | 109343 109344 | SPEED 225046 | 210mm | 140mm | 16.5mm | 75mm | 105x8mm | RHA-08118 M16 X 48mm |
| RH-08396 RH-08397 | D SERIES | 79970 79971 | POWER 255012 | 215mm | 140mm | 14.5mm | 56mm | 80x8mm | RHA-08419 M14 X 40mm |
| FORIGO | | | | | | | | | |
| RH-09035 RH-09036 | G35 STONE BURIER | G3596100 & 110 |  | A 160mm | B 113mm | 14.5mm | 48mm | 90X8mm | |
| RH-09037 RH-09038 | G45 STONE BURIER | G4595000 & 5100 |  | A 177mm | B 135mm | 14.5mm | 56mm | 100X8mm | |
| HOWARD | | RH-08782 -10 & RH-08783 -10 NEW 10mm THICK OPTION RH-08782 - 10T & RH-08783 - 10T NEW HARD FACED 10mm THICK OPTION | | | | | | | |
| RH-08396 RH-08397 | HR35 - R2 ROTOR | 79970 79971 | POWER 255012 | 215mm | 140mm | 14.5mm | 56mm | 80X8mm | RHA-08419 M14 X 40mm |
| RH-08105 RH-08106 | R500,HR30,35,E , AR,ST | 63604 63605 B4001 / 2 | POWER 225026 | 173mm | 142mm | 13mm | 57mm | 90x8mm | RHA-08119 1/2" X 1 1/2 UNF |
| RH-08007 RH-08008 | AH,CH,RC,R600 HR40-3,AH.S.M HR50-61s | 9862 / 9863 B7001 / 2 | POWER 225025 | 170mm | 137mm | 16.5mm | 51mm | 90x8mm | RHA-08118 M16 X 48mm |
| RH-08007-10 RH-08008-10 | AH,CH,RC,R600 HR40-3,AH.S,M HR50-61s | 9862 / 9863 B7001/2 | POWER 225084DX | 170mm | 137mm | 16.5mm | 51mm | 90x10mm | RHA-08118 M16 X 48mm |
| RH-08110 RH-08111 | AH,CH,RC,R600 HR40-3,AH.S,M HR50-61s | 9950 / 9951 B9001 / 2 | SPEED 225072 | 210mm | 145mm | 16.5mm | 51mm | 90x8mm | RHA-08118 M16 X 48mm |
| RH-08112 RH-08113 | LONG SHANK | 9910 / 9911 B9003 / 4 | POWER 225024 | 210mm | 137mm | 16.5mm | 51mm | 90x8mm | RHA-08118 M16 X 48mm |
| RH-08782 RH-08783 | H/DUTY HR50, 60,61 F ROTOR | 762719 762720 612719/20 | POWER 237004 | 193mm | 135mm | 16.5mm | 75mm | 105x8mm | RHA-08118 M16 X 48mm |

NOTE: PLEASE CHECK DIMENSIONS FOR CORRECT BLADES

Rotary Hoe Blades

| APPLICATION | | OEM REF | TYPE | SIZE A | SIZE B | HOLE | CENTRES SECTION | | BOLT |
|---------------------------------------|---------------------------------------|---|-----------------|--|--------|--------|-----------------|---------|-------------------------|
| KRONE & KUHN | | RH-08782 -10 & RH-08783 -10 NEW 10mm THICK OPTION RH-08782 - 10T & RH-08783 - 10T NEW HARD FACED 10mm THICK OPTION | | | | | | | |
| RH-08782 RH-08783 | E, EL KUHN RF KRONE | 52359600 52359700 52359000/1 | POWER 237004 | 193mm | 135mm | 16.5mm | 75mm | 105x8mm | RHA-08118 M16 X 48mm |
| | | | | *Tungsten Hard Faced Option available | | | | | |
| RH-09146 RH-09147 | E, EL KUHN RF KRONE | | SPEED 225046 | 210mm | 140mm | 16.5mm | 75mm | 105x8mm | RHA-08118 M16 X 48mm |
| MASCHIO | | | | | | | | | |
| RH-08394 RH-08395 | B, BI, C & SC SERIES (TERANOVA) | 01110427 01110426 | SPEED 255013 | 215mm | 140mm | 14.5mm | 56mm | 80x8mm | RHA-08419 M14 X 40mm |
| RH-08396 RH-08397 | B, BI, C & SC SERIES (TERANOVA) | 01110429 01110428 | POWER 255012 | 205mm | 140mm | 14.5mm | 56mm | 80x8mm | RHA-08419 M14 X 40mm |
| RH-08398 RH-08399 | G SERIES | 20100413 20100412 | SPEED 255025 | 257mm | 148mm | 16.5mm | 68mm | 90x10mm | RHA-08420 M16 X 58mm |
| RH-08400 RH-08401 | G SERIES | 20100415 20100414 | POWER 255026 | 225mm | 142mm | 16.5mm | 68mm | 90x10mm | RHA-08420 M16 X 58mm |
| *Tungsten Hard Faced Option available | | | | | | | | | |
| RH-08404 RH-08405 | S SERIES | 20100404 20100405 | POWER 255028 | 225mm | 145mm | 16.5mm | 56mm | 90x8mm | RHA-08420 |
| *Tungsten Hard Faced Option available | | | | Check bolt length: RHA-08420, M16 x 58mm or RHA-08118 M16 x 48mm | | | | | |
| RH-09153 RH-09154 | PANTERA | 09400419 09400418 | POWER 255107 | 215mm | 135mm | 16.5mm | 56mm | 90x10mm | RHA-08420 |
| *Tungsten Hard Faced Option available | | | | Check bolt length: RHA-08420, M16 x 58mm or RHA-08118 M16 x 48mm | | | | | |
| RH-09371 RH-09372 | PANTERA | | SPEED 255104 | 210mm | 150mm | 16.5mm | 56mm | 90x10mm | RHA-08420 |
| | | | | Check bolt length: RHA-08420, M16 x 58mm or RHA-08118 M16 x 48mm | | | | | |
| SICMA | | | | | | | | | |
| RH-08116 RH-08117 | SP & RG | S4814516 S4814517 4814002/03 | POWER 153016 | 185mm | 135mm | 14.5mm | 57mm | 80x8mm | RHA-08419 M14 X 40mm |
| | | | | *Tungsten Hard Faced Option available | | | | | |
| RH-08243 RH-08244 | SP & RG | S4814518 S4814519 | SPEED 153015 | 195mm | 135mm | 14.5mm | 57mm | 80x8mm | RHA-08419 M14 X 40mm |
| | | | | *Tungsten Hard Faced Option available | | | | | |
| WECAN | | | | | | | | | |
| RH-08116 RH-08117 | DGW & MGW LG80HP | | POWER 153016 | 185mm | 135mm | 14.5mm | 57mm | 80x8mm | RHA-08419 M14 X 40mm |
| | | | | *Tungsten Hard Faced Option available | | | | | |
| VALENTINI | | | | | | | | | |
| RH-09153 RH-09154 | ER HERCULES & MAXI SQUALO | 4.2-7.7MTR | POWER 255107 | 215mm | 135mm | 16.5mm | 56mm | 90 X 10 | RHA-8420 |
| *Tungsten Hard Faced Option available | | | | Check bolt length: RHA-08420, M16 x 58mm or RHA-08118 M16 x 48mm | | | | | |

ASP HOE BLADES ARE SOLD IN EQUAL QUANTITIES OF LEFT & RIGHT HAND.
OEM REFERENCE NUMBERS ARE FOR IDENTIFICATION ONLY - NOT SOLD AS GENUINE.


Power Harrow Blades

Sold in equal quantities of left & right hand only.




PH-08784 & PH-08785

Suits **CELLI**
ER & Minigo, Go, Laser
Ranger & Energy
OEM Ref
622715
622716




PH-08786 & PH-08787

Suits **CELLI**
KR & Maxi
OEM Ref
622603
622604




PH-08796 & PH-08797

Suits **KUHN & EMY**
HR & HRB
OEM Ref
525604
525605




PH-08798 & PH-08799

Suits **KUHN & EMY**
HR & HRB
OEM Ref
52539400A
52539500A




PH-08800 & PH-08801

Suits **CELLI** (ER, LASER, RANGER, GO ETC)
HOWARD (FALC & FOX), **MASCHIO** DC, DS, DL &
SICMA. OEM Ref
38100222/23, 512075/76,
E010146/20146



PH-08802 & PH-08803


Suits **MASCHIO**
DM & AQUILA
BREV. 36100215/6
OEM Ref
36100215/16



PH-08930 &

PH-08931


Suits **AMAZONE**
OEM Ref 962337
962338



PH-09221 &

PH-09222


Suits **LELY - CLUB TINE**
OEM Ref 116990111 / 112



Power Harrow Blades


PH-09225 & PH-09226

Suits KUHN
OEM Ref 52596410
/ 52596510



PH-09227 & PH-09228

Suits KUHN
OEM Ref K2500090
/100



PH-09266

RINALDI R2 TINE




Right Hand

Left Hand



PHA-08804



More than 70 years of experience endorse our track record. We are leaders in the production of Discs, Points, Tines, Mouldboards, Blades and Clamps. All our pieces are made with Boron Steel which guarantees the perfect balance between the maximum resistance to wear and flexibility.

ASP SPEED TILLER DISCS

AMAZONE

ASP-08903BB20" x 4mm Flat Back, 4 x 12.5mm Holes @ 120mm PCD suit Catros
ASP-09229BB26" x 6mm Flat Back, 4 x 12.5mm Holes @ 170mm PCD suit Certos

K-LINE

| | | |
|--|-----------|---|
| ASP-1120 | 22" x 5mm | 70mm Round Centre, 4 x 18mm @ 137mm PCD |
| ASP-99 | 24" x 6mm | 70mm Round Centre, 4 x 18mm @ 137mm PCD |
| ASP-08858 | 26" x 6mm | 70mm Round Centre, 4 x 18mm @ 137mm PCD |
| ASP-09000 | 28" x 6mm | 70mm Round Centre, 4 x 18mm @ 137mm PCD - check fitment ? |
| ASP-09380 Jump Arm Rubber Mounts 50mm x 226mm OEM 29000JAX226 | | |

KUHN

ASP-09295 20" x 5mm Flat Back, 6 x 11mm Sq Holes @ 100mm PCD suit Optimer H2203180
ASP-09296BB20" x 6mm Flat Back, 6 x 11mm Sq Holes @ 100mm PCD suit Optimer H2234350

LELY

ASP-09029 22" x 5mm 62mm Round/key, 5 x 14.5mm Holes @113mm PCD OEM 760 020 033

MASCHIO (also fits Farmet OEM 3007653 & Norwood Quicktill with SKF BAA Hubs)

ASP-09289BB20" x 5mm Flat Back, 4 x 12.5mm Holes @ 98mm PCD OEM M65400214

POTTINGER

ASP-09138 22" x 5mm Flat Back, 4 x 12.5mm Holes @ 110mm PCD, 56mm Dish



Agricultural Discs



ASP Discs are among the finest, longest wearing BORON discs manufactured in the world.

All ASP Discs & Coulters come with a warranty, guaranteeing the user maximum working life.

Don't settle for high carbon steel discs...

INSIST ON ASP SPANISH BORON STEEL!

BoronBlue™



Reference Chart - Machine Make

| | | | | | | | |
|-------|--------------|-----|-------------|-----|----------------|-----|-----------|
| AITCH | AITCHISON | D | DUNCAN | HU | HUTCHMASTER | MIL | MILLER |
| ALFM | ALFARM | DB | DAVID BROWN | IH | INT. HARVESTER | MSW | MOURILYN |
| BNL | BONEL | E | ENNOR ENG | JA | JARRETT | NG | NAPIER |
| BH | BUSH HOG | ES | EASY-FIX | JB | JOHN BERENDS | SH | SHEARER |
| BR | BIG RIG | EZ | EZEE-ON | JD | JOHN DEERE | SOV | SOVEREIGN |
| BT | BETTINSON | GZY | GRIZZLY | JK | JANKE | STG | STEIGER |
| CH | CHAMBERLAIN | GR | GIBBONS | KEL | KELLOW | TW | TAYLORWAY |
| CL | CLOUGH | GN | GESSNER | KRS | KRAUSE | TNR | TOWNER |
| CA | CASE | HE | HODGE | MA | MANNUM AG | W | WILLETT |
| CS | CONNOR SHEA | HB | H-BAGSHAW | MF | MASSEY FERG | WK | WALKER |
| CW | COUNTRY WIDE | HT | HOLDEN HT | MH | MURRAY | Y | YEOMAN |

| PART NUMBER | THICK | CONCAVE | CENTER HOLE | CENTER HOLE SIZE MM | RADIAL HOLES | PCD | DESCRIPTION | AGPOINT PART NO | GWT/ McCOY PART NO | KG |
|-----------------------------------|----------------|---------|-------------|---------------------|--------------|--------|----------------------------------|-----------------|--------------------|----|
| SCALLOP & FLUTED DISCS | | | | | | | | | | |
| 18" | | | | | | | | | | |
| ASP-6C | 5 MM | 56 MM | DUAL SQUARE | 30 MM & 33 MM | | | NG, JA, BNL | 184-092SD | 1815-S-8 | 6 |
| 20" | | | | | | | | | | |
| ASP-12C | 4 MM | 58 MM | DUAL SQUARE | 27 MM & 30 MM | | | SH, JA, BNL, NG, GR | 204-102SD | 2015-S-2 | 6 |
| ASP-08903BB | 4 MM FLAT BACK | 54 MM | NIL | | 4 X 12.5 MM | 120 MM | AMAZONE CATROS SPEED TILLER | | | 6 |
| ASP-09295 | 5 MM FLAT BACK | 52 MM | NIL | | 6 X 11 MM | 100 MM | KUHN OPTIMER H2203180 | | | |
| ASP-09296 | 6 MM FLAT BACK | 52 MM | NIL | | 6 X 11 MM | 100 MM | KUHN OPTIMER H2234350 | | | |
| ASP-13C | 4 MM FLAT BACK | 45 MM | DUAL SQUARE | 27 MM & 30 MM | | | IH, MF, MH | 204-7FSD | | 6 |
| ASP-09289 | 5 MM FLAT BACK | 54 MM | NIL | | 4 X 12.5 MM | 98 MM | MASCHIO SPEED TILLER 65700201 | | | 7 |
| 22" | | | | | | | | | | |
| ASP-34C | 4 MM | 60 MM | DUAL SQUARE | 27 MM & 30 MM | | | JA, DB | | | 8 |
| ASP-1120 | 5 MM | 63 MM | ROUND | 70 MM | 4 X 18 MM | 137 MM | K-LINE SPEED TILLER & GZY GRUMPY | 225-3SB | 22044 | 10 |
| ASP-41C | 5 MM | 62 MM | DUAL SQUARE | 30 MM & 33 MM | | | NG340, HDGE, BNL, JB | | | 10 |
| ASP-43 | 5 MM | 70 MM | ROUND | 70 MM | 6 X 18 MM | 113 MM | CS, BABY GIANT | 225-171SB | 2218-SB-1 | 10 |
| ASP-42C | 5 MM FLAT BACK | 62 MM | DUAL SQUARE | 27 MM & 30 MM | | | IH 3-4, MF, MH | 225-9SFD | 2218-SF-1/9 | 10 |
| ASP-09029 | 5 MM | 60 MM | ROUND - KEY | 62 MM | 5 X 14.5 MM | 113 MM | LELY TULIP | | | 10 |
| ASP-09138 | 5 MM FLAT BACK | 56 MM | | | 4 X 12.5 MM | 110 MM | POTTINGER | | | 10 |
| 24" | | | | | | | | | | |
| ASP-92C | 5 MM | 76 MM | DUAL SQUARE | 30 MM & 33 MM | | | SH 500, NG 690, HDGE 245-288SD | 245-226S | 2418-S-15 | 11 |
| ASP-09294BB | 5 MM FLAT BACK | 70 MM | DUAL SQUARE | 27 MM & 30 MM | | | IH 3-4, MF, MH | | | 11 |
| ASP-100C | 6 MM | 76 MM | DUAL SQUARE | 30 MM & 33 MM | | | SH, HDGE, BNL, NG, JD, BH | 246-43SD | 2425-S-37/40 | 13 |
| ASP-100C-F | 6 MM FLUTED | 95 MM | DUAL SQUARE | 30 MM & 33 MM | | | SH, HDGE, BNL, NG, JD, BH | | | 13 |
| ASP-101C | 6 MM | 76 MM | DUAL SQUARE | 39 MM & 41 MM | | | HDGE, BNL, NG, IH, JA, SH, GR670 | 246-38SD | 2425-S-8/38 | 13 |
| ASP-101C-F | 6 MM FLUTED | 76 MM | DUAL SQUARE | 39 MM & 41 MM | | | HDGE, BNL, NG, IH, JA, SH, GR670 | | | 13 |
| ASP-103 | 6 MM | 84 MM | ROUND | 70 MM | 6 X 18 MM | 113 MM | CS BABY GIANT, CS710, 760, 780 | 246-1SB | 2425-SB-1 | 13 |
| ASP-99 | 6 MM | 73 MM | ROUND | 70 MM | 4 X 18 MM | 137 MM | K-LINE & GRIZZLY GRUMPY & ROLLA | 246-3SB | 2425-SB-3 | 13 |

Agricultural Discs

| PART NUMBER | THICK | CONCAVE | CENTER HOLE | CENTER HOLE SIZE MM | RADIAL HOLES | PCD | DESCRIPTION | AGPOINT PART NO | GWT/ McCOY PART NO | KG | |
|------------------------|----------------|---------|-------------|---|---|--------|---------------------------------|-----------------|--------------------|----|----|
| SCALLOP DISCS | | | | | | | | | | | |
| SCALLOP & FLUTED DISCS | | | | | | | | | | | |
| 26" | | | | | | | | | | | |
| ASP-133 | 6 MM | 57 MM | ROUND | 25.4 MM | 4 X 18 MM | 228 MM | MSW | | | 16 | |
| ASP-138 | 6 MM | 67 MM | ROUND | 135 MM | 4 X SQ 13.5 MM | 228 MM | BNL TRASH INCORP | 266-138S | | 16 | |
| ASP-139 | 6 MM | 89 MM | ROUND | 100 MM | 6 X 22 MM | 185 MM | GRIZZLY & BELMAC | 266-26SB | 2625-SB-26 | 16 | |
| ASP-1322 | 6 MM FLAT BACK | 81 MM | SQUARE | 39 MM | | | IH, 770, 590, 501 | 266-15F | 26161 | 16 | |
| ASP-140 | 6 MM | 91 MM | ROUND | 78 MM | 6 X 22 MM | 190 MM | CS LITTLE GIANT, CS780, E, BNL | 266-15B | 2625-SB-1 | 16 | |
| ASP-141C | 6 MM | 81 MM | DUAL SQUARE | 39 MM & 41 MM | KUHN DISC XM2, | | HDGE, BNL, NG670, 710-740, JA | 266-49SD | 2625-S-14/35 | 16 | |
| ASP-143C | 6 MM | 91 MM | DUAL SQUARE | 54 MM & 60 MM | | | SH 700, IH3-5 | 266-16SD | 26143C | 16 | |
| ASP-143C-F | 6 MM | 91 MM | DUAL SQUARE | 54 MM & 60 MM | | | SH 700, IH3-5 | | 26143CW | 16 | |
| ASP-160C | 6 MM | 91 MM | DUAL SQUARE | 30 MM & 33 MM | | | JD, HDGE, BNL, BH | 266-9SD | 26160C | 16 | |
| ASP-09229BB | 6 MM FLAT BACK | 54 MM | NIL | | 4 X 13 MM | 170 MM | AMAZONE CERTOS | | | 16 | |
| ASP-160SH | 6 MM | 60 MM | DUAL SQUARE | 30 MM & 33 MM | | | JD, HDGE, BNL, BH | | | 16 | |
| ASP-08858 | 6 MM | 83 MM | ROUND | 70 MM | 4 X 18 MM | 137 MM | K-LINE, ROCCA IND. & GRUMPY | 266-3SB | | 16 | |
| ASP-08858-F | 6 MM FLUTED | 83 MM | ROUND | 70 MM | 4 X 18 MM | 137 MM | K-LINE SPEED TILLER & GRUMPY | | | 16 | |
| ASP-151 | 8 MM | 89 MM | ROUND | 100 MM | 6 X 22 MM | 185 MM | GRIZZLY & BELMAC | 268-2SB | 2631-SB-2 | 20 | |
| ASP-152 | 8 MM | 95 MM | ROUND | 52 MM | | | STG, EZ, CW | 268-7S | 2631-S-3 | 20 | |
| ASP-153 | 8 MM | 100 MM | ROUND | 78 MM | 6 X 22 MM | 190 MM | CS 780, CS LITTLE GIANT, BNL, E | 268-15B | 2631-SB-1 | 20 | |
| ASP-154C | 8 MM | 81 MM | DUAL SQUARE | 39 MM & 41 MM | | | HDGE, BNL, NG, ALLIS, JA | 268-49SD | | 20 | |
| ASP-155 | 8 MM | 91 MM | ROUND | 58 MM | | | KELLOW | 268-155S | 2631-S57 | 20 | |
| ASP-1263 | 8 MM FLAT BACK | 81 MM | SQUARE | 39 MM | | | IH, 770, 590, 501 | | | 20 | |
| 28" | | | | | | | | | | | |
| ASP-09000 | 6 MM | 81 MM | ROUND | 70 MM | 4 X 18 MM | 137 MM | K-LINE SPEED TILLER | | | 19 | |
| ASP-1178 | 6 MM | 102 MM | DUAL SQUARE | 54 MM & 60 MM | | | IH 3-5, SH700 | 286-1021S | 28185C | 19 | |
| ASP-166C | 6 MM | 69 MM | DUAL SQUARE | 39 MM & 41 MM | | | CN, SH, NG, BNL, HE, JA | 286-29SD | | 19 | |
| ASP-167C | 6 MM | 102 MM | DUAL SQUARE | 39 MM & 41 MM | | | HDGE, BNL, NG670, JA, SH | 286-606SD | 2825-S-95 | 19 | |
| ASP-167C-F | 6 MM FLUTED | 102 MM | DUAL SQUARE | 39 MM & 41 MM | | | HDGE, BNL, NG670, JA, SH | | | | |
| ASP-168-S | 6 MM | 102 MM | ROUND | 100 MM | 6 X 22 MM | 185 MM | GRIZZLY & BELMAC | 286-8SB | 2825-SB-8 | 19 | |
| ASP-170 | 6 MM | 102 MM | ROUND | 78 MM | 6 X 22 MM | 190 MM | E, BNL, CS, LITTLE GIANT | 286-1013S | | 19 | |
| ASP-168 | 8 MM | 102 MM | ROUND | 100 MM | 6 X 22 MM | 185 MM | GRIZZLY & BELMAC | 288-15B | 28169S | 24 | |
| ASP-171 | 8 MM | 102 MM | ROUND | 78 MM | 6 X 22 MM | 190 MM | E, BNL, CS, LITTLE GIANT | 288-1086SB | 2831-SB2 | 24 | |
| ASP-175C | 8 MM | 102 MM | DUAL SQUARE | 39 MM & 41 MM | | | CS, HDGE, BNL, MSW | 288-1073S | | 24 | |
| ASP-175C-F | 8 MM FLUTED | 102 MM | DUAL SQUARE | 39 MM & 41 MM | | | CS, HDGE, BNL, MSW | | | | |
| ASP-178 | 8 MM | 102 MM | ROUND | 52 MM | | | CW, EZEE & STG | 288-17S | | 24 | |
| ASP-08981 | 8 MM | 102 MM | ROUND | 44 MM (Suits 1 5/8" Axle ONLY - Use ASP-08968 for 1 3/4" Axle - SAME DISC BUT WITH 46mm HOLE) | | | | | | | 24 |
| ASP-179 | 8 MM FLAT BACK | 92 MM | SQUARE | 40 MM | | | IH 770 | 288-15F | 2831-SF-1 | 24 | |
| 30" | | | | | | | | | | | |
| ASP-08812 | 8 MM | 94 MM | ROUND | 52 MM | | | CW | | | 28 | |
| 32" | | | | | | | | | | | |
| ASP-190 | 8 MM FLAT BACK | 110 MM | SQUARE | 46 MM | | | IH 780 | 328-15F | 3231-SF-1 | 33 | |
| ASP-193-C | 10 MM | 112 MM | SQUARE | 59 MM | | | ALFARM 080, TNR620 | 3210-10SD | 3237-S-10 | 40 | |
| ASP-199S | 10 MM | 112 MM | ROUND | 100 MM | 6 X 22 MM | 185 MM | GRIZZLY (10 TEETH) | 3210-2SB | 32199S | 40 | |
| 36" | | | | | | | | | | | |
| ASP-09262 | 12 MM | 123 MM | ROUND | 100 MM | 6 X 22 MM | 185 MM | GRIZZLY TINY (10 TEETH) | 3612-2SB | | 63 | |
| PLAIN DISC | | | | | | | | | | | |
| PLAIN DISCS | | | | | | | | | | | |
| 14" | | | | | | | | | | | |
| ASP-3C | 5 MM | 30 MM | ROUND | 26 MM | 6 X 7 MMSQ | 110 MM | PIONEER | | | 4 | |
| 28" | | | | | | | | | | | |
| ASP-08561 | 8 MM FLAT BACK | 95 MM | SQUARE | 40 MM | | | IH 770 | | | 24 | |
| 30" | | | | | | | | | | | |
| ASP-09112 | 6 MM | 100 MM | ROUND | 25 MM | NOT HEAT-TREATED. SUITABLE ONLY FOR FIRE PITS | | | | | | |

**ASP CAN MANUFACTURE MOST STYLES & SIZES OF DISCS & COULTERS.
PLEASE CONTACT US TO DISCUSS YOUR REQUIREMENTS.**

Ph: 07 3881 3464 or Email: sales@asproducts.com.au



Coulters

| NUMBER | THICK | STYLE | BEVEL | CENTER HOLE | CENTER HOLE SIZE MM | RADIAL HOLES | PCD | DESCRIPTION | AGPOINT PART NO | GWT PART NO | KG |
|-----------------|--|----------|---------|-------------|---------------------|------------------|--------------------|----------------------------|-----------------|-------------|-----|
| COULTERS | | | | | | | | | | | |
| 10.8" | | | | | | | | | | | |
| ASP-6195 | 3 MM | PLAIN | DOUBLE | ROUND | 72 MM | 5 X 9 MM | 95 MM | CS 470 DRILLS | C1103 | 6195 | 1.5 |
| 12.5" | | | | | | | | | | | |
| ASP-6197A | 3 MM | PLAIN | DOUBLE | ROUND | 52 MM | 4 & 6 Multi Hole | 10.5mm holes @95mm | DUNCAN | C1208 | 6281 | 2 |
| 13" | | | | | | | | | | | |
| ASP-08988 | 3 MM | FLUTED | SINGLE | ROUND | 20 MM | 6 X 6.7 MM | 75 MM | SKFAGRI HUB | | | 2 |
| 13.5" | | | | | | | | | | | |
| ASP-6198 | 3 MM | PLAIN | DOUBLE | ROUND | 72 MM | 5 X 9 MM | 95 MM | CS 470 DRILLS | C1320 | 6336 | 2 |
| 15" | | | | | | | | | | | |
| ASP-1117 | 4 MM | 15 SCALL | SINGLE | ROUND | 45 MM | 6 X 8.7 MM | 76 MM | AGROWPLOW | | | 4 |
| ASP-1118 | 4 MM | 11 SCALL | SINGLE | ROUND | 45 MM | 6 X 8.7 MM | 76 MM | AGROWPLOW | | | 4 |
| 16" | | | | | | | | | | | |
| ASP-6408 | 3 MM | PLAIN | SINGLE | ROUND | 25 MM | 6 X 7 MM | 73 MM | MASON | C1609 | | 3 |
| ASP-6407/5 | 5 MM | PLAIN | DOUBLE | ROUND | 64 MM | 5 X 13 MM | 108 MM | HOLDEN HT HUB, Y, GN, CS | C1635 | 6407 | 5 |
| 18" | | | | | | | | | | | |
| ASP-1011 | 4 MM | FLUTED | FLUTED | ROUND | 63.5 MM | 5 X 13 MM | 108 MM | HOLDEN HT HUB, YEOMAN | C1860W | 6473 | 5 |
| ASP-6200 | 5 MM | PLAIN | SINGLE | ROUND | 77 MM | 4 X 10.5 MM | 112 MM | JOHN DEERE OEM N283804 | C1870 | 6480 | 6 |
| ASP-09132 | 6 MM | PLAIN | SINGLE | ROUND | 64 MM | 5 X 13 MM | 108 MM | HT, YEOMAN, GN, CS | C1872 | 6472 | 6 |
| ASP-08878 | 6 MM | PLAIN | DOUBLE | ROUND | 78 MM | 5 X 13 MM | 108 MM | SPRING RIDGE ENG | C1874 | | 6 |
| 20" | NEW 20.5 Inch x 6mm ASP-09350BB coulters with 4 x 17mm C/Sunk holes suit BOSS Eng & Bourgault | | | | | | | | | | |
| ASP-1171 | 6 MM | PLAIN | SINGLE | ROUND | 64 MM | 5 X 13 MM | 108 MM | HT, VARIOUS STALK CUTTERS | C2072 | 6523 | 10 |
| ASP-08865 | 6 MM | PLAIN | DOUBLE | ROUND | 64 MM | 5 X 13 MM | 108 MM | Y, HT, GN, CS, GIANT | C2070 | 6522 | 10 |
| 22" | | | | | | | | | | | |
| ASP-1061 A | 5 MM | SCALLOP | SCALLOP | ROUND | 74 MM | 6 X 13 MM | 105 MM CSK | NVI, BAKER | | | 9 |
| ASP-09320BB | 6 MM | PLAIN | SINGLE | ROUND | 64 MM | 5 X 13MM | 108 MM | HT, DOUBLE DISC OPENER ETC | | | 12 |
| 26" | | | | | | | | | | | |
| ASP-6667 | 6 MM | PLAIN | DOUBLE | ROUND | 47 MM | 4 X 18 MM | 165 MM | HODGE | C2608 | | 14 |
| ASP-6668 | 6 MM | PLAIN | DOUBLE | ROUND | 51 MM | 4 X SQ 14 MM | 165 MM CSK | HODGE | C2609 | | 14 |
| ASP-6670 | 6 MM | PLAIN | DOUBLE | ROUND | 102 MM | 8 X 13 MM | 292 MM | BONEL | C2610 | | 14 |
| ASP-6671 | 6 MM | PLAIN | DOUBLE | ROUND | 64 MM | 5 X 13 MM | 108 MM | HOLDEN HT HUB, Y, GN, CS | C2612 | | 14 |
| 30" | | | | | | | | | | | |
| ASP-6202 | 6 MM | PLAIN | DOUBLE | ROUND | 102 MM | 8 X 12 MM | 292 MM | BONEL | C3014 | | 20 |
| ASP-6766 | 6 MM | PLAIN | DOUBLE | ROUND | 51.5 MM | 4 X 18 MM | 165 MM | HODGE & GESSNER | C3015 | | 20 |
| ASP-6202/8 | 8 MM | PLAIN | DOUBLE | ROUND | 102 MM | 8 X 12 MM | 292 MM | BONEL | C3014 | | 28 |
| ASP-6766/8 | 8 MM | PLAIN | DOUBLE | ROUND | 51.5 MM | 4 X 18 MM | 166 MM | HODGE & GESSNER | C3015 | | 28 |

NEW ASP-6766/10BB & ASP-6202/10BB 10mm thick coulters now available



OEM & Competitors part numbers are for reference only. ASP encourages you to measure your Discs & Coulters prior to ordering.

Slasher Blades

AGRIFARM



BoronBlue™



| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-------------|---|--------|------|-------|-------|------|
| BS-01724 | Suction Lift Blade Left hand cut BSA-00179 Bush BSA-09081 Bolt & Nut | 355MM | 32MM | 75MM | 12MM | 40MM |



BEN WYE

| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-------------|--|--------|------|-------|-------|------|
| BS-01724 | Suction Lift Blade, Left hand cut BSA-00179 Bush BSA-100673 Bolt BSA-100852 Nut | 355MM | 32MM | 75MM | 12MM | 40MM |
| BS-01724R | Suction Lift Blade, Right hand cut BSA-00179 Bush BSA-100673 Bolt BSA-100852 Nut | 355MM | 32MM | 75MM | 12MM | 40MM |
















BERENDS(John Berends Implements)



| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-------------|---|--------|------|-------|-------|------|
| BS-02003 | Standard step down blade to suit 6 & 7' EHD Left hand cut, OEM Ref: 2003 BSA-02003B BUSH BSA-PG1112 BOLT BSA-PG1113 NUT | 465MM | 38MM | 100MM | 12MM | 25MM |
| BS-02000 | Standard step down blade to suit 6' HD Double edge LH & RH OEM Ref: 2000, 2005 BSA-00178 BUSH BSA-PG1112 BOLT BSA-PG1113 NUT | 495MM | 32MM | 75MM | 10MM | 25MM |
| BS-01602 | Suction Lift blade to suit 6' Side Discharge Left hand cut, OEM Ref: 1987 BSA-00180 BUSH BSA-PG1112 BOLT BSA-PG1113 NUT | 460MM | 32MM | 75MM | 16MM | 40MM |
| BS-01585 | Flat reversible blade to suit 6' HD Left hand cut, OEM Ref: 1984 BSA-00178 BUSH BSA-PG1112 BOLT BSA-PG1113 NUT | 495MM | 32MM | 75MM | 10MM | N/A |
| BS-01981 | Flat reversible blade to suit 4'6" & 5' HD Left hand cut, OEM Ref: 1981 BSA-01981B BUSH BSA-PG1112 BOLT BSA-PG1113 NUT | 368MM | 26MM | 75MM | 10MM | N/A |






| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-------------|--|--------|------|-------|-------|------|
| BS-04457 | Standard step down blade to suit EP slashers Left hand cut, OEM Ref: 1980, B6005 BSA-04457B BUSH BSA-PG1112 BOLT BSA-PG1113 NUT | 262MM | 25MM | 65MM | 8MM | 25MM |
| | | | | | | |
| BS-01582 | Standard step down blade to suit Pasture Toppers Left hand cut, OEM Ref: 1801 BSA-00175 BUSH BRA-100196 BOLT BSA-100285 NUT | 275MM | 25MM | 65MM | 7MM | 38MM |
| | | | | | | |

CHRIS GROW & GASON



| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-----------------|--|---|------|-------|-------|------|
| BS-09043 | Double Edge blade to suit 5' & Multi Gearbox OEM Ref: 225803 | 250MM | 32MM | 100MM | 10MM | 40MM |
| | BSA-00178 BUSH |  | | | | |
| | BSA-100675 BOLT | | | | | |
| | BSA-100852 NUT | | | | | |
| BS-09044 | Double Edge blade to suit 5' & Multi Gearbox OEM Ref: 226572 | 350MM | 32MM | 100MM | 13MM | 40MM |
| | BSA-00179 BUSH |  | | | | |
| | BSA-100675 BOLT | | | | | |
| | BSA-100852 NUT | | | | | |
| BS-09045 | Double Edge blade to suit 6' & Multi Gearbox OEM Ref: 224936 | 450MM | 32MM | 100MM | 13MM | 40MM |
| | BSA-00179 BUSH |  | | | | |
| | BSA-100675 BOLT (BSA-S3393, 4" bolt for Mulch setup) | | | | | |
| | BSA-100852 NUT | | | | | |
| BS-09047 | Suction Lift blades (10mm thick) to suit 5' & Multi Gearbox OEM Ref: 226571 RH & 226570 LH | 250MM | 32MM | 100MM | 10MM | 70MM |
| BSA-00178 BUSH | |  | | | | |
| BSA-100675 BOLT | | | | | | |
| BSA-100852 NUT | | | | | | |
| BS-09046 | | 250MM | 32MM | 100MM | 10MM | 70MM |
| Left Hand Cut | |  | | | | |
| BS-08923 | Suction Lift blades (10mm thick) to suit 5' & Multi Gearbox OEM Ref: MC1525/1625, 226427LH & 226428 RH | 357MM | 32MM | 100MM | 10MM | 70MM |
| BSA-00178 BUSH | |  | | | | |
| BSA-100675 BOLT | | | | | | |
| BSA-100852 NUT | | | | | | |
| BS-08922 | | 357MM | 32MM | 100MM | 10MM | 70MM |
| Left Hand Cut | |  | | | | |
| BS-09048 | Suction Lift blade to suit 6' & Multi Gearbox OEM Ref: 225159 (RH) & 225158 (LH) | 450MM | 32MM | 100MM | 10MM | 75MM |
| BSA-00178 BUSH | |  | | | | |
| BSA-100675 BOLT | | | | | | |
| BSA-100852 NUT | | | | | | |
| BS-09049 | | 450MM | 32MM | 100MM | 10MM | 75MM |
| Left Hand Cut | |  | | | | |
| BS-09050 | Suction Lift blades (13mm thick) to suit 5' & Multi Gearbox OEM Ref: 226569 RH & 226568 LH | 250MM | 32MM | 100MM | 13MM | 70MM |
| BSA-00179 BUSH | |  | | | | |
| BSA-100675 BOLT | | | | | | |
| BSA-100852 NUT | | | | | | |
| BS-09051 | | 250MM | 32MM | 100MM | 13MM | 70MM |
| Left Hand Cut | |  | | | | |
| BS-08226 | Suction Lift blades to suit 5' & Multi Gearbox OEM Ref: Mc1520 226511(RH) & Mc1620 226512(LH) | 357MM | 32MM | 100MM | 13MM | 60MM |
| BSA-00179 BUSH | |  | | | | |
| BSA-100675 BOLT | | | | | | |
| BSA-100852 NUT | | | | | | |
| BS-08227 | | 357MM | 32MM | 100MM | 13MM | 60MM |
| Left Hand Cut | |  | | | | |

| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|----------------------------|---|--|------|---|-------|------|
| BS-08228 Right Hand Cut | Suction Lift blade to suit 6' & Multi Gearbox OEM Ref: Mc1500, 223542 (RH) & Mc1600, 223543 (LH) | 450MM | 32MM | 100MM | 13MM | 65MM |
| BS-08229 Left Hand Cut | BSA-00179 BUSH BSA-100675 BOLT BSA-100852 NUT |  | |  | | |
| | | BS-08228 | | BS-08229 | | |


DAKEN

| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-------------|--|--|------|-------|-------|------|
| BS-00467 | Twisted double edge blade to suit 5' Left hand cut, OEM Ref: BSA-06394B BUSH BSA-07453K BOLT & NUT KIT (1 bolt & 1 nut) | 330MM | 38MM | 100MM | 10MM | N/A |
| | |  | | | | |
| BS-01724 | Suction Lift blade to suit 6' Left hand cut - "Will only suit certain Models" BSA-00179 BUSH BSA-100675 BOLT BSA-100852 NUT | 355MM | 32MM | 75MM | 12MM | 40MM |
| | |  | | | | |
| BS-01583 | Suction Lift blade to suit 759 Series slashers Left hand cut, OEM Ref: 55475DC Bare-co B6000 BSA-00178 BUSH BSA-100675 BOLT BSA-100852 NUT | 485MM | 32MM | 75MM | 10MM | 45MM |
| | |  | | | | |

DIGGA

| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-------------|--|---|------|-------|-------|------|
| BS-09271 | Step, Double edge blade Suit 1500 & 1800 Skid Steer BSA-09272 BOLT & NUT | 350MM | 38MM | 100MM | 13MM | 40MM |
| | |  | | | | |
| | |  | | | | |

GESSNER

| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-------------|---|---|------|-------|-------|------|
| BS-01586 | Standard Step down blade to suit 15'6" & 21'6" Double edge LH & RH BSA-00175 BUSH BSA-08089 BOLT KIT (1x bolt, bush & nut) | 250MM | 25MM | 65MM | 7MM | 22MM |
| | |  | | | | |

FIELDQUIP - Including BUSH HOG & RHINO

| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|----------------------------|--|--|------|-------|-------|------|
| BS-01583 | Suction Lift blade suit LE60, 70 & LS70 slashers L/Hand cut, OEM Ref: 21003, FQ6000, B6000 BSA-00178 BUSH BSA-100675 BOLT BSA-100852 NUT | 490MM | 32MM | 75MM | 10MM | 45MM |
| | |  | | | | |
| BS-09075 | Stepped & Fluted blade suit 5ft deck Bush Hog Ls1500 & LH1500 OEM Ref 36BH, 7555BH Left Hand cut BSA-09087 Bolt Kit OEM Ref 7919BH | 563MM | 38MM | 75MM | 12MM | 50MM |
| | |  | | | | |
| BS-08141 | Stepped & Fluted blade suit 6ft deck Bush hog Ls1800 OEM Ref 7556BH, 19160 Left Hand cut BSA-09087 Bolt Kit OEM Ref 7919BH | 645MM | 38MM | 100MM | 13MM | 58MM |
| | |  | | | | |
| BS-09076 | Stepped & Fluted blade suit 7ft deck Bush Hog Ls2100 & LH2100 OEM Ref 7557BH Left Hand cut BSA-09087 Bolt Kit OEM Ref 7919BH | 714MM | 38MM | 100MM | 13MM | 58MM |
| | |  | | | | |
| BS-08139 | Stepped & Fluted blade suit RH272 & RH472 OEM Ref 00780882 Left Hand cut BSA-09087 Bolt Kit. 1 1/8" thread, 75mm long from under head, 37.5mm x 14mm wide blade shank. Replaces key style bolt as has 2 flats on head for fitment / removal. | 571MM | 38MM | 100MM | 13MM | 58MM |
| | |  | | | | |
| BS-08923 Right Hand Cut | Suction Lift blades (10mm thick) to suit GEARMOWER GM30-900 etc BSA-07453K BOLT & NUT BSA-09385 BUSH | 357MM | 32MM | 100MM | 10MM | 70MM |
| BS-08922 Left Hand Cut | |  | | | | |

NOTES

HIMAC

| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-------------|---|--------|------|-------|-------|------|
| BS-09366 | Suction Lift blade suit HiMac Slashers OEM Ref BLADESL Left Hand cut Use BSA-09367 Bolt, Nut & Washer | 495MM | 32MM | 75MM | 10MM | 55MM |
| BS-09264 | Stepped Double Edge blade suit BrushCutters OEM Ref BLADESLBCO, SB60 Use BSA-09368 Bolt, Nut & Washer | 415MM | 38MM | 100MM | 12MM | 65MM |

Looking for a cheaper blade option?

ASP manufactures the following 3 blades in a standard Spring Steel. Whilst they are not to the same quality standards of our European Boron blades, they are comparative to many ASP competitors blades and are priced accordingly!

BS-01583BC suits Daken, Fieldquip, Himac & Jarrett etc
BS-01724BC suits Agrifarm, Ben Wye, Daken, Howard & Kanga
BS-08743BC suits HD & EHD Howard etc












(Also available in kits to suit Howard **BS-78663KBC** & **BS-08743KBC**)



ALL SLASHER BLADE LENGTH DIMENSIONS ARE FROM THE CENTRE OF THE BOLT HOLE TO THE END OF THE BLADE.

HOWARD

| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-------------|---|--------|------|-------|-------|------|
| BSA-78299K | NIB Style bolt, bush & nut OEM 78299 Single NIB under head | | | | | |
| BS-01572 | Twisted double edge blade to suit 6' Left hand cut, OEM Ref: 73955, Bare-co B50 BSA-78299K Nib style bolt kit BSA-74222K Square shank bolt kit | 432MM | 32MM | 75MM | 12MM | N/A |
| BS-01573 | Twisted double edge blade to suit 5' Left hand cut, OEM Ref: 72900, Bare-co B6001 BSA-78299K Nib style bolt kit BSA-74222K Square shank bolt kit | 280MM | 32MM | 75MM | 12MM | N/A |

| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|---|--|--|------|-------|-------|------|
| BS-09281 | H/Duty blade suit EHD240 & EHD240E, XHD240 Left hand cut, OEM Ref: 613400 | 510MM | 32MM | 100MM | 12MM | 45MM |
| | BSA-78299K Nib style bolt kit (Inc. Bush) BSA-00179 Bush |  | | | | |
| BS-01574 | Stepped down double edge blade to suit 6', Hd240, EHDE300 & EHD360 TWIN L/H & R/H cut, OEM Ref: 74598A | 355MM | 32MM | 75MM | 12MM | 40MM |
| | BSA-78299K Nib style bolt kit BSA-74222K Square shank bolt kit |  | | | | |
| BS-01724 LEFT HAND | Suction lift blade to suit 5', 6' & 7' Nugget & HD etc OEM Ref: 78663, Bare-co B6002 | 355MM | 32MM | 75MM | 12MM | 40MM |
| BS-01724R RIGHT HAND | BSA-78299K Nib style bolt kit (Inc. Bush) BSA-74222K Square shank bolt kit (Inc. Bush) BSA-09321 Hex Bolt Kit suit Nugget etc (Inc. Bush) BSA-00179 Bush | 355MM | 32MM | 75MM | 12MM | 40MM |
| | |  | | | | |
| BS-78663K Blade & Nib Bolt Kit | Suction lift blade kit to suit 5', 6' & 7' slashers with Nib Style Beams EHD E180 & 210 Left hand cut, OEM Ref: 78663KN KIT INCLUDES 2 X BS-01724 BLADES & 2 X BSA-78299K NIB BOLT KITS | 355MM | 32MM | 75MM | 12MM | 40MM |
| | |  | | | | |
| BS-78663KHEX Blade & Hex Head Bolt Kit | Suction lift blade kit to suit NUGGET 120, 135, 150L, 150, 180 & 210 & MD120B, Nug120, HS30 Left hand cut, OEM Ref: 78663KH KIT INCLUDES 2 X BS-01724 BLADES & 2 X Hex Head Bolts, Bushes & Nyloc Nuts | 355MM | 32MM | 75MM | 12MM | 40MM |
| | |  | | | | |
| BS-08743 | Leading Edge blade alternative Left hand cut, OEM Ref: 78787, Bare-co B6004 | 355MM | 32MM | 90MM | 12MM | 40MM |
| | BSA-78299K Nib style bolt kit (Inc. Bush) BSA-00179 Bush |  | | | | |
| BS-08743K Blade & Nib Bolt Kit | Leading Edge blade kit alternative Left hand cut, OEM Ref: 78787KN Suits HD & EHD 150, 180 & 210 KIT INCLUDES 2 X BS-08743 BLADES & 2 X BSA-78299K NIB BOLT KITS | 355MM | 32MM | 90MM | 12MM | 40MM |
| | |  | | | | |
| BSA-00484 SUITS HD150, EHD150, HD300B & EHD300 | Nib style Beam / Head flat to suit 5 foot slasher OEM Ref: 78818 USE BSA-00480 SPACER BSA-74808K Mounting bolt kit (4 bolts & nuts) BSA-100673 Beam to spacer bolt (require 2) BSA-100852 Beam to spacer nut (require 2) | 812MM | N/A | 130MM | 10MM | N/A |
| | |  Beam length is from blade bolt hole centres | | | | |
| BSA-00486 SUITS HD180, EHD180 & EHD360 | Nib style Beam / Head flat to suit 6 foot slasher OEM Ref: 78816 USE BSA-00479 SPACER BSA-74808K Mounting bolt kit (4 bolts & nuts) BSA-100673 Beam to spacer bolt (require 2) BSA-100852 Beam to spacer nut (require 2) | 1116MM | N/A | 130MM | 10MM | N/A |
| | |  Beam length is from blade bolt hole centres | | | | |
| BSA-00489 SUITS HD210 & EHD210 | Nib style Beam / Head flat to suit 7 foot slasher OEM Ref: 78814 USE BSA-00478 SPACER BSA-74808K Mounting bolt kit (4 bolts & nuts) BSA-100673 Beam to spacer bolt (require 2) BSA-100852 Beam to spacer nut (require 2) | 1414MM | N/A | 130MM | 10MM | N/A |
| | |  Beam length is from blade bolt hole centres | | | | |
| SPACER BEAMS | | | | | | |
| BSA-00480 | suit BSA-00484 Beams OEM 78734 (722 x 130 x 12mm) |  | | | | |
| BSA-00479 | suit BSA-00486 Beams OEM 78732 (1026 x 130 x 12mm) | | | | | |
| BSA-00478 | suit BSA-00489 Beams OEM 78693 (1314 x 130 x 12mm) | | | | | |

JARRETT




| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-------------|--|--------|------|-------|-------|------|
| BS-01075 | Heavy Duty stepped down blade to suit 6' Left hand cut, OEM Ref: 21353 Can use BS-07805 Suction Lift Style Blade. Bolts are not available, they are Genuine only. | 560MM | 45MM | 100MM | 13MM | 45MM |
| BS-01583 | Suction Lift blade to suit 4' to 6' slashers Left hand cut, OEM Ref: 21003, Bare-co B6000 BSA-00178 BUSH BSA-100675 BOLT BSA-100852 NUT | 490MM | 32MM | 75MM | 10MM | 45MM |
| BS-01582 | Standard step down blade to suit 1mtr & 4' Left hand cut, OEM Ref: 21010 BSA-21008 BOLT BSA-100852 NUT | 275MM | 25MM | 65MM | 7MM | 38MM |

KANGA

| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-------------|---|--------|------|-------|-------|------|
| BS-00467 | Twisted double edge blade to suit S, M, H & XH Left hand cut, OEM Ref: 21016 BSA-06394B BUSH BSA-07453K BOLT & NUT KIT (1 bolt & 1 nut) | 330MM | 38MM | 100MM | 10MM | N/A |
| BS-01724 | Suction Lift blade to suit 6' & 7' etc Left hand cut - Replaces OEM 100-134, ASP blade has different hole size - Must use with fasteners below: BSA-00179 3/4" ID BUSH BSA-100675 3/4" HEX BOLT BSA-100852 3/4" NUT OPTION 2 BSA-00190 7/8" ID BUSH OEM REF 100-136 BSA-07453K 7/8" HEX BOLT / NUT OPTION 3 BSA-09027 C/SUNK, SQUARE SHANK BOLT KIT OEM REF 100-135 | 355MM | 32MM | 75MM | 12MM | 40MM |

LOXTON

| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|------------------------|---|--------|------|-------|-------|------|
| BS-07652 | Flat double edge blade LH & RH cut, OEM Ref: SL056 BSA-07659 BUSH BSA-07658 BOLT KIT (1 x bolt, nut & bracket) | 238MM | 23MM | 65MM | 8MM | N/A |
| BS-07615 | Standard step down double edge blade LH & RH cut, OEM Ref: SL057 BSA-07659 BUSH BSA-07658 BOLT KIT (1 x bolt, nut & bracket) | 238MM | 23MM | 65MM | 8MM | 22MM |
| BS-07653 RIGHT HAND | Suction Lift blade Right hand cut, OEM Ref: SLP054 Left hand cut, OEM Ref: SLP055 BSA-07659 BUSH BSA-07658 BOLT KIT (1 x bolt, nut & bracket) | 238MM | 23MM | 65MM | 8MM | 15MM |
| BS-07654 LEFT HAND | | | | | | |

| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-------------|---|--------|------|-------|-------|---|
| BS-09339 | Major Cyclone MJ30 - 280, 350, 420 & 560 Overlap Blade Use with: BSA-09340 BOLT, BSA-09341 BUSH, BSA-09342 DISC SPRING WASHER (2 PER BLADE) & BSA-09363 NYLOC NUT. | 175MM | 25MM | 75MM | 8MM |  |
| BS-09343 | Major Cyclone MJ30 - 280, 350, 420 & 560 Left Hand Cut Step blade OEM 27025T-10AC Use with: BSA-09345 BLADE BOLT, BSA-09363 NYLOC NUT, BSA-09346 BUSH, BSA-09342 DISC SPRING WASHER (2 PER BLADE REQUIRED) | 235MM | 25MM | 80MM | 10MM |  |
| BS-09344 | Major Cyclone MJ30 - 280, 350, 420 & 560 Right Hand Cut blade Use with: BSA-09345 BLADE BOLT, BSA-09363 NYLOC NUT, BSA-09346 BUSH, BSA-09342 DISC SPRING WASHER (2 PER BLADE REQUIRED) | 235MM | 25MM | 80MM | 10MM |  |

McLEOD / MF


| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-------------|---|--------|------|-------|-------|------|
| BS-01075 | Heavy Duty stepped down blade to suit 6' Left hand cut BSA-01074 BUSH BSA-700427 1" PIN BSA-700430 NUT | 560MM | 45MM | 100MM | 13MM | 45MM |
| BS-07805 | Suction lift blade to suit 6' Left hand cut BSA-01074 BUSH BSA-700427 1" PIN BSA-700430 NUT | 560MM | 45MM | 100MM | 13MM | 45MM |
| BS-00986 | Stepped down blade to suit 5' Left hand cut BSA-01073 BUSH BSA-700419 7/8" PIN BSA-700423 NUT | 495MM | 35MM | 75MM | 13MM | 40MM |
| BS-1138 | Heavy Duty stepped down blade to suit 5' Left hand cut BSA-01074 BUSH BSA-700427 1" PIN BSA-700430 NUT | 495MM | 45MM | 100MM | 13MM | 45MM |
| BS-07161 | Stepped down Double edge blade to suit 4' Left & Right hand cut BSA-07161B BUSH BSA-700419 7/8" PIN BSA-700423 NUT | 331MM | 38MM | 100MM | 10MM | 47MM |

Fasteners to suit McLeod with 7/8" PIN

| | | | |
|-------------------|-------------|----------------------------|----------|
| BSA-700420 | CUP | BSA-700419 | 7/8" PIN |
| BSA-700421 | BOSS | BSA-700423 | 7/8" NUT |
| BSA-701962 | KEY | BSA-01073 | BUSH |
| BSA-700494 | CLUTCH DISC | 151mm X 57mm X 4.7mm THICK | |

Fasteners to suit McLeod with 1" PIN

| | | | |
|-------------------|-------------|----------------------------|--------|
| BSA-700428 | CUP | BSA-700427 | 1" PIN |
| BSA-700431 | BOSS | BSA-700430 | 1" NUT |
| BSA-701962 | KEY | BSA-01074 | BUSH |
| BSA-700494 | CLUTCH DISC | 151mm X 57mm X 4.7mm THICK | |













| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|------------------------|--|--------|------|-------|-------|------|
| BS-08138 RIGHT HAND | Stepped & Fluted blade, Right Hand cut, OEM Ref 401-046A, 401-026 (can use with BS-09088 Flat Blade) | 571MM | 38MM | 100MM | 13MM | 58MM |
| BS-08139 LEFT HAND | Stepped & Fluted blade, Left Hand cut, OEM Ref 401-047A, 401-027 (can use with BS-09088 Flat Blade) | 571MM | 38MM | 100MM | 13MM | 58MM |
| BS-08140 RIGHT HAND | Stepped & Fluted blade. Right Hand cut, OEM Ref 401-049A, 401-032 (Can use with BS-08959 flat blade) | 645MM | 38MM | 100MM | 13MM | 58MM |
| BS-08141 LEFT HAND | Stepped & Fluted blade Left Hand cut, OEM Ref 401-048A, 401-028 (Can use with BS-08959 flat blade) | 645MM | 38MM | 100MM | 13MM | 58MM |
| BS-09088 | Mulch Blade. Flat double edge for both Left & Right hand cut, Use with BS-08138 & BS-08139 blades. 571mm LONG, 75mm WIDE X 10mm THICK | | | | | |
| BS-08959 | Mulch Blade. Flat double edge for both Left & Right hand cut, Use with BS-08140 & BS-08141 blades 645mm LONG, 75mm WIDE X 10mm THICK | | | | | |



**SCHULTE BOLT
BSA-09094K BOLT & NUT
WILL ONLY SUIT MULCH BLADE
SET UP. IT HAS A 7/8" SHANK TO
SUIT THE 2 BLADES. WILL NOT
SUIT A SINGLE BLADE.**

SUPERIOR & PAGE

| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-------------|---|--------|------|-------|-------|------|
| BS-01586 | Standard step down double edge blade LH & RH cut, OEM Ref: S3608 BSA-00175 BUSH BSA-08089 BOLT KIT (bolt kit includes 1x bolt, bush & nut) | 250MM | 25MM | 65MM | 7MM | 22MM |
| BS-P1927 | Flat reversible blade Left hand cut, OEM Ref: S2427 BSA-00178 BUSH BSA-08042 BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut) | 305MM | 32MM | 75MM | 10MM | N/A |
| BS-P1938/10 | Standard step down double edge blade LH & RH cut, OEM Ref: S4065, P1938 BSA-00178 BUSH BSA-08042 BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut) | 305MM | 32MM | 75MM | 10MM | 40MM |
| BS-01599 | Flat reversible blade to suit 5' Left hand cut, OEM Ref: S4062, P1502 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut) | 305MM | 32MM | 75MM | 16MM | N/A |
| BS-00797 | Standard step down double edge blade to suit 5' LH & RH cut, OEM Ref: S4600, P4073 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut) | 305MM | 32MM | 75MM | 16MM | 40MM |


| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-------------|---|--------|------|-------|-------|------|
| BS-01601 | Suction lift blade to suit 5' & Multi Gearbox Left hand cut, OEM Ref: S4064, P1503, S4090 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut) | 305MM | 32MM | 75MM | 16MM | 40MM |
| |  | | | | | |
| BS-01601R | Suction lift blade to suit 5' & Multi Gearbox Right hand cut, OEM Ref: S4091 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut) | 305MM | 32MM | 75MM | 16MM | 40MM |
| |  | | | | | |
| BS-S2428 | Flat reversible blade to suit 6' Left hand cut, OEM Ref: S2428 BSA-00178 BUSH BSA-08042 BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut) | 460MM | 32MM | 75MM | 10MM | N/A |
| |  | | | | | |
| BS-P2028 | Standard step down double edge blade to suit 6' LH & RH cut, OEM Ref: S6064, P2028, S2424 BSA-00178 BUSH BSA-08042 BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut) | 460MM | 32MM | 75MM | 10MM | 40MM |
| |  | | | | | |
| BS-01600 | Flat reversible blade to suit 6' & 7' Left hand cut, OEM Ref: S5062, P1584, P4098 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut) | 460MM | 32MM | 75MM | 16MM | N/A |
| |  | | | | | |
| BS-01602 | Suction Lift blade to suit 6' & 7' Left hand cut, OEM Ref: S5064, S5061, P1585 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut) | 460MM | 32MM | 75MM | 16MM | 40MM |
| |  | | | | | |
| BS-01602R | Suction Lift blade to suit 6' & 7' Right hand cut, OEM Ref: S5065, S2116 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut) | 460MM | 32MM | 75MM | 16MM | 40MM |
| |  | | | | | |
| BS-01603 | Standard step down blade to suit 6' & 7' Left hand cut, OEM Ref: S5063 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut) | 460MM | 32MM | 75MM | 16MM | 40MM |
| |  | | | | | |
| BS-01604 | Standard step down double edge blade to suit 6' & 7' LH/RH cut, OEM S2142, P4099 Bare-co B6999 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut) | 460MM | 32MM | 75MM | 16MM | 40MM |
| |  | | | | | |
| BS-01606 | Large step down double edge blade to suit 6' & 7' LH & RH cut, OEM Ref: S2143, S2164 BSA-00180 BUSH BSA-S2115K BOLT KIT (bolt kit includes 1x Dome head bolt, bush & nut) | 460MM | 32MM | 75MM | 16MM | 75MM |
| |  | | | | | |

Beam length is from centre of blade bolt holes
LENGTH HOLE WIDTH THICK STEP

PLEASE NOTE: ALL BEAM LENGTH MEASUREMENTS ARE TAKEN FROM THE CENTRE OF THE BLADE BOLT HOLES....NOT AN OVERALL LENGTH. PLEASE CHECK MOUNTING HOLE CENTRES.


BSA-S4058 Superior beam / head flat to suit 4' & 4'6" with round holes. 20mm mounting bolt holes @ 152mm centres.
BSA-S3393 MOUNTING BOLT (require 2)
BSA-100852 NUT (require 2)

609MM N/A 75MM 10MM N/A



BSA-S2112 Superior beam / head flat to suit 4' & 4'6" with square holes. 20mm mounting bolt holes @ 152mm centres.
BSA-S3393 MOUNTING BOLT (require 2)
BSA-100852 NUT (require 2)


609MM N/A 75MM 10MM N/A



BSA-S6058 Superior beam / head flat to suit 6' with round holes. 20mm mounting bolt holes @ 152mm centres. (USE BSA-S6081 SPACER BEAM)
BSA-S3393 MOUNTING BOLT (require 2)
BSA-100852 NUT (require 2)

OEM REF:
S6058
S6054 (8mm THICK)

916MM N/A 75MM 10MM N/A




Beam Bolt & Nut: BSA-100675 Bolt & BSA-100852 Nut

BSA-S2113 Superior beam / head flat to suit 6' with square holes. 20mm mounting bolt holes @ 152mm centres. (USE BSA-S6081 SPACER BEAM)
BSA-S3393 MOUNTING BOLT (require 2)
BSA-100852 NUT (require 2)

OEM REF:
S2113
S6056

916MM N/A 75MM 10MM N/A




Beam Bolt & Nut: BSA-100675 Bolt & BSA-100852 Nut

BSA-S7058 Superior beam / head flat to suit 7' with round holes. 20mm mounting bolt holes @ 152mm centres. (USE BSA-S7059 SPACER BEAM)
BSA-S3393 MOUNTING BOLT (require 2)
BSA-100852 NUT (require 2)

OEM REF:
S7058
S7047

1221MM N/A 75MM 10MM N/A




Beam Bolt & Nut: BSA-100675 Bolt & BSA-100852 Nut

BSA-S7060 Superior beam / head flat to suit 7' with square holes. 20mm mounting bolt holes @ 152mm centres. (USE BSA-S7059 SPACER BEAM)
BSA-S3393 MOUNTING BOLT (require 2)
BSA-100852 NUT (require 2)

OEM REF:
S7060
S7038

1221MM N/A 75MM 10MM N/A



Beam Bolt & Nut: BSA-100675 Bolt & BSA-100852 Nut

SUPERIOR 16MM Thick spacer beams

BSA-S6081 SUIT 6 FOOT (790mm Long)
BSA-S7059 SUIT 7 FOOT (1090mm Long)
(20mm bolt holes @ 152mm centres)




Beam Bolt & Nut: BSA-100675 Bolt & BSA-100852 Nut

**PLEASE NOTE: THE FOLLOWING ARE PAGE BEAMS....NOT SUPERIOR.
PLEASE CHECK HOLE SIZES AND HOLE CENTRES TO ENSURE CORRECT FITMENT.**


BSA-1496 **Page beam** / head flat to suit 6' with round holes. 16.5mm mounting bolt holes @ 146mm centres. USE BSA-1383 SPACER BEAM

916MM N/A 75MM 10MM N/A



BSA-4411 **Page beam** / head flat to suit 6' with square holes. 16.5mm mounting bolt holes @ 146mm centres. USE BSA-1383 SPACER BEAM



916MM N/A 75MM 10MM N/A







BEAM LENGTHS ARE FROM CENTRE OF BLADE HOLES

| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-------------|--|--------|------|-------|-------|------|
| BSA-5496 | Page beam / head flat to suit 7' with <u>round holes</u> . 16.5mm mounting bolt holes @ 146mm centres. (USE BSA-4597 SPACER BEAM) | 1221MM | N/A | 75MM | 10MM | N/A |
| |  | | | | | |
| BSA-5411 | Page beam / head flat to suit 7' with <u>square holes</u> . 16.5mm mounting bolt holes @ 146mm centres. (USE BSA-4597 SPACER BEAM) | 1221MM | N/A | 75MM | 10MM | N/A |
| |  | | | | | |
| | PAGE 16MM Thick spacer beams | | | | | |
| | BSA-1383 SUIT 6 FOOT (790mm Long) BSA-4597 SUIT 7 FOOT (1090mm Long) (16.5mm bolt holes @ 146mm centres) | | | | | |
| |  | | | | | |
| BSA-08043 | Hex head bolt kit alternative to suit 8mm & 10mm thick blades (1x high tensile bolt, bush & lock nut). | | | | | |
| |  | | | | | |
| BSA-08044 | Hex head bolt kit alternative to suit 16mm thick blades (1x high tensile bolt, bush & lock nut). | | | | | |
| |  | | | | | |
| BSA-08042 | Dome head bolt kit to suit 8 & 10mm thick blades (1x Dome head bolt, bush & lock nut). BSA-00178 BUSH BSA-S2115M BOLT BSA-PG1113 NUT | | | | | |
| |  | | | | | |
| BSA-S4027 | SUPERIOR CLUTCH DISC 165mm x 64mm x 3.2mm thick | | | | | |
| |  | | | | | |
| BSA-S2115K | Dome head bolt kit to suit 16mm thick blades (1x Dome head bolt, bush & lock nut). BSA-00180 BUSH BSA-S2115 BOLT BSA-PG1113 NUT | | | | | |
| |  | | | | | |
| BSA-S2114 | 3/4 X 2 7/8" DOME HEAD BOLT ONLY (USE WITH BSA-00180 BUSH & BSA-PG1113 NUT) | | | | | |
| |  | | | | | |
| BSA-S8127 | 3/4 X 3 1/2" DOME HEAD BOLT (USE WITH BSA-00180 BUSH & BSA-PG1113 NUT) | | | | | |



WARATAH / SILVAN

| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-------------|--|--------|------|-------|-------|------|
| BS-07453 | Standard step down blade Left hand cut (Note: Double Cutting Edge style coming soon) BSA-07161B BUSH BSA-07453K BOLT KIT (bolt kit includes 1x bolt & nut) | 331MM | 38MM | 75MM | 8MM | 47MM |
| |  | | | | | |
| BS-07161 | Heavy Duty step down blade DOUBLE EDGE STYLE BSA-07161B BUSH BSA-07453K BOLT KIT (bolt kit includes 1x bolt & nut) | 331MM | 38MM | 100MM | 10MM | 47MM |
| |  | | | | | |

WOODS / TITAN / IRONCRAFT

| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|--------------|--|---|------|-------|-------|------|
| BS-08138 R/H | Stepped & Fluted blade . BATWING BW180X & 15 | 571MM | 38MM | 100MM | 13MM | 58MM |
| BS-08139 L/H | Foot Titan (Titan use BSA-09383 Bolt & Nut) BS-08138 is Right Hand cut BS-08139 is Left Hand cut |  | | | | |
| BS-09076 | Stepped & Fluted blade - Suits 7 Foot Woods deck Left Hand cut (Woods blade Pin NOT available) | 714MM | 38MM | 100MM | 13MM | 58MM |
| | |  | | | | |
| BS-09075 | Stepped & Fluted blade - Suits Titan12 Foot deck - Centre Blade Left Hand cut Use BSA-09383 Bolt & Nut | 563MM | 38MM | 75MM | 12MM | 58MM |
| | |  | | | | |
| BS-09381 LH | Stepped & Fluted blade. Suits 12 Foot Titan deck wings. Use BSA-09383 Bolt & Nut - Titan ONLY | 405MM | 38MM | 75MM | 12MM | 58MM |
| BS-09382 RH | BS-09381 is Left Hand BS-09282 is Right Hand |  | | | | |

SLASHER - UNIVERSAL

| Part Number | Description | LENGTH | HOLE | WIDTH | THICK | STEP |
|-------------|---|---|------|-------|-------|------|
| BS-08959 | Universal Blade Flat double edge for both Left & Right hand cut, extra long 350mm cutting edge allows for blade to be cut down. Use BSA-06394B, BSA-00191 or BSA-00192 bushes depending on bolt size. | 645MM | 38 | 75MM | 10MM | |
| | |  | | | | |
| BS-09251 | Universal Blade Step (40mm) double edge for both Left & Right hand cut, extra long 340mm cutting edge allows for blade to be cut down. Use BSA-06394B, BSA-00191 or BSA-00192 bushes depending on bolt size. | 645MM | 38 | 75MM | 10MM | 40MM |
| | |  | | | | |

COMING SOON

ASP CASE HARDENED SLASHER BLADE BUSHES - QUICK REFERENCE CHART

| Part No | O/D | I/D | Thick | Part No | O/D | I/D | Thick |
|------------------|-----|------|-------|------------------|-----|-----|-------|
| BSA-01074 | 45 | 25 | 14 | BSA-00180 | 32 | 20 | 17 |
| BSA-06394B | 38 | 22 | 11 | BSA-00190 | 32 | 22 | 14 |
| BSA-02003B | 38 | 19.5 | 14 | BSA-01981B | 25 | 19 | 11 |
| BSA-07161B | 37 | 22 | 13 | BSA-00175 | 25 | 16 | 9 |
| BSA-01073 | 35 | 22 | 14 | BSA-07659 | 22 | 16 | 10 |
| BSA-00178 | 32 | 19 | 11 | BSA-09385 | 32 | 22 | 11 |
| BSA-00179 | 32 | 20 | 14 | BSA-04457B | 25 | 19 | 9 |
| BSA-00192 | 38 | 16 | 11 | BSA-00191 | 38 | 19 | 11 |

SLASHER BLADE SIZE CHART

| Part # | Brand | Length | Width | Thick | Hole | Step | Profile |
|---------------|--------------------|--------|-------|-------|------|------|----------------------|
| BS-09339 | MAJOR | 185 | 75 | 8 | 25 | | ANGLED |
| BS-09343 | MAJOR | 235 | 80 | 10 | 25 | | ANGLED |
| BS-09344 | MAJOR | 235 | 80 | 10 | 25 | | ANGLED |
| BS-07652 | LOXTON | 238 | 65 | 8 | 23 | | FLAT |
| BS-07615 | LOXTON | 238 | 70 | 8 | 23 | 22 | STEP |
| BS-07654 | LOXTON | 238 | 70 | 8 | 23 | 15 | STEP |
| BS-07653 | LOXTON | 238 | 70 | 8 | 23 | 15 | STEP |
| BS-01586 | GESSNER | 250 | 65 | 7 | 25 | 22 | STEP DOUBLE EDGE |
| BS-09046 / 47 | CHRIS GROW / GASON | 250 | 100 | 10 | 32 | 70 | SUCTION LIFT |
| BS-09050 / 51 | CHRIS GROW / GASON | 250 | 100 | 13 | 32 | 70 | SUCTION LIFT |
| BS-04457 | BERENDS | 262 | 65 | 8 | 26 | 25 | STEP L/H |
| BS-01582 | JARRETT | 275 | 65 | 7 | 25 | 38 | SUCTION LIFT L/H |
| BS-01573 | HOWARD | 280 | 75 | 12 | 32 | 0 | FLAT TWISTED END L/H |
| BS-P1938/ 10 | PAGE/ SUPERIOR | 305 | 75 | 10 | 32 | 40 | STEP DOUBLE EDGE |
| BS-P1927 | PAGE/ SUPERIOR | 305 | 75 | 10 | 32 | 0 | FLAT L/H |
| BS-01599 | PAGE/ SUPERIOR | 305 | 75 | 16 | 32 | 0 | FLAT L/H |
| BS-00797 | PAGE/ SUPERIOR | 305 | 75 | 16 | 32 | 40 | STEP DOUBLE EDGE |
| BS-01605 | PAGE/ SUPERIOR | 305 | 75 | 16 | 32 | 40 | STEP L/H |
| BS-01601 | PAGE/ SUPERIOR | 305 | 75 | 16 | 32 | 40 | SUCTION LIFT L/H |
| BS-00467 | DAKEN | 330 | 100 | 10 | 38 | 15 | FLAT TWISTED END L/H |
| BS-07161 | WARATAH | 331 | 100 | 10 | 38 | 47 | STEP DOUBLE EDGE |
| BS-07453 | WARATAH | 331 | 75 | 8 | 38 | 47 | STEP L/H |
| BS-09271 | DIGGA | 350 | 100 | 13 | 38 | 40 | STEP DOUBLE EDGE |
| BS-09044 | CHRIS GROW / GASON | 350 | 100 | 13 | 32 | 40 | STEP DOUBLE EDGE |
| BS-01724 | HOWARD | 355 | 75 | 12 | 32 | 40 | SUCTION L/H |
| BS-01724R | HOWARD | 355 | 75 | 12 | 32 | 40 | SUCTION R/H |
| BS-08743 | HOWARD | 355 | 90 | 12 | 32 | 40 | SUCTION L/H |
| BS-01574 | HOWARD | 355 | 75 | 12 | 32 | 40 | STEP DOUBLE EDGE |
| BS-08922 / 23 | CHRIS GROW / GASON | 357 | 100 | 10 | 32 | 70 | SUCTION LIFT |
| BS-08226 / 27 | CHRIS GROW / GASON | 357 | 100 | 13 | 32 | 60 | SUCTION LIFT |
| BS-01981 | BERENDS | 368 | 75 | 10 | 26 | | FLAT L/H |
| BS-09381 / 82 | WOODS/ TITAN | 405 | 75 | 12 | 38 | 58 | STEP & FLUTED LH & R |
| BS-09264 | HIMAC | 415 | 100 | 12 | 38 | 65 | STEP DOUBLE EDGE |
| BS-01572 | HOWARD | 432 | 75 | 12 | 32 | | FLAT TWISTED END L/H |
| BS-08228 / 29 | CHRIS GROW / GASON | 450 | 100 | 13 | 32 | 65 | SUCTION LIFT |
| BS-09045 | CHRIS GROW / GASON | 450 | 100 | 13 | 32 | 50 | STEP DOUBLE EDGE |
| BS-09048 / 49 | CHRIS GROW / GASON | 450 | 100 | 10 | 32 | 75 | SUCTION LIFT |
| BS-01600 | PAGE/ SUPERIOR | 460 | 75 | 16 | 32 | | FLAT L/H |
| BS-01602 | PAGE/ SUPERIOR | 460 | 75 | 16 | 32 | 40 | SUCTION LIFT L/H |
| BS-01602R | PAGE/ SUPERIOR | 460 | 75 | 16 | 32 | 40 | SUCTION LIFT R/H |
| BS-01603 | PAGE/ SUPERIOR | 460 | 75 | 16 | 32 | 40 | STEP L/H |
| BS-01604 | PAGE/ SUPERIOR | 460 | 75 | 16 | 32 | 40 | STEP DOUBLE EDGE |
| BS-01606 | PAGE/ SUPERIOR | 460 | 75 | 15 | 32 | 75 | STEP DOUBLE EDGE |
| BS-S2428 | PAGE/ SUPERIOR | 460 | 75 | 10 | 32 | | FLAT L/H |
| BS-P2028 | PAGE/ SUPERIOR | 460 | 75 | 10 | 32 | 40 | STEP DOUBLE EDGE |
| BS-02003 | BERENDS | 460 | 100 | 12 | 38 | 25 | STEP L/H |
| BS-01583 | JARRETT | 490 | 75 | 10 | 32 | 45 | SUCTION LIFT L/H |
| BS-02000 | BERENDS | 495 | 75 | 10 | 32 | 25 | STEP DOUBLE EDGE |
| BS-01585 | BERENDS | 495 | 75 | 10 | 32 | | FLAT L/H |
| BS-1138 | MCLEOD | 495 | 100 | 13 | 45 | 45 | STEP L/H |
| BS-00986 | MCLEOD | 495 | 75 | 13 | 35 | 40 | STEP L/H |
| BS-09366 | HIMAC | 495 | 75 | 10 | 32 | 55 | SUCTION LIFT L/H |
| BS-09281 | HOWARD | 510 | 100 | 12 | 32 | 45 | SUCTION LIFT L/H |
| BS-01075 | MCLEOD | 560 | 100 | 13 | 45 | 45 | STEP L/H |
| BS-07805 | MCLEOD | 560 | 100 | 13 | 45 | 45 | STEP & FLUTED L/H |
| BS-09075 | WOODS/ TITAN | 563 | 75 | 12 | 38 | 58 | STEP & FLUTED L/H |
| BS-08959 | UNIVERSAL | 645 | 75 | 10 | 38 | | FLAT DOUBLE EDGE |
| BS-09251 | UNIVERSAL | 645 | 75 | 10 | 38 | 40 | STEP DOUBLE EDGE |
| BS-08138 / 39 | SCHULTE | 571 | 100 | 13 | 38 | 58 | STEPPED & FLUTED |
| BS-08140 / 41 | SCHULTE | 645 | 100 | 13 | 38 | 58 | STEPPED & FLUTED |
| BS-09076 | FIELDQUIP | 714 | 100 | 13 | 38 | 58 | STEPPED & FLUTED |

SLASHER BLADE LENGTH IS MEASURED FROM CENTRE OF HOLE



MULCHING HAMMERS & FLAILS



HAMMER



FLAIL





ASP Cast hammers and ground tools are manufactured using a Nickel Chromium Molybdenum Alloy similar to that used in the mining industry for bucket teeth on heavy earth moving equipment. ASP Flails are made in Europe from Boron steel.




ASP offers a huge range of parts delivered Australia wide with same day despatch on all stocked items for orders received prior to 2pm.

Check out our website:


www.asproducts.com.au

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|--|---|--|---|-------|-------|----------------------------|
| BS-06943 or BS-06943HF Hard Faced Option | Double edge 'Y' blade. OEM Ref A37094 AMM, ACM & AHM models BSA-09250 Bush - 55mm long BSA-06943B - 16mm thick Spacers |  | 25.4MM A= 204 B= 55 | 60MM | 10MM | 171MM |
| CI-1401 or CI-1401HF Hard Faced | Cast hammer flail OEM Ref A-37644 CIA-08472 BOLT BSA-100852 NUT ASM models use CIA-08028 fastener kit New Diamond Hard Faced option |  | A= 120 B= 40 R= 90 16.5mm Hole | | | |



AGRIMASTER

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------|---|---|---|-------|-------|----------------------------|
| BS-08490 | Double edge blade 'Y' blade OEM 300 0106 |  | 25.5MM A= 147 B= 62 | 60MM | 8MM | 118MM |
| BS-08491 | Flat double edge blade |  | 25.5MM A= 147 | 60MM | 8MM | 118MM |
| CI-11/20 | Cast hammer flail OEM Ref 30011 Em31, Suits FA 175,200 & 2 25 CIA-08330 Bolt & Nut |  | A= 150 B= 60 R= 90 20.5mm Hole | | | |

ALPEGO

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------|--|--|---|-------|-------|----------------------------|
| CI-08682 | Cast hammer flail OEM Ref MK0A00212. P40061 |  | A= 137 B= 40 R= 95 18.5mm Hole | | | |

BERENDS (JBI)

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------|---|--|-------------------------------|-------|-------|----------------------------|
| BS-08001 | Double edge blade 'Y' blade Suits pre 2000 mulchers OEM Ref: 1600 use with bolt & nut kit BSA-09081 |  | 20.5MM A= 138 B= 55 | 50MM | 10MM | 120MM |
| BS-08471 | Double edge 'L' blade OEM Ref: 1599 use with bolt & nut kit BSA-09081 |  | 20.5MM A= 138 B= 55 | 50MM | 10MM | 120MM |

PLEASE CHECK BLADE SIZES BEFORE ORDERING FLAILS & HAMMERS

BERENDS Cont.



BoronBlue™



| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------|--|---------|-------------------------------|-------|-------|----------------------------|
| BS-08291 | Double edge blade 'Y' blade Suits HIGH body mulchers OEM Ref: 1609 use with bolt & nut kit BSA-09081 | | 20.5MM A= 185 B= 55 | 50MM | 10MM | 165MM |

BERTI

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|--|--|---------|---|-------|-------|----------------------------|
| BS-08835 | Double edge 'Y' blade suits TSB High body & King etc OEM Ref 6010F28 BSA-09103 Bush 40mm long CIA-08330 Bolt & Nut (120mm long) BSA-09327 Bush 45mm long CIA-09329 Bolt & Nut (90mm long) BSA-09328 Spacer 8mm Thick - use with flat blade | | 28.5MM A= 204 B= 55 | 60MM | 10MM | 171MM |
| BS-09117 | Double edge Flat blade option | | 28.5MM | 60MM | 8MM | 171MM |
| CI-06/16 | Cast hammer flail EM06 suit AF Low body, TA/P & TA/M OEM Ref MP0008, 'P' type hammer CIA-08700 Hex Head Bolt Kit (Check bolt as some use OEM round head) | | A= 137 B= 40 R= 95 16.5mm Hole | | | |
| CI-08853 | Cast hammer flail, 'M' type Mega Rotor.TFH/F & TFH/M, TFB/M, TBM/S OEM Ref: Mp0794, TFB Low Body Use CIA-09322 BOLT KIT Hex Head bolt with 2 points removed, replaces the OEM style square head bolt). | | A= 137 B= 84 R= 95 20mm Hole | | | |
| CI-08909 or CI-08909HF Hard Faced Option | Cast hammer flail 'A' type suit:TFB, TFB/SB, EKR/S low body, TA/PF, TBM & TA. OEM Ref MP3922 (Use CIA-08992 BOLT KIT Hex Head bolt with 2 points removed, replaces the OEM style square head bolt). | | A= 137 B= 52 R= 95 19.5mm Hole | | | |
| CI-08496 | Cast hammer flail - double edge 'T' type Eco forest, all ECF models with reversible hammers Md1950 | | A= 71 B= 80 R= 80 30mm Hole | | | |

BOMFORD

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------|--|---------|---|-------|-------|----------------------------|
| CI-FMB003 | Cast 'boot' flail. OEM Ref: 0295901 CIA-08031 2mm Collar 0280101 CIA-08029 Bolt Kit 0367525 (Bolt kit includes 1 x bolt, lock nut & washer) | | A= 68 B= 12 C= 85 40mm wide cutting edge 16mm x 32mm hole | | | |

| Part Number | Description | Diagram | |
|-------------|---|---------|---|
| CI-08773 | Double edge 'T' flail. OEM Ref: 46399.01 CI-08776 Flail Kit (kit includes flail, collars & fasteners) CIA-08774 Bush (2 per flail) CIA-08775 Bolt Kit | | A= 70 B= 38 R= 105 25.4mm Hole |

BREVIGLIERI









| Part Number | Description | Diagram | |
|--|--|---------|---|
| CI-06/16 | Cast hammer flail suit Flash SR, Turbo-T, Master & Super Master OEM Ref 56123 | | A= 137 B= 40 R= 95 16.5mm Hole |
| BS-06943 Or BS-06943HF Hard Faced Option | Double edge 'Y' blade OEM Ref 55002 | | 25.4MM 60MM 10MM 171MM A= 204 B= 55 |

BUFFALO





| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------|---|---------|--------|-------|-------|----------------------------|
| BS-08719 | Double edge 'Y' blade (Use with BSA-08097 bush to reduce hole dia to 17mm) | | 25.4MM | 65MM | 10MM | 140MM |

CELLI





| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|--|---|---------|--------|-------|-------|----------------------------|
| BS-06943 Or BS-06943HF Hard Faced Option | Double edge suit Scorpio etc 'Y' blade BS-279003 Straight blade option BSA-06943B 16mm thick Spacer BSA-09269 11.5mm thick spacer (Spacers are 2" OD, please check) Note: Most models require a 125mm long, flat head bolt, which is only available as OEM) | | 25.4MM | 60MM | 10MM | 171MM |
| BS-09290 | Double edge 'Y' blade Suit Gemini & Mizar etc OEM Ref 702611 CIA-08028 90mm long Bolt & Nut | | 16.5MM | 50MM | 10MM | 103MM |
| BS-09291 | Straight Double edge blade OEM Ref 702612 (98mm from centre of hole) | | 16.5MM | 50MM | 10MM | 98MM |

| Part Number | Description | Diagram | | |
|---------------------------------------|---|--|--|---|
| CI-1400 | Cast hammer flail suit Vega OEM Ref 704052 |  | A= 120 B= 40 R= 110 16.5mm Hole |  |
| CI-1400HF Hard Faced Option | | | | |
| CI-06/16 | Cast hammer flail suit Mizar Em06 OEM Ref: 702605 |  | A= 137 B= 40 R= 95 16.5mm Hole |  |
| CI-09279 | Cast hammer flail suit Taurus - some, please check sizes. Em04 WITH LARGER HOLE |  | A= 120 B= 40 R= 110 19.5mm Hole |  |
| COSMAG | Cast hammer flail - some models. Please check sizes. Em31 |  | A= 150 B= 60 R= 90 20.5mm Hole |  |
| CI-11/20 | CIA-08330 Bolt & Nut (120mm long bolt) | | | |

FAE

| Part Number | Description | Diagram | | |
|-------------|--|--|--|---|
| CI-FMB14 | Cast hammer flail Reversible OEM Ref 111120001 |  | A= 70 B= 60 R= 80 31mm Hole |  |
| CI-08996 | Cast hammer flail Em32 |  | A= 76 B= 22 R= 95 16.5mm Hole |  |

FALC

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|--|---|--|---------------------------|-------|-------|-------------------------------|
| BS-06943 Or BS-06943HF Hard Faced Option | Double edge 'Y' blade OEM Ref 43.01.51 |  | 25.4MM A= 204 B= 55 | 60MM | 10MM | 171MM |
| BS-279005 | Double edge 'L' blade |  | 25.4MM A= 204 B= 47 | 60MM | 10MM | 171MM |
| BS-279003 | Double edge Flat blade |  | | | | |
| BSA-06943P BSA-06944P BSA-06943B BSA-09269 | Flat head Threaded 1" Pin with Nut & Washers Flat head Split Pin style 1" Pin 16mm Thick Spacer Bush (2" OD & 1" ID) 11.5mm Thick Spacer Bush (used with Straight blade) |  | | | | |

FALC Cont.



BoronBlue™



| Part Number | Description | Diagram | | |
|-------------------------------------|--|---------|--|--|
| CI-08942 Or CI-08942HF | Hammer Flail alternative for BS-06943 'Y' blades Hard Faced Option | | A= 115 B= 50 R= 171 25.5mm Hole | |
| CI-08999 Or CI-08999HF | Hammer Flail OEM Ref 66 00 00 Hard Faced Option | | A= 105 B= 54 R= 98 25.5mm Hole | |

FERRI

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------|--|---------|---|-------|-------|----------------------------|
| BS-08490 | Double edge blade 'Y' blade OEM 0901003 Suits MKD200/230/250/280 | | 25.5MM | 60MM | 8MM | 115MM |
| BS-08491 | Flat double edge blade Suits MKD200/230/250/280 | | A= 147 B= 62 | | | |
| CI-08750 | Double edge 'T' flail KIT (kit includes flail, bush, 2 x Spacers & fasteners) | | A= 64 B= 38 R= 115 25.4mm Hole | | | |

FORIGO

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------|---|---------|-----------------|-------|-------|----------------------------|
| BS-09039 | Double edge 'Y' blade use BSA-09040 Bush, BSA-09041 End Spacer x 2 & BSA-09042K Bolt & Nut | | 25.4MM | 60MM | 10MM | 125MM |
| | | | A= 153 B= 60 | | | |

GESSNER / LOFTNESS

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|------------------------|--|---------|-----------------|-------|-------|----------------------------|
| BS-09143HF | Hard Faced Double edge 'Y' blade | | 24MM | 60MM | 8MM | 150MM |
| BSA-09144 BSA-09145 | U Bracket Bush | | A= 173 B= 50 | | | |

HAYES

| Part Number | Description | Diagram | | |
|-------------|------------------------|---------|---|--|
| CI-09384 | Cast hammer flail EM37 | | A= 87 B= 40 R= 100 16.5mm HOLE | |

**** PLEASE CHECK BLADE DIMENSIONS ****

HOWARD (KRONOS)



BoronBlue™



| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|--|---|---------|-----------|-------|-------|--|
| BM-181024 | Single edge blade BMA-151002 Shackle BSA-09270 Spacer | | 16 x 36MM | 40MM | 12MM | A= 98 B= 39 |
| BS-06943 Or BS-06943HF Hard Faced Option | Double edge 'Y' blade suit Alce & Kronos etc BSA-06944P Pin & Split pin BSA-06943B 16mm Spacer (2" OD) BSA-09269 11.5mm Spacer | | 25.4MM | 60MM | 10MM | 171MM A= 204 B= 55 |
| BS-279005 | Double edge 'L' blade | | | | | A= 204 B= 47 |
| BS-279003 | Double edge Flat blade | | | | | A= 204 |
| CI-08942 CI-08942HF Hard Faced Option | Hammer Flail alternative for BS-06943 'Y' blades suit Alce etc | | | | | A= 115 B= 50 R= 171 25.4mm Hole |

JANKE

BSA-06944P Pin to suit 25.4mm hole complete with Spit Pin


| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------------------------|--|---------|------|-------|-------|--|
| BS-Y90HF Hard Faced | Riveted 'Y' blade assembly use with BSA-Y90CC Bush & Fastener Kit (includes Bush, Bolt, Nut & 2 X washers) | | 20MM | 65MM | 10MM | 145MM A= 170 B= 80 (total of both together) |

KRONE










| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------|-----------------------------|---------|--------|-------|-------|----------------------------|
| BM-336003 | Double edge blade 'Y' blade | | 14.5MM | 40MM | 5MM | 115MM A= 134 B= 40 |

KUHN






| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|---|---|---------|--------|-------|-------|--|
| BS-06943 Oem Ref 6060004 BS-06943HF Hard Faced Option | Double edge 'Y' blade. 6060004 BSA-06943P Threaded pin BSA-06943B 16mm Spacer BSA-09269 11.5mm Spacer BSA-06944P Split Pin style Bolt | | 25.4MM | 60MM | 10MM | 171MM A= 204 B= 55 |
| CI-08942 CI-08942HF Hard Faced Option | Hammer Flail alternative for BS-06943 'Y' blades OEM Ref JX136378 | | | | | A= 115 B= 50 R= 171 25.4mm Hole |

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------|--|--|-----------------------------|-------|-------|----------------------------|
| BS-08009 | Double edge 'Y' blade (Comes supplied as 2 x BS-06943 flails & 1 x BSA-08097 bush) Check clearance from centre of mount to drum, requires min 32mm. |  | 17MM A= 204 B= 55 | 60MM | 10MM | 171MM |

MASCHIO

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|--|---|--|--|-------|-------|---|
| BS-08303 | Double edge 'Y' blade OEM Ref: T40005142 Suits CL, ML & MS models (Use with BS-09022 Flat blade) |  | 25.5MM A= 210 B= 61 | 60MM | 8MM | 190MM |
| BS-08304 | Double edge blade 'Y' blade to suit BA models OEM Ref: T21004040 (Requires 2 of BSA-00192 spacers) |  | 16.5MM A= 136 B= 60 | 45MM | 8MM | 120MM |
| BS-08490 | Double edge blade 'Y' blade to suit some models |  | 25.5MM A= 147 B= 62 | 60MM | 8MM | 115MM |
| CI-1400 CI-1400HF Hard Faced Option | Cast hammer flail Em04 T24004025 Suits BL & CR models |  | A= 120 B= 40 R= 110 16.5mm Hole | | |  |
| CI-11/20 | Cast hammer flail Em31 OEM Ref M03400410R |  | A= 150 B= 60 R= 90 20.5mm Hole | | |  |
| CI-06/16 | Cast hammer flail EM06 OEM Ref 21004030 CIA-08028 Bolt & Nut (90mm long from under the head) |  | A= 137 B= 40 R= 95 16.5mm Hole | | |  |

McCONNEL

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------|--|--|---|-------|-------|---|
| CI-1387 | Double edge 'T' flail. OEM Ref: 73.14.366 CI-1387K Flail Kit suit F10 (Note: will not suit F14 head) (Kit includes Flail, bush & fasteners) CIA-1387BK Fastener kit (includes 1 x bush, bolt & lock nut) |  | A= 60 B= 38 R= 135 25.4mm Hole | | |  |
| CI-09248 | H/Duty Single sided Hammer option suit F10 |  | | | |  CI-09248 |
| BS-09100 | Double edge Y blade suit ROBOCUT mowers OEM 4000242 (44 required per set) BSA-09113 Bush / Spacer BSA-09114 Bolt & Nut |  | 12.5MM A= 100 B= 45 | 40MM | 6MM | 90MM |

MDB GREEN CLIMBER



BoronBlue™



| Part Number | Description | Diagram | |
|-------------|--|---------|---|
| CI-09062 | Cast hammer flail Suits LV600 etc Mulcher | | <p>A= 85 B= 40 R= 100 14.5mm Hole</p> |

M.E.A.A.T

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------------|---|---------|---|-------|-------|----------------------------|
| BS-06943 | Double edge 'Y' blade Suits TS140, TS160 & TS300 | | 25.4MM | 60MM | 10MM | 171MM |
| BS-06943HF | Hard Faced Option | | | | | |
| BS-279005 | Double edge 'L' blade | | A= 204 B= 55 | | | |
| BS-279003 | Double edge Flat blade | | A= 204 | | | |
| CI-08682 | Cast hammer flail | | A= 137 B= 40 R= 95 18.5mm Hole | | | |

MOTT

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------|---|---------|-----------|-------|-------|----------------------------|
| BM-100759HD | Double edge 'Y' blade BM-100761 Shackle (50mm long from centre of hole, 28mm wide inside) BMA-102670 Pin (11mm x 75mm) BMA-00026 Split pin | | 13 x 27MM | 40MM | 5MM | 65MM |

MURATORI

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------|--|---------|--------|-------|-------|----------------------------|
| BS-08814 | Double edge 'Y' blade OEM Ref: 12007800 | | 20.5MM | 40MM | 10MM | 97MM |

MUTHING

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------|--|---------|---|-------|-------|----------------------------|
| CI-06/16 | Cast hammer flail EM06 OEM Ref MU000306H CIA-08028 Bolt & Nut (90mm long from under the head) | | A= 137 B= 40 R= 95 16.5mm Hole | | | |

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------------|--|--|--|-------|---|----------------------------|
| BS-06943 | Double edge, 'Y' blade Suits BNU, BNG, NK, RM, P. OEM Ref: N2555004 |  | 25.4MM | 60MM | 10MM | 171MM |
| BS-06943HF | Hard Faced Alternative | | A= 204 B= 55 | |  | |
| BSA-06943P | Flat head Threaded 1" Pin with Nut & Washers |  | | | | |
| BSA-06944P | Flat head Split Pin style 1" Pin |  | | | | |
| BSA-06943B | 16mm Thick Spacer Bush. 2" OD & 1" ID | | | | | |
| BSA-09269 | 11.5mm Thick Spacer Bush (used with Straight blade) | | | | | |
| BS-279005 | Double edge 'L' blade |  | | | | |
| BS-279003 | Double edge Flat blade OEM Ref: N1551000 |  | A= 204 | | | |
| BS-1781000 | Double edge 'Y' blade Suits BNE & TB OEM Ref: N1781000 |  | 16.5MM | 40MM | 8MM | 110MM |
| CI-1400 | Cast hammer flail Em04 OEM Ref N1891002 |  | A= 120 B= 40 R= 110 16.5mm Hole | | | |
| CI-1400HF | Hard Faced Option | | | |  | |
| CI-08926 | H/Duty Hammer flail alternative to the BS-06943. |  | | | | |
| CI-08942 | Hammer Flail alternative for BS-06943 'Y' blades OEM Ref N2555002 |  | | | | |
| CI-08942HF | Hard Faced Option | | | |  | |
| CI-09279 | Cast hammer flail EM04/19 Some models with 19.5mm hole - check as will not suit models with 20mm bolts |  | A= 120 B= 40 R= 110 19.5mm Hole | | | |
| CI-08999 | Hammer Flail BV100PRO, MAZZA66, 001394 Requires longer bolt than BSA-06943P. Bolt OEM Only. |  | A= 105 B= 54 R= 98 25.5mm Hole | | | |
| CI-08999HF | Hard Faced Option | | | |  | |





ASP is introducing a select range of popular Hammers & Flails with either a High Carbon Chrome, fine grit Tungsten or new Diamond coating to the cutting edge, as an option.

Unlike the traditional application of tungsten grit hard facing, that is applied in a weld form, the ASP hard faced option is applied in a thin coating that does not reduce the cutting performance of the flail or hammer.

LOOK FOR THE 'HF' PART NUMBER OPTION!
ASP HARD FACED HAMMERS & FLAIL BLADES.







NOREMAT

| Part Number | Description | | | | |
|-------------|--|--|--|---|--|
| CI-09208 | Cast hammer flail Use CIA-08774L Bushes x 2 CIA-09365 Bolt & Nut |  | A= 65 B= 58 R= 70 25.5mm Hole |  | |



Please check your Flail or Hammer dimensions to ensure correct fitment.

If in doubt, please contact ASP on 07 3881 3464
or email sales@asproducts.com.au



ORSI & PERUGINI













| Part Number | Description | | | | |
|-------------------|---|--|--|---|--|
| CI-08989 | Cast hammer flail, single edge W Forrest models OEM Ref 00023109 |  | A = 70 B = 60 R = 80 31mm Hole |  | |
| CI-08989HF | Hard Faced Option | | | | |
| CI-08753 | Cast hammer flail CIA-08028 Special Bolt set |  | A= 147 B= 54 R= 97 16.5mm Hole |  | |
| CI-09206 | Cast hammer flail Comfort, Dynamic & Twice models OEM Ref 00023130 |  | A= 146 B= 54 R= 100 20.5mm Hole |  | |

SALIBA






| Part Number | Description | Diagram | | | | |
|-------------|---|---|---|---|--|--|
| CI-09293 | Cast hammer flail Em08 / 20 TLB series etc. |  | A= 120 B= 40 R= 90 20.5mm Hole |  | | |

SAUERBURGER

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------------|--|---|-----------------|-------|-------|---|
| BS-09028HF | Hard Faced Double edge 'Y' blade Use BSA-09034 Fastener kit (includes Pin, Bush & Roll Pins) or BSA-09103 Bush |  | 29MM | 60MM | 6MM | 180MM |
| | | | A= 210 B= 45 | | |  |

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|---------------------------------------|---|--|--|-------|-------|---|
| BS-08304 | Double edge blade 'Y' blade to replace CI-1400 (Requires 2 of BSA-00192 spacers) |  | 16.5MM A= 136 B= 60 | 45MM | 8MM | 120MM |
| CI-09293 | Cast hammer flail Em08/20 |  | A= 120 B= 40 R= 90 20.5mm Hole | | |  |
| CIA-08028 | Suits CI-1401 & CI-1400 Hammers Oversized hex head (27mm) & 5/8" diameter shank, 90mm long from under the head (65mm bare shank) with crush nut. |  | | | | |
| CI-1401 | Cast hammer flail Em08 OEM Ref: 13002041, 15002041 CIA-08028 Special bolt set (OEM Ref: 13002075) |  | A= 120 B= 40 R= 90 16.5mm Hole | | |  |
| CI-1401HF Hard Faced Option | New Diamond Hard Faced option | | | | | |
| CI-1400 | Cast hammer flail Em04 OEM Ref: 13002001 CIA-08028 Special bolt set (OEM Ref: 13002075) |  | A= 120 B= 40 R= 110 16.5mm Hole | | |  |
| CI-1400HF Hard Faced Option | | | | | | |
| CI-08989 | Cast hammer flail, single edge OPT240, Miniforst, Midiforst. DT, Superforst & Forst M |  | A = 70 B = 60 R = 80 31mm Hole | | |  |
| CI-08989HF | Hard Faced Option | | | | | |
| CI-FMB14 | Cast hammer flail Reversible OEM Ref: 11001008 |  | A= 70 B= 60 R= 80 31mm Hole | | |  |

SICMA



| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------|--|--|-------------------------------|-------|-------|---|
| BS-08814 | Double edge 'Y' blade Suits TS, TSL & TVF |  | 20.5MM A= 110 B= 46 | 40MM | 10MM | 97MM |
| BS-09324 | Double edge 'Y' blade Suits TLX model |  | 16.5MM A= 117 B= 48 | 40MM | 8MM | 100MM |
| BS-08490 | Double edge blade 'Y' blade |  | 25.5MM A= 147 B= 62 | 60MM | 8MM | 118MM |
| BS-08491 | Flat double edge blade |  | | | |  |

SICMA - CONTINUED





BoronBlue™







| Part Number | Description | Diagram | |
|-------------|---------------------------|---|---|
| CI-11/20 | Cast hammer flail Em31 |  | <p>A= 150 B= 60 R= 90 20.5mm Hole</p>  |

SIMATECH



| Part Number | Description | Diagram | |
|-------------|--|--|---|
| CI-09293 | Cast hammer flail EM08/20 DHL Range DHL80 & 95 |  | <p>A= 120 B= 40 R= 90 20.5mm Hole</p>  |



Please check your Flail or Hammer dimensions prior to ordering to ensure correct fitment. If in doubt, please call 07 3881 3464 or email sales@asproducts.com.au

SOVEMA



| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------------|---|--|--------|-------|-------|----------------------------|
| BS-06943 | Double edge 'Y' blade |  | 25.4MM | 60MM | 10MM | 171MM |
| BS-06943HF | Hard Faced Alternative | | | | | |
| BS-279005 | Double edge 'L' blade |  | | | | |
| BS-279003 | Double edge Flat blade |  | | | | |
| CI-08817 | Single edge flail BSA-08818 Shackle |  | | | | |

TIERRE






| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------|--|--|--------|-------|-------|----------------------------|
| BS-09021 | Double edge 'Y' blade BSA-08880 Bush |  | 25.4MM | 60MM | 7MM | |
| BS-09022 | Double edge Flat blade |  | 25.4MM | 60MM | 8MM | |

| Part Number | Description | Diagram | |
|-------------|--|--|--|
| CI-08996 | Cast hammer flail OEM 16022, 411-480-643 Warlord etc |  | A= 76 B= 22 R= 95 16.5mm Hole |
| CI-09249 | Gamma Flail style hammer. Cast hammer flail OEM 411-160-105 Can use CI-09249K (flail, bolt, nut & bush) CIA-09275 Bolt & Nut CIA-09276 Bush (16OD x 10ID x 10mm) |  | A= 55 B= 11 R= 85 16.5mm Hole |



TTQ

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|-------------------------------------|--|--|--------|-------|-------|----------------------------|
| BS-06943 | Double edge 'Y' blade BSA-06943B 16mm Spacer BSA-09269 11.5mm Spacer BSA-06944P Split Pin style Bolt |  | 25.4MM | 60MM | 10MM | 171MM |
| BS-06943HF Hard Faced Option | |  | | | | |

ZANON & INO

| Part Number | Description | Diagram | HOLE | WIDTH | THICK | LENGTH from centre of hole |
|---------------------------------------|--|---|---|-------|-------|----------------------------|
| BS-09059 | Double edge 'Y' blade |  | 20.5MM | 40MM | 8MM | 105MM |
| CI-09062 | Cast hammer flail 14.5mm HOLE Suits Ino Mulcher Em37 |  | A= 119 B= 52 | | | |
| CI-09384 | Cast hammer flail 16.5mm HOLE Suits Ino Mulcher Em37 |  | A= 85 B= 40 R= 100 14.5 or 16.5mm HOLE | | | |
| CI-1401 | Cast hammer flail Em08 CIA-08028 Fastener kit |  | Please check hole size | | | |
| CI-1401HF Hard Faced Option | New Diamond Hard Faced Option |  | A= 120 B= 40 R= 90 16.5mm Hole | | | |

ZENIT & MULCH MASTER

| Part Number | Description | Diagram | |
|-------------------|---|---|---|
| CI-08999 | Hammer Flail BSA-06944P Pin & Split Pin |  | A= 105 B= 54 R= 98 25.5mm Hole |
| CI-08999HF | Hard Faced Option |  | |

| Flails | | | | | |
|----------------|-------|-----------|----------|-----------|---------|
| | Width | Thickness | Length | Length | Hole |
| Part No. | W(mm) | T(mm) | (centre) | (overall) | H(mm) |
| BS-06943 | 60 | 10 | 171 | 204 | 25.4 |
| BS-08001 | 50 | 10 | 120 | 138 | 20.5 |
| BS-09290 | 50 | 10 | 105 | 123 | 16.5 |
| BS-08291 | 50 | 10 | 165 | 185 | 20.5 |
| BS-08303 | 60 | 8 | 190 | 210 | 25.5 |
| BS-08304 | 45 | 8 | 120 | 136 | 16.5 |
| BS-08471 "L" | 50 | 10 | 120 | 138 | 20.5 |
| BS-08490 | 60 | 8 | 115 | 150 | 25.5 |
| BS-08491 FLAT | 60 | 8 | 115 | 150 | 25.5 |
| BS-08719 | 65 | 10 | 140 | 173 | 25.4 |
| BS-08835 | 60 | 10 | 171 | 204 | 28.5 |
| BS-09021 | 60 | 7 | 195 | 215 | 25.4 |
| BS-09022 | 60 | 8 | 190 | 210 | 25.4 |
| BS-09028 | 60 | 6 | 180 | 210 | 29 |
| BS-09039 | 60 | 10 | 125 | 153 | 25.4 |
| BS-09059 | 40 | 8 | 100 | 119 | 20.5 |
| BS-1781000 | 40 | 8 | 110 | 128 | 16.5 |
| BS-279003 FLAT | 60 | 10 | 171 | 204 | 25.4 |
| BS-279005 "L" | 60 | 10 | 171 | 204 | 25.4 |
| BM-336003 | 40 | 5 | 115 | 134 | 14.5 |
| BM-100759HD | 45 | 5 | 65 | 82 | 13 x 27 |
| BM-181024 | 40 | 12 | 70 | 98 | 16 x 36 |
| BS-505-3000HF | 50 | 5 | 170 | 190 | 17 |
| BS-Y90 | 65 | 10 | 145 | 170 | 20 |



Y FLAILS



L FLAILS



FLAT FLAIL

Hammer

| | Radius | Cutting | Hole | Knuckle | Ref |
|-----------|----------|---------|---------|---------|------|
| Part No. | R (mm) | CF (mm) | H (mm) | KW | OEM |
| CI-06/16 | 95 | 137 | 16.5 | 40 | EM06 |
| CI-08753 | 97 | 147 | 16.5 | 54 | |
| CI-08817 | 70 | 70 | 14 X 25 | 6 | |
| CI-08853 | 105 | 140 | 20 | 84 | |
| CI-08909 | 98 | 140 | 20 | 52 | |
| CI-08926 | 175 | 88 | 25.4 | 51 | |
| CI-08996 | 95 | 76 | 16.5 | 22 | |
| CI-08999 | 98 | 105 | 25.5 | 54 | |
| CI-09062 | 95 | 85 | 14.5 | 40 | |
| CI-1400 | 110 | 120 | 16.5 | 40 | EM04 |
| CI-1401 | 90 | 120 | 16.5 | 40 | EM08 |
| CI-11/20 | 90 | 150 | 20.5 | 60 | EM11 |
| CI-08942 | 171 | 115 | 25.4 | 50 | |
| CI-FMB14 | 80 | 70 | 31 | 60 | |
| CI-08496 | 80 | 71 | 31 | 80 | |
| CI-FMB003 | 85L, 68H | 40W | 16 x 32 | 11 | |
| CI-09293 | 90 | 120 | 20.5 | 40 | |
| CI-08773 | 105 | 60 | 25.4 | 38 | |
| CI-1387 | 135 | 60 | 25.4 | 38 | |
| CI-08682 | 95 | 137 | 18.5 | 40 | |
| CI-09279 | 110 | 120 | 19.5 | 40 | |



STD HAMMER



T HAMMER



BOOT HAMMER

QUALITY STUMP GRINDER & FIXED MULCHER TEETH, AT AFFORDABLE PRICES!

AHWI type



BD-19 Tungsten Twin
Tooth

OE Ref 14L1

AHWI type



BD-115 Tungsten Side
Cutter, Left Hand

OE Ref BFS47L

AHWI type



BD-116 Tungsten Side
Cutter, Right Hand

OE Ref BFS47R

AHWI type



BD-9 Tungsten
Twin Tooth

OE Ref HDT01

BRADCO



BD-92 Tungsten Bradco
Magnum Double Edge

DRAGON



BD-120 Tungsten 90mm
Dragon type. CIA-09164
nut 5/8" UNF Thread.

FECON



BD-12C Tungsten
15EZ-C type

OE Ref 15EZ

FECON AXE



BD-97 Reversible
Double-edged Samurai
Style cutting tooth



700 SERIES

BD-69



Tungsten Stump Grinder
Tooth.
Use BSA-09134 Nut

700 SERIES

BD-69W



Collar to suit 700 Stump
Grinder Tooth

900 SERIES

BSD-MC01



Tungsten Stump Grinder
Tooth.
Use BSA-09057 Nut

900 SERIES

BD-70W



Collar to suit 900 Stump
Grinder Tooth

1100 SERIES

BD-71



Tungsten Stump Grinder
Tooth.
Use BSA-09135 Nut

YELLOW JACKET (type)

BD-66



Tungsten Stump Grinder
Tooth, (Yellow Jacket Type)
use BMA-08060 Nut

QUAD CUTTER

BSD-MC-Q12



Saw type 'Beaver' Tooth
3/4" UNF Thread

QUAD CUTTER

BD-60



Suit Diamond & Quadco
QH10078T
(1/2 UNF x 1" OD shank)

OE Ref 22-0019

PUSH MOWER, FINISHING MOWER & TURF HARVESTER BLADES!






















ASP Swing Tip mower blades are measured from the centre of the hole to the end of the blade. We encourage you to measure your old blade prior to ordering.



ASP Mower Blades & Fasteners are not sold as Genuine. Any reference to Original Equipment Manufacturers or Competitors part numbers etc are for ease of identification & reference only.

SWING TIP MOWER BLADES

(Blades to suit Push Mowers & Finishing Mowers)

| Part Number | Description | |
|--|---|---|
| AGRIFARM BS-30151 Replaces OEM 30151 | Stepped, double edge swing tip blade Use with BSA-30444 Bolt set (includes 1 x bolt, nut & washer) | Length 110mm from centre of hole Hole 18mm Width 50mm Thick 5mm Step 10mm  |
| BUSHRANGER BD-08003 or BD-08279 | Stepped & fluted swing tip blade - sold as a pair Right hand cut. Check length. BD-08003 Length 124mm from centre of hole BD-08279 Length 152mm from centre of hole | Hole 16mm Thick 2mm Step 5mm  |
| COX BD-08012K Replaces OEM MB150AHD | Stepped & fluted swing tip blade & bolt set - sold as a pair, Right hand cut. Suit 28" & 48" Orion, Scout & Stockman (Includes 2 x blades & 2 x bolt, nut & washer) | Length 150mm from centre of hole Hole 13mm Width 50mm Thick 3mm Step 10mm  |
| GREENFIELD BD-08322K Replaces OEM | Greenfield Anniversary 28", 30" and 32" cut 8HP, 11HP and 12HP Models. Also Fits Evolution 1, 23 & 200, 30", 32" and 34" cut models Also Fits Tractor 11.30 MKII 30" Cut Models (Includes 2 x blades & 2 x bolt, nut & washer) | Length 185mm from centre of hole Hole 15mm Width 60mm  |
| HONDA BD-08003 | Stepped & fluted swing tip blade - sold as a pair Right hand cut. Suit 196, 197 & 215 BD-08003BK Bolt set (sold as a pair with D washer) BD-08563 Bolt set (sold as a pair without D washer) BD-08206 Wave washer (sold each) | Length 124mm from centre of hole Hole 16mm Width 44mm Thick 2mm Step 5mm  |
| BD-08279 | Stepped & fluted swing tip blade - sold as a pair Right hand cut. HIGH LIFT Suit 216 & 217 BD-08003BK Bolt set (sold as a pair with D washer) BD-08563 Bolt set (sold as a pair without D washer) BD-08206 Wave washer (sold each) | Length 152mm from centre of hole Hole 16mm Width 50mm Thick 2mm Step 5mm  |
| BD-08280 | Stepped & fluted swing tip blade - sold as a pair Right hand cut. LOW LIFT Suit 216 & 217 BD-08003BK Bolt set (sold as a pair with D washer) BD-08563 Bolt set (sold as a pair without D washer) BD-08206 Wave washer (sold each) | Length 152mm from centre of hole Hole 16mm Width 50mm Thick 2mm Step 5mm  |
| BD-08003BK BD-08563 | BD-08003BK Bolt set WITH D washers (sold as a pair) BD-08563 Bolt set without D washer (sold as a pair) |  |
| AF-1332 OEM Ref: 17210-ZIV-003 | Replacement air filter to fit GXV160H2 engines as fitted to HRU196, HRU216 etc - Complete with rubber seal on base and foam outer filter. Dimensions: 7 1/2" x 2-1/2" wide x 2" high |  |

| Part Number | Description | |
|---|--|--|
| HONDA CONT ASP-701 OEM Ref: 42710-VA3-K00 | Standard plastic wheel / rubber tread 7 3/4" diameter to suit 1/2" axle. Complete with cap. |  |
| ASP-702 OEM Ref: 42810-VJ9-000 | Self propelled rear drive plastic wheel / rubber tread. 7 3/4" diameter. Complete with cap. |  |
| ASP-801 OEM Ref: 44710-VK0-C80 44710-VL9-B40 | New type Honda front & rear wheel 8" with bearing suit 1/2" axle. suits HRU 196 /197K1 & M1 2010 onwards front & rear & front wheels on the 216k2 , M1 & M2 2010 onwards. Check OEM part number Tri Spoke style |  |
| ASP-802 OEM Ref: 42810-VJ9-B80 | Self propelled rear drive plastic wheel suit new style HRU216 Tri Spoke style |  |
| HOWARD BR-78241 Replaces OEM 78241 | Stepped & fluted swing tip blade - sold as each Left hand cut. Suit Series 1 Stealth, Procut & Rolla BMA-08065 Bolt set (sold each) BR-78241K Blade kit (includes 12 blades & fasteners) | Length 102mm from centre of hole Hole 13mm Width 50mm Thick 3mm Step 8mm  |
| BR-08754 (10 pack Blades) BRA-08755 (10 pack Bolts) OEM Ref: TX16084UK10, TX32205K10 | ALTERNATIVE for OEM Trimax Lazer blades & bolts. (Will not suit the Condor). Stepped & fluted swing tip blade - sold as a KIT Left hand cut. Suit Series 2 Stealth, Procut & Pegasus. <i>(Blade Kit includes 10 blades)</i> MUST USE BRA-08755 BOLT KIT <i>(Bolt Kit includes 10 x bolts & lock nuts)</i> | Length 100mm from centre of hole Hole 20.5mm Width 50mm Thick 4mm Step 8mm  |
| JARRETT BM-08921 Replaces OEM 43751 | Stepped & fluted swing tip blade - sold each Left hand cut. BSA-43752 Bolt set (sold each) (Bolt set includes 1 x bolt, nut & washer) | Length 100mm from centre of hole Hole 20.5mm Width 50mm Thick 4mm Step 8mm  |
| K-LINE BS-08905 LH BS-08906 RH | Stepped & fluted swing tip blade - sold each BS-08905 Left Hand Blade BS-08906 Right Hand Blade BSA-43752 Bolt set (sold each) | Length 135mm from centre of hole Hole 20.5mm Width 65mm Thick 4mm Step 20mm  |
| MASSPORT BD-09156K Oem part no. 529594 , 6352 007 1000, 780658 | 18" deck blade and bolt kit for masport & morrison mowers: Right Hand cut fits cushion, quickcut & quadcut blade systems, rear catcher. Pair Blades & Fasteners | Length 97mm from centre of hole Hole 13mm Width 44mm  |
| ROVER BD-08005K Replaces OEM 1118 | Flat & fluted swing tip blade kit Right hand cut. Suits 18" rear catcher. Sold as a pair (2 blades, bolts, washers & nuts) | Length 94mm from centre of hole Hole 13mm Width 38mm  |

| Part Number | Description | | |
|---|---|--|---|
| SALIBA BS-08579 L/H BS-08580 R/H | Stepped & fluted swing tip blade - sold each BS-08579 Left hand cut. BS-08580 Right hand cut BSA-43752 Bolt set (sold each) BR-08423 Kit (includes 8x BS-08579, 8x BS-08580 & 16x BSA-43752) | Length 140mm from centre of hole Hole 20.5mm Width 65mm Thick 4mm Step 20mm |  |
| SAMMUT BM-08577 L/H BM-08578 R/H | Stepped & fluted swing tip blade - sold each BM-08577 Left hand cut. BM-08578 Right Hand cut BSA-08036 Bolt set (sold each) BR-08422 Kit (includes 8x BM-08577, 8x BM-08578 & 16x BSA-08036) | Length 120mm from centre of hole Hole 18.5mm Width 65mm Thick 4mm Step 15mm |  |
| SUPERIOR BR-03693 Replaces OEM S3693 | Stepped & fluted swing tip blade - sold each Left hand cut. BRA-08088 Bolt set (sold each) | Length 197mm from centre of hole Hole 20.5mm Width 65mm Thick 5mm Step 18mm |  |
| BR-08689 | Stepped & fluted swing tip blade - sold each Right hand cut. BRA-08088 Bolt set (sold each) | Length 197mm from centre of hole Hole 20.5mm Width 65mm Thick 5mm Step 18mm |  |
| BR-09218 | Stepped swing tip blade - sold each Double Edge, Left & Right hand cut BRA-08088 Bolt set (sold each) | Length 197mm from centre of hole Hole 20.5mm Width 65mm Thick 5mm Step 18mm |  |
| BR-08766 LH BR-09219 RH | Left hand cut - MULCH BRA-08088 Bolt set (sold each) Right hand cut - MULCH BRA-08088 Bolt set (sold each) | Length 197mm from centre of hole Hole 20.5mm Width 75mm Thick 5mm Step 18mm |  |
| TORO BR-09297 Replaces OEM 116-6358-03 | 30" Deck TimeMaster 20199 , 20200 , 2014 30" cut TurfMaster Walk Behind Mowers Flat Mulch Blade RH cut Requires 2 per set | Length 389mm Centre Hole 16mm (2 x Outer Holes 7.5mm) Width 64mm Thick 4mm Step 11mm |  |
| TRIMAX BR-08754 (10 pack Blades) BRA-08755 (10 pack) OEM Ref: 411-160-842, & 411-322-050 | ALTERNATIVE for OEM Lazer blades & bolts. Stepped & fluted swing tip blade - sold as a KIT Left hand cut. Suit Series 2, 3 & 4 on Stealth, Procut, Pegasus, Merlin & Snake etc (BR-08754 Blade Kit includes 10 blades) MUST USE BRA-08755 BOLT KIT (BRA-08755 Bolt Kit includes 10 x bolts & lock nuts) | Length 100mm from centre of hole Hole 20.5mm Width 50mm Thick 4mm Step 8mm |  |
| UNIVERSAL BM-V100RH & BM-V100LH | Stepped & fluted swing tip blade - sold each Right hand cut. BMA-08062 Bolt set (sold each) (Bolt set includes 1 x bolt, nut & washer) BM-V100RHK Bulk kit of 60 blades & fasteners BM-V100LH LEFT HAND - Sold as each blade | Length 120mm from centre of hole Hole 13mm Width 65mm Thick 3mm Step 6mm |  |
| VICTA BD-08006K Replaces OEM Ca09306 | Flat & fluted swing tip blades & bolts - sold as a pair of blades & bolts, washers & nuts Right hand cut. Suits 18" rear catcher. | Length 98mm from centre of hole Hole 15mm Width 44mm Thick 2mm Step N/A |  |

TURF HARVESTER BLADES

6mm THICK SIDE PLATES WITH EXTRA DEPTH FOR LONGER CUTTING LIFE




| PART NUMBER | SIZE | APPLICATION |
|----------------------|----------------|--|
| BTC16-8 | 16 INCH | VAN VUUREN, BROUWER & POYNTZ |
| <i>BTC16-8-131</i> | 16 INCH | AS ABOVE - WITH 4 X 131mm FINGERS |
| BTC16-8F | 16 INCH | RYAN, KESMAC & SIMPSON |
| <i>BTC16-8F-131</i> | 16 INCH | AS ABOVE - WITH 4 X 131mm FINGERS |
| <i>BTC16-8F-207</i> | 16 INCH | AS ABOVE - WITH 4 X 207mm FINGERS |
| BTC18-8-1 | 18 INCH | VAN VUUREN, BROUWER & POYNTZ |
| <i>BTC18-8-1-131</i> | 18 INCH | AS ABOVE - WITH 4 X 131mm FINGERS |
| BTC18-8F | 18 INCH | RYAN, KESMAC & SIMPSON |
| <i>BTC18-8F-131</i> | 18 INCH | AS ABOVE - WITH 4 X 131mm FINGERS |
| BTC23-8F | 23 INCH | RYAN, KESMAC, BROUWER, TREBRO & FIREFLY ETC |
| <i>BTC23-8F-131</i> | 23 INCH | AS ABOVE - WITH 5 X 131mm FINGERS |
| <i>BTC23-8F-180</i> | 23 INCH | AS ABOVE - WITH 5 X 180mm FINGERS |
| <i>BTC23-8F-280</i> | 23 INCH | AS ABOVE - WITH 5 X 280mm FINGERS |
| <i>BTC23-8F-300</i> | 23 INCH | AS ABOVE - WITH 5 X 300mm FINGERS |
| BTC24-8F | 24 INCH | RYAN, KESMAC, BROUWER, TREBRO & FIREFLY ETC |
| <i>BTC24-8F-180</i> | 24 INCH | AS ABOVE - WITH 5 X 180mm FINGERS |
| <i>BTC24-8F-207</i> | 24 INCH | AS ABOVE - WITH 5 X 207mm FINGERS |
| <i>BTC24-8F-230</i> | 24 INCH | AS ABOVE - WITH 5 X 230mm FINGERS |

ASP Turf cutters are the only blades available in Australia made entirely from European Boron steel. Both side plates and bottom blades are through hardened for maximum hardness and operational life. Our blades are used by Original Equipment Sod Harvester manufacturers in Europe.

The blade cutting edge is sharpened with a double bevel to ensure the cutting edge is maintained even in difficult stony areas.

BORON STEEL TURF CUTTERS

RIDE ON MOWER BLADES




How to Measure your Blade

Length: A. Measure the blade diagonally from cutting tip to cutting tip.

Width: B. Measure the width at the widest part of the blade.

C. Measure the center hole.

D. Measure the center to center distance between the outer holes.



ASP ride on mower blades are manufactured in Europe from high quality Boron steel to ensure wear capabilities that at the very least meet OEM standards but generally far exceed them.

ASP mower blades are typically 50Rc hardness, high carbon alternatives are typically 40Rc. The extra hardness in ASP blades means superior wear resistance and because Boron in the steel prevents the blade becoming brittle in heat treatment, it ensures you enjoy at least 30% longer life from ASP blades.

ASP blades are without a doubt the best performing blade available for all Australian conditions.

| <div>ARIENS</div> <div>Part NumberDescription</div> | |  | |
|---|---|---|--|
| BR-09302 Replaces OEM 21546235 | 54" Deck - 3 Blade Deck (GATOR G3 95-605) Stepped & Fluted Mulch Blade RH cut. Star shape hole. 936040, 936054, 936055, 936059, 936078 ETC <i>(Genuine Oregon G3 Gator, not ASP Boron)</i> | Length 469mm Hole STAR Width 64mm Thick 5mm Step 12mm |  |
| BR-09304 Replaces OEM 00273000, 04919100 | 48" Deck - 3 Blade Deck (GATOR G6 396-716) Flat & Fluted Mulch Blade RH cut. Select models inc 715052, 715053, 715054, 715055, 788034, 788035, 788057, 788058, 792022, 792034, 888308, 915035 (1640), 915037 (1844), 915039 (2048), 915041 (2252), 915051 (1640), 988320 (HE1748FLPCE) <i>(Genuine Oregon G6 Gator, not ASP Boron)</i> | Length 413mm Hole 16mm Width 75mm Thick 6mm Step N/A |  |
| <div>BAD BOY</div> <div>Part NumberDescription</div> | |  | |
| BR-08207 Replaces OEM 038-7220-00 038-7230-00 | 72" Deck - 3 Blade Deck Flat & Fluted Blade RH cut. Select models inc Outlaw & Lightning 7200, Z series & ZTR | Length 621mm Hole 16mm Width 65mm Thick 8mm Step N/A |  |
| BR-08726 Replaces OEM 038-7220-00 038-7230-00 | 72" Deck - 3 Blade Deck Stepped & Fluted Mulch Blade RH cut. Select models inc Outlaw & Lightning 7200, Z series & ZTR | Length 621mm Hole 16mm Width 65mm Thick 7mm Step 5mm |  <div>BoronBlue™ Mulcher Blades</div> |
| BR-D18037 Replaces OEM 038-3000-00 | 36" Deck - 2 Blade Deck 52" Deck - 3 Blade Deck Flat & Fluted RH cut. Select models. Check sizes. | Length 457mm Hole 16mm Width 65mm Thick 5mm Step N/A |  |
| BR-08891 Replaces OEM 038-3000-00 | 36" Deck - 2 Blade Deck 52" Deck - 3 Blade Deck Flat & Fluted MULCH blade RH cut. Select models. Check sizes. | Length 457mm Hole 16mm Width 65mm Thick 6mm Step N/A |  |













Don't forget your
Trimmer Line!

See page 82 for
details




| <div> <div>BIG DOG</div> <div>  </div> </div> | | | |
|---|--|--|---|
| Part Number | Description | | |
| BR-08952 Replaces OEM 600901, 793794,793794X | 60" Deck R series (26HP model 931535) & ZTR Series Flat & Fluted. RH cut. Requires 3 blades per set | Length 520mm Hole 16mm Width 65mm Thick 6mm Step N/A |  |
| BR-08910 Replaces OEM 794214, 794230 | 60" Deck R series (26HP model 931535) & ZTR Series Flat, Mulch. RH cut. Requires 3 blades per set | Length 520mm Hole 16mm Width 65mm Thick 6mm Step N/A |  |
| BR-08950 Replaces OEM 601124 | 54" Deck R series 24HP model 931519 ZTR Flat & Fluted RH cut Requires 3 blades per set | Length 470mm Hole 16mm Width 65mm Thick 6mm Step N/A |  |
| BR-09131 Replaces OEM | 54" Deck R series 24HP model 931519 ZTR Flat & Mulch RH cut Requires 3 blades per set | Length 470mm Hole 16mm Width 65mm Thick 6mm Step N/A |  |
| BR-08407 Replaces OEM 601123 | 48" Deck. R series 22 HP models 931493 & ZTR select models Flat & High Lift Flute. Right Hand cut. Requires 3 blades per set | Length 418mm Hole 16mm Width 65mm Thick 6mm Step N/A |  |
| BR-08895 Replaces OEM 601123 | 48" Deck. R series 22 HP models 931493 & ZTR select models Flat & Mulch. Right Hand cut. Requires 3 blades per set | Length 418mm Hole 16mm Width 65mm Thick 6mm Step N/A |  |
| <div> <div>BOB-CAT</div> <div>  </div> </div> | | | |
| Part Number | Description | | |
| BR-D18036 Replaces OEM 112111-03 112243-03 42180B | 61" Deck. CRZ 61, FastCat Pro, Predator Pro, Procat SE, XRZ & ZTR Stepped & Fluted RH cut Requires 3 blades per set | Length 533mm Hole 16mm Width 65mm Thick 6mm Step 6mm |  |
| BR-09304 Replaces OEM 112111-01 | 48" Deck - 3 Blade Deck - GATOR G6 396-716 Flat & Fluted Mulch Blade RH cut. Select models inc CRZ48 (942600, 942600AU, XRZ48 (942610), FastCat Pro SE (942298H with serial # 2274 and below, ZTR models <i>(Blade is OEM Oregon Gator, not ASP Boron)</i> | Length 413mm Hole 16mm Width 75mm Thick 6mm Step N/A |  |

BOB-CAT Continued

| | | |
|--|---|---|
| BR-D18036 Replaces OEM 112111-03, 112243-03 | 42" Deck , Stepped & Fluted RH cut Requires 2 blades per set Select models inc CRZ42 (942603, 942603EU, FastCat RZ 42 Select models & ZTR models Check dimensions. | Length 533mm Hole 16mm Width 65mm Thick 6mm Step 6mm  |
| BR-08891 Replaces OEM 32022, 32022a | 36" Deck - 2 Blade Deck Flat & Fluted MULCH blade RH cut. Select models. Check sizes. | Length 457mm Hole 16mm Width 65mm Thick 6mm Step N/A  |
| Part Number | CRAFTSMAN Description |  |
| BR-08224 Replaces OEM 134149, 138971 | 42" Deck . Flat & Fluted. Right Hand cut. Requires 2 blades per set | Length 535mm Hole 5PT Star Width 57mm Thick 4mm Step N/A  |
| Part Number | CUB CADET Description |  |
| BR-09315 Replaces OEM 742-04415, X & XG 942-04415 | 60" Deck . Stepped Blade. G3 Gator 96-300. Right Hand cut. Requires 3 blades per set 17ASDALD099 (Z8600), 17BSDALD099 (Z8200), GT1500, LT1000, SLT1500, ZHD-L60 17ANDALD897 <i>(Blade is Oregon Gator, not ASP Boron)</i> | Length 533mm Hole 19mm Width 75mm Thick 5mm Step 13mm  |
| BR-09314 Replaces OEM 742-04416, X & 942-04416 | 54" Deck . Stepped Blade. G3 Gator 96-351. Right Hand cut. Requires 3 blades per set SL, SLT, LT1000, GT1500, RZT & Z-FORCE <i>(Blade is Oregon Gator, not ASP Boron)</i> | Length 483mm Hole 19mm Width 75mm Thick 5mm Step 15mm  |
| BR-08963 Replaces OEM 742-04053, 742-04123 | 50" Deck . Stepped & Fluted. Right Hand cut. Requires 3 blades per set RZT models etc <i>(Replaces the OEM 6 point star hole)</i> | Length 452mm Hole 6PT Star Width 65mm Thick 5mm Step 24mm  |
| BR-09313 Replaces OEM 742-04417, X & 942-04417, 02005017-X, 1005336P, 2005017 | 48" Deck . Stepped Blade. G6 Gator 392-139. Right Hand cut. Requires 3 blades per set 17ASDALB099 (Z8200), 17BSDALB099 (Z8200) PRO Z100 <i>(Blade is Oregon Gator, not ASP Boron)</i> | Length 432mm Hole 19mm Width 75mm Thick 6mm Step 11mm  |
| BR-115227A Replaces OEM 942-0616, 742-0616 | 42" Deck . Flat & Fluted. Mulch & Discharge Right Hand cut. Requires 2 blades per set ZTR & RZT42 <i>(Replaces the OEM 6 point star hole)</i> | Length 539mm Hole 6PT Star Width 70mm Thick 4mm Step N/A  |

| Part Number | Description | |
|---|--|---|
| BR-09300 Replaces OEM 13926, 510417901, 532134149, 532138971, 539118038, 539119843, 539119852 | 61" Deck. Flat Blade. G5 Gator 596-900. Right Hand cut. Requires 3 blades per set To suit Selected models. Refer OEM Reference. <i>(Blade is Oregon Gator, not ASP Boron)</i> |  Length 533mm Hole 5PT Star Width 75mm Thick 4mm Step N/A  |
| BR-08210 Replaces OEM 18931, 9383, 12441 | Fits Toro 60" Deck Flat & Fluted R/H cut Requires 3 per set. Suits 8025, ZTR560 (1993), ZTR5601 (94-96), ZTR6601 (95-96) ZTR models | Length 520mm Hole 16mm Width 63mm Thick 6mm Step N/A  |
| BR-08910 Replaces OEM 18931, 9383, 12441 | Fits Toro 60" Deck Flat & Fluted R/H cut Requires 3 per set. Suits 8025, ZTR560 (1993), ZTR5601 (94-96), ZTR6601 (95-96) ZTR models | Length 520mm Hole 16mm Width 64mm Thick 6mm Step N/A  BoronBlue™ Mulcher Blades |
| BR-09303 Replaces OEM 13867, 13918, 13943, 13944, 13945, 13947, 17279, 17280, 17281, 539119836, 539119862 | 44" Deck. Flat Blade. G3 Gator 496-399. Right Hand cut. Requires 3 blades per set To suit RAM & Selected models. Refer OEM Reference. <i>(Blade is Oregon Gator, not ASP Boron)</i> | Length 379mm Hole 17.5mm Width 63mm Thick 5mm Step N/A  |
| BR-08956 Replaces OEM 575296401 | 48" Deck - RAM ZTR Flat & Fluted RH cut. Requires 3 blades | Length 412mm Hole 5PT Star Width 65mm Thick 5mm Step N/A  |
| BR-08224 Replaces OEM 532134149 | 42" Deck - SPD ZTR Flat & Fluted RH cut. Requires 2 blades | Length 535mm Hole 5PT Star Width 57mm Thick 5mm Step N/A  |
| BR-08957 Replaces OEM 539112078 | 42" Deck - 3 Blade Deck Flat & Fluted RH cut. Requires 3 blades | Length 372mm Hole 5PT Star Width 65mm Thick 5mm Step N/A  |

ECOTEQ (MEAN GREEN) MOWER BLADES REFER PAGE 71



Need Trimmer Heads?
ASP stocks Speed Feed style &
Commercial Grade
Italian 'F One' Rapid Feed heads.
Refer page 83 for details.



FERRIS



| Part Number | Description | |
|---|---|---|
| BR-08207 Replaces OEM 22476 | 72" Deck. Flat & Fluted. Right Hand cut. Requires 3 blades Selected ZTR models (Check blade length) | Length 621mm Hole 16mm Width 65mm Thick 8mm Step N/A  |
| BR-08217 Replaces OEM 155000 | 72" Deck. Stepped & Fluted. Right Hand cut. Requires 3 blades (Check blade length) | Length 630mm Hole 16mm Width 65mm Thick 6mm Step 6mm  |
| BR-D18036 Replaces OEM 1520842, A48384, 502842, 5101755 | 61" Deck. Stepped & Fluted. Right Hand cut. Is32002, IS2000Z, IS2100Z, IS2500Z etc Requires 3 blades per set | Length 533mm Hole 16mm Width 65mm Thick 6mm Step 6mm  |
| BR-09300 Replaces OEM 1520842, A48384, 502842 | 61" Deck. Flat Blade. G5 Gator 596-900. Right Hand cut. Requires 3 blades per set To suit Selected models. Refer OEM Reference. (Blade is Oregon Gator, not ASP Boron) | Length 533mm Hole 5PT Star Width 75mm Thick 4mm Step N/A  |
| BR-D18037 Replaces OEM 15212275, 1521227 A48185, 51017565, 1756152 | 52" (3 blades) & 36" (2 blades) Deck. Flat & Fluted. 5652852, Is2100, Is2500, F125, F150 Right Hand cut. | Length 457mm Hole 16mm Width 65mm Thick 5mm Step N/A  |
| BR-08891 Replaces OEM 15212275, 1521227 A48185 | 52" (3 blades) & 36" (2 blades) Deck. Flat Mulcher. Right Hand cut. | Length 457mm Hole 16mm Width 65mm Thick 6mm Step N/A  BoronBlue™ Mulcher Blades |
| BR-09304 Replaces OEM 20843, 5020843, 5101986, 5103303 | 48" Deck - 3 Blade Deck (GATOR G6 396-716) Flat & Fluted Mulch Blade RH cut. Select models, F50XT, IS1500ZKAV21 & ZTR (Genuine Oregon G6 Gator, not ASP Boron) | Length 413mm Hole 16mm Width 75mm Thick 6mm Step N/A  |
| BR-08407 | 48" Deck. Flat & High Lift Flute. Right Hand cut. (some models only - check length) Requires 3 blades per set (Note: will not suit 400S models as they require 20mm hole) | Length 418mm Hole 16mm Width 65mm Thick 6mm Step N/A  |
| BR-08895 | 48" Deck. Flat Mulcher. Right Hand cut. (some models only - check length) Requires 3 blades per set | Length 418mm Hole 16mm Width 65mm Thick 6mm Step N/A  BoronBlue™ Mulcher Blades |

| GRASSHOPPER | |  | |
|--|---|---|---|
| Part Number | Description | | |
| BR-06271 | 72" Deck Stepped & Fluted RH cut Requires 3 blades per set Replaces OEM 320250 | Length 639mm Hole 13mm Width 65mm Thick 6mm Step 7mm |  |
| BR-562390 Replaces OEM 320236 | 52" Deck Flat & Fluted RH cut Requires 3 blades per set | Length 456mm Hole 13mm Width 65mm Thick 5mm Step N/A |  |
| GRAVELY | |  | |
| Part Number | Description | | |
| BR-08207 Replaces OEM 047685, 08983851 | 72" Deck Hi-Flow Blade Flat. RH cut. Requires 3 blades per set | Length 621mm Hole 16mm Width 65mm Thick 8mm Step N/A |  |
| BR-08726 Replaces OEM 047685, 08983851, 09838 | 72" Deck Mulcher Blade. Stepped. RH cut. Requires 3 blades per set | Length 621mm Hole 16mm Width 65mm Thick 6mm Step 6mm |  |
| BR-08952 Replaces OEM 046999, 08898900, 08979651 | 60" Deck 200-300 Series Flat & Fluted. RH cut. Requires 3 blades per set | Length 520mm Hole 16mm Width 65mm Thick 6mm Step N/A |  |
| BR-08910 Replaces OEM 046999, 08898900, 08979651 | 60" Deck 200-300 Series etc Mulcher Blade Flat. RH cut. Requires 3 blades per set | Length 520mm Hole 16mm Width 65mm Thick 6mm Step N/A |  BoronBlue™ Mulcher Blades |
| BR-D18037 Replaces OEM | 52" Deck Flat & Fluted RH cut Requires 3 blades per set | Length 457mm Hole 16mm Width 65mm Thick 5mm Step N/A |  |
| BR-08891 Replaces OEM | 52" Deck Mulcher Blade Flat. RH cut. Requires 3 blades per set | Length 457mm Hole 16mm Width 65mm Thick 6mm Step N/A |  BoronBlue™ Mulcher Blades |

GREAT DANE



| Part Number | Description | |
|--|--|---|
| BR-D18036 Replaces OEM GDU10232, D18036 | 61" Deck Stepped & Fluted RH cut Requires 3 blades per set <i>Use blade Bolt BRA-08246</i> | Length 533mm Hole 16mm Width 65mm Thick 6mm Step 6mm  |
| BR-D18037 Replaces OEM GDU10231, D18037 | 52" and 36" Deck Flat & Fluted RH cut Requires 3 blades per set for 52" and 2 blades per set for 36". | Length 457mm Hole 16mm Width 65mm Thick 5mm Step N/A  |
| BR-08891 Replaces OEM GDU10231, D18037 | 52" and 36" Deck Mulcher Blade RH cut Requires 3 blades per set for 52" and 2 blades per set for 36". <i>Use blade Bolt BRA-08246</i> | Length 457mm Hole 16mm Width 64mm Thick 6mm Step N/A  BoronBlue™ Mulcher Blades |
| BR-08407 Replaces OEM GDU10230, D18086 | 48" and 32" Deck Flat & Fluted RH cut Requires 3 blades per set for 48" and 2 blades per set for 32". <i>Use blade Bolt BRA-08246</i> | Length 418mm Hole 16mm Width 64mm Thick 6mm Step 6mm  |
| BR-08895 Replaces OEM GDU10230, D18086 | 48" and 32" Deck Razorback Mulcher Blade RH cut Requires 3 blades per set for 48" and 2 blades per set for 32". <i>Use blade Bolt BRA-08246</i> | Length 418mm Hole 16mm Width 64mm Thick 6mm Step N/A  BoronBlue™ Mulcher Blades |




HUSQVARNA











| Part Number | Description | |
|---|--|---|
| BR-09300 Replaces OEM 138498, 138791, 138971, 510417901, 521981601, 531307224, 532131323, 53213897, 539113312 | 61" Deck. Flat Blade. G5 Gator 596-900. Right Hand cut. Requires 3 blades per set Ez6124, MZ61, MZ460X, Z560, MZ6128 577240401, 586230101, 917127843, 917131323, 917138489MS, 917532138498 <i>(Blade is Oregon Gator, not ASP Boron)</i> | Length 533mm Hole 5Pt Star Width 75mm Thick 4mm Step N/A  |
| BR-D18036 Replaces OEM 53910293, 539101733 | 61" Deck Stepped & Fluted RH cut ZTH6123KAA, WHF5218ETS Requires 3 blades per set | Length 533mm Hole 16mm Width 65mm Thick 6mm Step 6mm  |
| BR-D18037 Replaces OEM 5391057-12, 5391003-41, AYP100341 | 52" Deck & 36" Deck Flat & Fluted RH cut Requires 3 blades per set for 52" and 2 blades per set for 36" | Length 457mm Hole 16mm Width 65mm Thick 5mm Step N/A  |

| | | | |
|--|--|---|--|
| BR-08891 Replaces OEM 5391057-12, AYP100341 | 52" Deck & 36" Deck Mulcher Blade RH cut, Requires 3 blades per set for 52" and 2 blades per set for 36" | Length 457mm Hole 16mm Width 65mm Thick 6mm Step N/A |  BoronBlue™ Mulcher Blades |
| BR-09306 Replaces OEM 574870801, 575240701 | 52" Deck Flat Blade. G5 Gator 596-900. Right Hand cut. Requires 3 blades per set To suit Selected models. Refer OEM Reference. <i>(Blade is Oregon Gator, not ASP Boron)</i> | Length 451mm Hole 5PT Star Width 75mm Thick 4mm Step N/A |  |
| BR-08956 Replaces OEM 539 11 34-25 | 48" Fabricated Decks YTH2648TDF, ZTR & Ez4824 MODELS, TS348 Flat & Fluted RH cut Requires 3 blades per set. | Length 413mm Hole 5PT Star Width 64mm Thick 5mm Step N/A |  |
| BR-08407 Replaces OEM 539 10 60-40, AYP100340 | 48" Decks Iz4821 & ZTR models Flat & Fluted RH cut Requires 3 blades per set. | Length 418mm Hole 16mm Width 64mm Thick 6mm Step N/A |  |
| BR-08895 Replaces OEM 539 10 60-40, AYP100340 | 48" Decks IZ4821 & ZTR models Flat Mulch RH cut Requires 3 blades per set. | Length 418mm Hole 16mm Width 64mm Thick 6mm Step N/A |  BoronBlue™ Mulcher Blades |
| BR-09319 Replaces OEM 173920, 180054, 917173920, 917532173920, 917532180054, 954633774 | 48" Decks Flat Blade. G3 Gator 96-615 Requires 3 blades per set. 512258301, 532173920, 532180054, 539107519, 575938201, 575938301, 577146201 etc <i>(Blade is Oregon Gator, not ASP Boron)</i> | Length 424mm Hole 5 PT Star Width 64mm Thick 5mm Step N/A |  |

OEM Reference numbers are used for identification only, we also encourage you to check blade dimensions prior to ordering.
ASP blades are not sold as genuine.

| | | | |
|---|--|--|---|
| BR-09301 Replaces OEM 532405380, 594892801 | 46" Deck. Step Blade Oregon 195-070. Right Hand cut. Requires 2 blades per set To suit Selected models. Refer OEM Reference. 405380, 532405380, 575937901, 777405380, 917532405380, 917777405380 <i>(Blade is Oregon, not ASP Boron)</i> | Length 581mm Hole 5PT Star Width 70mm Thick 4mm Step 8mm |  |
| BR-09300 Replaces OEM 539113312 | 42" Deck. Flat Blade. G5 Gator 596-900. Right Hand cut. Requires 2 blades per set To suit Selected models. Refer OEM Reference. <i>(Blade is Oregon Gator, not ASP Boron)</i> | Length 533mm Hole 5PT Star Width 75mm Thick 4mm Step N/A |  |
| BR-08224 Replaces OEM 532138498, AYP138498, 127843, 532138971 AYP138971 | Fits Husqvarna 42" Decks Lt125, Lt140, Lt150, LTH1342, XTH1542XP Models, LTH1742, LTH1842 & LTH2142D etc Flat & Fluted RH cut Requires 2 blades per set. | Length 535mm Hole 5PT Star Width 57mm Thick 4mm Step N/A |  |

| | | |
|---|--|---|
| BR-09305 Replaces OEM 539112078, 573953001, 577146101 | 42" Decks Flat Blade. G3 Gator 95-088 Requires 3 blades per set. Ez4216, Ez4217, Ez4220 & Fabricated decks Flat & Fluted RH cut <i>(Blade is Oregon Gator, not ASP Boron)</i> | Length 371mm Hole 5PT Star Width 64mm Thick 5mm Step N/A  |
| BR-08957 Replaces OEM 5391120-78 | Fits Husqvarna 42" Decks Ez4216, Ez4217, Ez4220 & Fabricated decks Flat & Fluted RH cut Requires 3 blades per set. | Length 371mm Hole 5PT Star Width 65mm Thick 5mm Step N/A  |
| BR-09318 Replaces OEM 513897001, 531307220, 531307221, 532127842, 532131322, 532134148 | Fits 38" Deck Flat Blade. G3 Gator 95-601 Lt19538 etc 581116302, 777193957, 917127842, 917131322, 917134148MS, 917134148X, 917139774MS, 917532134148, 917532138497, 917532138970, 917532139774, 917532193957 <i>(Blade is Oregon Gator, not ASP Boron)</i> | Length 489mm Hole 5PT Star Width 64mm Thick 5mm Step N/A  |
| Part Number | HUSTLER Description |  |
| BR-09243K 5 BLADE KIT | Fits SUPER 104. Blade Kit includes: 1 x BR-08954 RH cut wing blade 1 x BR-08955 LH cut wing blade 2 x BR-08952 RH centre deck blades 1 x BR-08953 LH centre deck blades | |
| BR-08207 Replaces OEM 798702, 9820361 | Fits 72" Deck Flat & High Fluted RH cut, Side Discharge Xr7 series, Super Z HD & 3700 series Requires 3 blades per set Use BRA-08948 Bolt & BRA-08949 Washer | Length 621mm Hole 16mm Width 65mm Thick 8mm Step N/A  |
| BR-08726 Replaces OEM 798702, 9820361 | Fits 72" Deck Stepped Mulcher RH cut Xr7 series & 3700 series Requires 3 blades per set Use BRA-08948 Bolt & BRA-08949 Washer | Length 621mm Hole 16mm Width 65mm Thick 7mm Step 5mm  |
| BR-08954 Replaces OEM 796839, 794867, 784728 | Fits REAR DISCHARGE 72" Deck Flat & Fluted RIGHT HAND cut <i>(Requires 2 x BR-08954 RIGHT HAND & 1x BR-08955 LEFT HAND)</i> Use BRA-08948 Bolt & BRA-08949 Washer | Length 606mm Hole 16mm Width 65mm Thick 6mm Step N/A  |
| BR-08955 Replaces OEM 796508, 601929 | Fits REAR DISCHARGE 72" Deck Flat & Fluted LEFT HAND cut <i>(Requires 2 x BR-08954 RIGHT HAND & 1x BR-08955 LEFT HAND)</i> Use BRA-08949 Washer | Length 606mm Hole 16mm Width 65mm Thick 6mm Step N/A  |

**ALL BLADES ARE SOLD AS SINGLES
(INDIVIDUALLY) PLEASE ORDER THE
QUANTITY REQUIRED TO MAKE UP A SET.**

| | | |
|---|---|---|
| BR-08952 Replaces OEM 602771, 794685, 793794 | Fits 60" Deck Side Discharge Flat & Fluted Blade RH cut Suits VX4, X-One, Fastrak, Sport etc Requires 3 blades per set Use BRA-08948 Bolt & BRA-08949 Washer | Length 520mm Hole 16mm Width 65mm Thick 6mm Step N/A  |
| BR-08910 Replaces OEM 794230, 794214 | Fits 60" Deck Flat Mulcher Blade RH cut Suits VX4, X-One, Fastrak, Sport etc Requires 3 blades per set Use BRA-08948 Bolt & BRA-08949 Washer | Length 520mm Hole 16mm Width 64mm Thick 6mm Step N/A  BoronBlue™ Mulcher Blades |
| BR-08953 Replaces OEM 795633, 601928 | Fits 60" REAR DISCHARGE Deck Flat & Fluted Blade LEFT HAND cut <i>Requires 2 x (BR-08952) RIGHT HAND & 1 x (BR-08953) LEFT HAND</i> | Length 520mm Hole 16mm Width 65mm Thick 6mm Step N/A  |
| BR-08950 Replaces OEM 797696, 797704, 601012 | Fits 54" Deck Side Discharge Flat & Fluted RH cut Xr7 series, Fastrak, Sport, X-One VX4 etc Requires 3 blades per set | Length 470mm Hole 16mm Width 65mm Thick 6mm Step N/A  |
| BR-09131 Replaces OEM | Fits 54" Deck Side Discharge - MULCH Flat & Fluted RH cut Xr7 series, Fastrak, Sport, X-One VX4 etc Requires 3 blades per set | Length 470mm Hole 16mm Width 65mm Thick 6mm Step N/A  BoronBlue™ Mulcher Blades |
| BR-08951 Replaces OEM 601013 | Fits 54" REAR DISCHARGE Deck Flat & Fluted Blade LEFT HAND cut Requires 2 x (BR-08950) RIGHT HAND & 1 x (BR-08951) LEFT HAND | Length 470mm Hole 16mm Width 65mm Thick 6mm Step N/A  |
| BR-D18037 Replaces OEM 783753, 785436 | Fits 52" Deck Flat & Fluted RH cut Fastrak, Mini Z etc Requires 3 blades per set | Length 457mm Hole 16mm Width 65mm Thick 5mm Step N/A  |
| BR-08891 Replaces OEM 783753, 785436 | Fits 52" Deck Flat Mulcher RH cut Fastrak, Mini Z etc Requires 3 blades per set | Length 457mm Hole 16mm Width 65mm Thick 6mm Step N/A  BoronBlue™ Mulcher Blades |
| BR-08407 Replaces OEM 601123, 797757 | Fits 48" Deck Flat & High Fluted Blade RH cut Suits Vx4, X-One, Fastrak, Super Duty etc Requires 3 blades per set | Length 418mm Hole 16mm Width 64mm Thick 6mm Step N/A  |
| BR-08895 Replaces OEM 796623, 796631 | Fits 48" Deck Flat Mulcher Blade RH cut Suits Vx4, X-One, Fastrak, Super Duty etc Requires 3 blades per set | Length 418mm Hole 16mm Width 64mm Thick 6mm Step N/A  BoronBlue™ Mulcher Blades |

| Part Number | | HUSTLER Continued | |
|--|---|---|---|
| BR-09307 Replaces OEM 785728, 787739 | Fits 44" Deck G3 Gator 96-302 Flat Mulcher Blade R/H cut Suits Various, check OEM Ref number | Length 397mm Hole 16mm Width 70mm Thick 5mm Step N/A |  |
| | Requires 3 blades <i>(Blade is Oregon Gator, not ASP Boron)</i> | | |
| BR-08952 Replaces OEM | Fits 42" Deck Flat & Fluted Blade R/H cut Suits Fastrak, Raptor & Zeon series | Length 520mm Hole 16mm Width 65mm Thick 6mm Step N/A |  |
| | Requires 2 blades | | |
| BR-08910 Replaces OEM | Fits 42" Deck Flat Mulcher Blade R/H cut Suits Fastrak, Raptor & Zeon series | Length 520mm Hole 16mm Width 65mm Thick 6mm Step N/A |  BoronBlue™ Mulcher Blades |
| | Requires 2 blades | | |
| Part Number | ISEKI Description |  | |
| BR-07162A Replaces OEM 3496107M91, 3495550M4 | Fits 72" Deck Stepped & Fluted RH cut Sf300 Series etc | Length 628mm Hole 20mm Width 60mm Thick 7mm Step 15mm |  |
| | Requires 3 blades per set Use BRA-83665A washer & BRA-100293 Nut | | |
| BR-0525A Replaces OEM 797696, 797704, 601012 | Fits 60" Deck Stepped & Fluted RH cut Sf300 Series etc | Length 527mm Hole 20mm Width 60mm Thick 7mm Step 15mm |  |
| | Requires 3 blades per set Use BRA-83665A washer & BRA-100293 Nut | | |
| BB-08040 Replaces OEM 865520201301 | BELT to suit 72" Deck Suits SF300 & Sf340 (Will not suit other models) |  | |
| | | | |
| | | | |

ALL BLADES ARE SOLD AS SINGLES (INDIVIDUALLY)
PLEASE ORDER THE QUANTITY REQUIRED TO MAKE UP
A SET.







OEM Reference numbers are used for identification only, we
also encourage you to check blade dimensions prior to
ordering.

ASP blades are not sold as genuine.

JOHN DEERE








| Part Number | Description | |
|---|---|---|
| BR-07473 Replaces OEM M119565, M80783, Am102401, M141786 | Fits John Deere 72" Deck 1145 series, 850, 855, 870, 950, 970, 1050, 1070, 4115, 4200, 4210, 4300, 4400, 4500, 4600, 4610, 4700, 4710, F925, F930, F932, F935. Flat & Fluted Blade. Requires 3 per set <i>Use Bolt BRA-100195, Washer BRA-83665.</i> | Length 634mm Hole 23mm Width 65mm Thick 8mm Step N/A  |
| BR-07473S Replaces OEM M141669, M83363, EPC201693 | Fits John Deere 72" Deck Standard Lift Blade 1445, 1545, 1565, 1585, 777, 797, 4200, 4500 series, 997 Diesel & 1580 Terrain, Stepped and Fluted. Requires 3 per set. <i>Use Bolt BRA-100195SH,</i> <i>Use Tension Washer BRA-83665.</i> | Length 632mm Hole 23mm Width 60mm Thick 8mm Step 10mm  |
| BR-08772 Replaces OEM TCU15882, M141669, M143749 | Fits John Deere 72" Deck 1435, 1565, 1585, Z830A, 997, 1445, Z950A, Z950M, Z950R, Z960M, Z970R, Z970A, Z960A Stepped, High Lift Blade Requires 3 Per Set. <i>Bolt BRA-100195SH, Washer BRA-83665.</i> | Length 632mm Hole 23mm Width 75mm Thick 7mm Step 12mm  |
| BR-08466 Replaces OEM M142514 | Fits John Deere 72" Decks Stepped Mulcher Blade Requires 3 Per Set. <i>Use Bolt BRA-100195SH,</i> <i>Use Tension Washer BRA-83665.</i> | Length 634mm Hole 23mm Width 65mm Thick 8mm Step 7mm  |
| BR-09019 Replaces OEM M141786, M141669, M83363, EPC201693 | Mulcher style to Fit side discharge 72" decks on 1445, 1545, 1565, 1585, 777, 797, 4200, 4500 series, 997 Diesel & Terrain Requires 3 per set. Step & Fluted. <i>Use Bolt BRA-100195SH,</i> <i>Use Tension Washer BRA-83665.</i> | Length 632mm Hole 23mm Width 65mm Thick 7mm Step 10mm  BoronBlue™ Mulcher Blades |
| BR-08560 Replaces OEM TCU51118, M144297 | Fits 62" Deck , 7 Iron Deck & 1600 Wide area mower , 1400-1500 Series & Terrain. 1600 series 3 Turbo. Stepped and Fluted Blade. <i>Use Bolt BRA-100195SH,</i> <i>Use Tension Washer BRA-83665.</i> | Length 555mm Hole 23mm Width 65mm Thick 8mm Step 8mm  |
| BR-06253 Replaces OEM M141785, M87622 | Fit's John Deere 60" Deck F1145 Flat & Fluted Blade Requires 3 blades per Set | Length 521mm Hole 23mm Width 65mm Thick 8mm Step N/A  |
| BR-128485 Replaces OEM TCU15881, M128485, M133381 | Fits 60" Deck - Stepped & Fluted Z950A, M665, F620, F680, F687, 737, 757, 777, 797 Diesel, 1420, 1435, 1445, 1545, X700, 1565, 4210, 4310, 4410, Z830A, Z720A, Z960A, Z830, 840, 850, Z860, Z970R, Z997, Z994R, Z915E, Z920 - Z960M, 1026R, ZTRAC & Terrain - Requires 3 blades per set | Length 531mm Hole 23mm Width 65mm Thick 8mm Step 10mm  <i>Bolt BRA-100195SH, Washer BRA-83665.</i> |
| BR-128485M Replaces OEM TCU15881, M128485, M133381 | Fits 60" Deck - MULCH Stepped & Fluted Z950A, M665, F620, F680, F687, 737, 757, 777, 797 Diesel, 1420, 1435, 1445, 1545, X700, 1565, 4210, 4310, 4410, Z830A, Z720A, Z960A, Z830, 840, 850, Z860, Z970R, Z997, Z994R, Z915E, Z920 - Z960M, ZTRAC & Terrain - Requires 3 blades per set | Length 531mm Hole 23mm Width 65mm Thick 8mm Step 10mm  BoronBlue™ Mulcher Blades |

| | | |
|---|---|---|
| BR-08470 Replaces OEM M136195, TCU30316, M144652, TCU30317 M164016 | 54" Deck Stepped & Fluted Blade X700, 737, Z820A, Z830A, Z920, Z710A, Z915B, Z925, Z915E, Z920M, Z930M, Z930R, Z720E, X758 Requires 3 Per Set. BRA-100195SH Bolt & BRA-83665 Washer | Length 483mm Hole 23mm Width 65mm Thick 5mm Step 7mm  |
| BR-09310 Replaces OEM M136195, TCU30316, M144652, TCU30317 M164016 | 54" Deck. G6 Gator 396-769 Stepped & Fluted Blade X700, 737, Z820A, Z830A, Z920, Z710A, Z915B, Z925, X758 Requires 3 Per Set. <i>(Blade is Oregon Gator, not ASP Boron)</i> | Length 483mm Hole 23mm Width 75mm Thick 6mm Step 10mm  |
| BR-08962 Replaces OEM M143520, M145516 | 54" Deck Z425, X320, X380, Z540, X748, 737, Z820A, EZ Trac, GX & X570, X580, X584, X590 Z & LX series 1025, Z445, X540 Stepped & Fluted Blade. Requires 3 Per Set. | Length 480mm Hole 20mm Width 65mm Thick 6mm Step 10mm  |
| BR-09309 Replaces OEM M143520, M145516, M152726, UC22010 | 54" Deck. G6 Gator 396-769 Z425, X320, X380, Z540, X748, 737, Z820A, EZ Trac, GX & X570, X580, X584, X590 Z & LX series 1025, Z445, X540 Requires 3 Per Set. Stepped & Fluted Blade <i>(Blade is Oregon Gator, not ASP Boron)</i> | Length 481mm Hole 20mm Width 75mm Thick 6mm Step 12mm  |
| <p align="center">ALL BLADES ARE SOLD AS SINGLES (INDIVIDUALLY) PLEASE ORDER THE QUANTITY REQUIRED TO MAKE UP A SET.</p> | | |
| BR-127500 Replaces OEM M145476, M127500 | 48" & 48C & ACCEL Decks Lx277, LX279, LX280, LX289, GT245, GT235E, GX325, GX335, X355, X380, 465, 475, 485, 495, 575, LT180, X700, 700, 720, 724, 728, Z425, Z445, X324, X320, X590 Requires 3 blades per set | Length 430mm Hole 21mm Width 65mm Thick 5mm Step 7mm  |
| BR-08701 Replaces OEM, M136185, TCU21475, TCU14939, M136194, TCU30315 | 48" Deck F620, F680, Z510A, Z645, Z710A, Z810A, Z820A, Z910A, Z915E, Z920M, 17H17B & Zg18 Walk Behinds & Z720E Stepped Hi Lift Blade Right Hand cut. Requires 3 blades per set BRA-100195SH Bolt, BRA-83665 Washer | Length 430mm Hole 23mm Width 65mm Thick 6mm Step 17mm  |
| BR-09298 Am137757, AM137758, AM141035, AM141036, GX21784, GX21785, Gx21786, Gy20852 | 48" Deck. G3 Gator 92-616 Stepped & Fluted. Requires 3 blades per set. 145 155C LA130 LA140 LA145 LA155 LA165 Lawn Tractors, D140 D150 D155 D160 E140 E150 E160 E170 100 Series Tractors X140 X165 X166 Select Series Tractors Z245 Z255 Z355E Ztrak <i>(Blade is Oregon Gator, not ASP Boron)</i> | Length 432mm Hole 7 Pt Star Width 63mm Thick 5mm Step 6mm  |
| BR-08756 Replaces OEM Gx22151, Gy20850 Am137329 | 42" Deck "Starlock blade" D110, Z225, LA100, LA105, LA110, LA115, LA120, LA125, LA135, X110, X120, X300, D110, D130, S240 Sport, E100, E120, E130, Mulch & Discharge Blade Right Hand cut Requires 2 blades per set. | Length 543mm Hole 7 Pt Star Width 65mm Thick 4.5mm Step N/A  |
| BR-20249 Replaces OEM Gx20249, GX20433 | 42" Deck Sabre, L100, L108, L110, L111, Mulch Blade Right Hand cut Flat & Fluted Requires 2 blades per set | Length 545mm (11mm outer holes @ 95mm) Hole 17mm Width 65mm Thick 5mm Step N/A  |

Part Number


JOHN DEERE Continued

| | | | |
|--|---|--|---|
| BR-09183 Replaces OEM M170639 | 42" ACCEL Deck X300, X354, X370, Z335 & Z345 Mulch & Discharge Blade Right Hand cut Requires 2 blades per set. | Length 543mm Hole 20mm Width 65mm Thick 4.5mm Step N/A |  |
| BR-330397 Replaces OEM M83459, AM100991 | 38" Deck High Lift Lt150, STX38, F525 Stepped & Fluted Blade Right Hand cut Requires 2 blades per set | Length 494mm Hole 18mm Width 75mm Thick 5mm Step 5mm |  |
| BR-330290 Replaces OEM M82408, M84472, AM100946 | 38" Deck Low Lift LX170, LX180, LT150, LX255, LX288, LX176, LX172, LX188, X300 LX Stepped & Fluted Blade Right Hand cut Requires 2 blades per set. | Length 494mm Hole 18mm Width 65mm Thick 5mm Step 5mm |  |
| BR-09308 Replaces OEM Am104652, M112974, M112991, M118958, M74449, M82408, M84472 | 38" Deck. G6 Gator 396-709 Stepped & Mulch Blade LX170, LX180, LT150, LX255, LX288, LX176, LX172, Lx188 Requires 2 Per Set. <i>(Blade is Oregon Gator, not ASP Boron)</i> | Length 495mm Hole 18mm Width 75mm Thick 6mm Step 10mm |  |
| BB-08040 Replaces OEM M112414, B144 | 72" John Deere Side Discharge Deck Belt F1145 Model (will not suit later models) |  | |

Don't forget your Trimmer Line, Edger Blades & Litter Tools!








Refer page 81 onwards
for details.






KUBOTA



| Part Number | Description | |
|--|--|--|
| BR-08826 Replaces OEM K5677-34340, 70000-25002, 76553-34330, 76550-34350 | Fits Kubota 72" Deck , High Flow Deck, Stepped & High Fluted, Right hand cut RCK72-28Z(P), RCK72-27B, 30B, RC72-38, RC72-F30, RCK72P-331Z, RCK72P-F36, ZD28, ZD29, 2560, 3060, 3560, F3690, ZD331 Requires 3 blades per set |  <p>Length 622mm Hole 29mm Width 75mm Thick 7mm Step 15mm</p> <p>Use BRA-K6845 Bolt & BRA-K6846 Washer</p> |
| BR-07462 Replaces OEM K5677-34340,70000-25002, 76553-34330, 76550-34350, 76539-34372, K5698-34340 | Fits Kubota 72" Deck - Standard blade Stepped & Fluted, Right hand cut, RCK72RP- 1200Z, RCK72-28Z(P), RCK72-27B, 30B, RC72- 38, RC72-F30, RCK72P-331Z, RCK72P-F36, ZD28, ZD29, 2560, 3060, 3560, F3690, ZD331. Requires 3 blades per set |  <p>Length 622mm Hole 29mm Width 65mm Thick 7mm Step 14mm</p> <p>Use BRA-K6845 Bolt & BRA-K6846 Washer</p> |
| BR-08703 Replaces OEM K5677-34340,70000-25002, 76553-34330, 76550-34350, 76539-34372, K5677-9234 | Fits Kubota 72" Deck Stepped Mulching Blade for all models with 29mm Holes Stepped & Fluted Blade RH cut Requires 3 blades per set |  <p>Length 622mm Hole 29mm Width 65mm Thick 7mm Step 14mm</p> <p>Use BRA-K6845 Bolt & BRA-K6846 Washer</p> <p>BoronBlue™ Mulcher Blades</p> |
| BR-07129 Replaces OEM 76550-34330 | Fits Kubota 72" Deck Stepped & Fluted, Right hand cut RCK72-25, RC72-28, RC72-29, 29A, RC72-36, 36A, RC-72F20, F24, RC72R-F36B, F2400, 3560. Requires 3 blades per set. |  <p>Length 620mm Hole 23mm Width 60mm Thick 7mm Step 12mm</p> |
| BR-09085 Replaces OEM K5975-3436 | Fits Kubota 72" Deck ZD1200 series deck, ZD1221, RCK72P-1200Z Hi Lift blade Requires 3 blades per set |  <p>Length 622mm Hole 34mm Width 75mm Thick 7mm Step 15mm</p> <p>Use BRA-K6845 Bolt & BRA-09118 Washer</p> |
| BR-09077 Replaces OEM K5975-3436 | Fits Kubota 72" Deck ZD1200 series deck ZD1221, RCK72P-1200Z Standard blade Requires 3 blades per set |  <p>Length 622mm Hole 34mm Width 65mm Thick 7mm Step 14mm</p> <p>Use BRA-K6845 Bolt & BRA-09118 Washer</p> |
| BR-09079 Replaces OEM | Fits Kubota 72" Deck ZD1200 series deck ZD1221, RCK72P-1200Z Mulch blade Requires 3 blades per set |  <p>Length 622mm Hole 34mm Width 65mm Thick 7mm Step 14mm</p> <p>Use BRA-K6845 Bolt & BRA-09118 Washer</p> <p>BoronBlue™ Mulcher Blades</p> |
| BR-06677 Replaces OEM K5651-34340, 76539-34330, 70000-25001, K5647-34330, 76539-34372, 76550-34350, K5645-34340, K5651-34330 | Fits Kubota 60" Decks ZD21, ZD28, ZD331, ZG & D 326 & 327, ZG331, ZG326P, RCK60-28Z, RCK60- 29B, RCK60-30B, RCK60-F30, RCK60P-21Z, RCK60P-327Z, RCK60-F36, RC60-21B, RC60-24B, RC60-71B, RC60-F19, RC60-FZ21,F3690 RCK60- 24B, RCK60-27B. Requires 3 Blades |  <p>Length 520mm Hole 29mm Width 65mm Thick 7mm Step 14mm</p> <p>Use BRA-K6845 Bolt & BRA-K6846 Washer</p> |
| BR-09020 Replaces OEM K5651-34340, 76539-34330, 70000-25001, K5647-34330, 76539-34372, 76550-34350 | Mulch blade alternative to BR-06677 60" Decks ZD21, ZD28, ZD331, ZG/ZD326 & 327, ZG331, ZG326P, RCK60-28Z, RCK60-29B, RCK60-30B, RCK60-F30, RCK60P-21Z, RCK60P-327Z, RCK60- F36, RC60-21B, RC60-24B, RC60-71B, RC60-F19, RC60-FZ21,F3690 RCK60-24B Requires 3 Blades |  <p>Length 520mm Hole 29mm Width 65mm Thick 7mm Step 14mm</p> <p>Use BRA-K6845 Bolt & BRA-K6846 Washer</p> <p>BoronBlue™ Mulcher Blades</p> |

| | | |
|--|--|--|
| BR-09386 Replaces OEM K5651-34340, 76539-34330 70000-25001, K5647-34330 76539-34372, 76550-34350, K5645-34340, K5651-34330 | Fits Kubota 60" Decks HIGH LIFT ZD21, ZD28, ZD331, Zg326 & 327, ZG331, ZG326P, RCK60-28Z, RCK60-29B, RCK60-30B, RCK60-F30, RCK60P-21Z, RCK60P-327Z, RCK60-F36, RC60-21B, RC60-24B, RC60-71B, RC60-F19, RC60-FZ21, F3690 RCK60- 24B, RCK60-27B. Requires 3 Blades | Length 520mm Hole 29mm Width 65mm Thick 6mm Step 10mm  Use BRA-K6845 Bolt & BRA-K6846 Washer |
| BR-09078 Replaces OEM K5955-34360 | Fits Kubota 60" Deck ZD1200 Decks Requires 3 Blades | Length 520mm Hole 34mm Width 65mm Thick 7mm Step 14mm  |
| BR-01588 Replaces OEM 70722-34330, 70000-25006, | Fits Kubota, 60" Deck RC60-71H, RC60-72A, 72H, 82H, 20. Flat Blade Right Hand cut Requires 3 blades per set. | Length 517mm Hole 18mm Width 50mm Thick 6mm Step N/A  |
| BR-06020 Replaces OEM 76543-99050, 70000- 25008, 70722-34350 K5371-99040, K5371-34330 | Fits Kubota 60" Deck Stepped & Fluted, F2100, B7510, BX2660, F2400, BX22, BX1830, G2160, G2460G, RC60-92H, 20, F20, F24, Bx24, Bx25, Bx2380, Bx2350, Bx2360. Bx2380, BX24D, BX25 Right Hand cut Requires 3 blades per set. | Length 520mm Hole 23mm Width 65mm Thick 6mm Step 10mm  |
| BR-06676 Replaces OEM 76529-34330, K5764- 34342, 76539-34372, 76550-34350, K5613-34340, | Fits 54" Deck Zd331, ZD321, RC54-G20, RC54-B, RC54-F19, FZ21, ZD18, G1900. Z421, Z422KW Stepped & Fluted, Right Hand cut Requires 3 blades per set. | Length 473mm Hole 29mm Width 65mm Thick 6mm Step 10mm  |
| BR-06676-23 Replaces OEM K5351-34330, K5351-34342 | Fits 54" Deck Bx2230, BX23, G2160, G2460, BX22, BX2700, RCK54-22BX, Bx1800. Stepped & Fluted, Right Hand cut Requires 3 blades per set. | Length 475mm Hole 23mm Width 65mm Thick 6mm Step 10mm  |
| BR-08940 Replaces OEM K5619-34350 K5935-34360 K5351-99040 | Fits Kubota 54" Deck RCK54P-227Z etc. ZD221, ZG223, ZG227, Zd1011, ZD321N, RCK54P-321Z etc Stepped Blade Right Hand cut Requires 3 blades per set. Use BRA-09120 Bolt & BRA-09119 Washer | Length 473mm Hole 23mm Width 65mm Thick 6mm Step 10mm  |
| BR-09012 Replaces OEM K5617-34330, K5617-97530 | 54" Deck Zg127, Z125, Z251BR, Z251KH, RCK54-23ZG, RCK54P-127ZA, Z100 series Stepped & Fluted, Right Hand cut Requires 3 blades per set. | Length 473mm Hole 18mm Width 65mm Thick 6mm Step 10mm  |
| BR-01132 Replaces OEM 76500-34330, 70722-343374 | 48" Deck RC48G, RC48-62A, 62H, G20 Stepped & Fluted, Right Hand cut Requires 3 blades per set. | Length 420mm Hole 18mm Width 50mm Thick 5mm Step 22mm  |
| BR-06673 Replaces OEM 76505-34330, 70722- 34374, 70000-25005, K5182-71820 | 48" Deck TG1860, G1800, G1900, BX2350, RC48G, RC48-62G, 62H Stepped & Fluted Blade Right Hand cut Requires 3 blades per set | Length 420mm Hole 18mm Width 50mm Thick 5mm Step 8mm  |

| | | |
|---|--|--|
| BR-09312 Replaces OEM K5575-34330, K5575-97530, K5579-92330, K5579-92332 | 48" Deck. G6 Gator 392-047 Stepped & Mulch Blade. Requires 3 Per Set. TG1860, G1800, G1900, BX2350, RC48G, RC48-62G, 62H, RCK48-20ZG, RCK48GR, RCK48P-124Z, RCK48P18BX, RCK48S-222Z, RCK48S-222Z (ZG20), Zg2048, <i>(Blade is Oregon Gator, not ASP Boron)</i> | Length 420mm Hole 18mm Width 75mm Thick 6mm Step 12mm  |
| BR-09259 Replaces OEM K5583-34340 | 48" Deck Stepped & Fluted Hi Lift Blade Right Hand cut Z411, Z723, RCK48P-400Z, RCK48p-723Z, Z412 Requires 3 blades per set | Length 422mm Hole 29mm Width 65mm Thick 7mm Step 17mm  |
| BR-08890 Replaces OEM K5576-34350 K5184-97532 | 48" Deck Hi Lift ZG222, ZD221, Pro Deck, RCK48P-222Z, Gr2110, Gr2120 (RCK48GR - CHECK HOLE SIZE) Stepped & Hi Lift Blade Right Hand cut Requires 3 blades per set Use BRA-09120 Bolt & BRA-09119 Washer | Length 422mm Hole 23mm Width 65mm Thick 7mm Step 17mm  |
| BR-09311 Replaces OEM K5184-97532, K5576-34340, K5576-34350, K5576-97530, K5915-34360, K5915-97530 | 48" Deck. G5 Gator 592-124 Stepped & Mulch Blade. Requires 3 Per Set. ZG222, ZD221, Pro Deck, RCK48P-222Z <i>(Blade is Oregon Gator, not ASP Boron)</i> | Length 422mm Hole 23mm Width 75mm Thick 6mm Step 16mm  |
| BR-09115 Replaces OEM K5575-34330, K5182-71840, K5575-97530, K5579-34350 | 48" Deck Z100 series, T2290, Zg2048 etc (RCK48-GR CHECK HOLE SIZE), RCK48-20ZG, RCK48-18BX, RCK48-222Z, RCK48P-124Z, Z231BR & KH, Z122 & Z123 Stepped & Fluted Blade Right Hand cut Requires 3 blades per set | Length 422mm Hole 18mm Width 65mm Thick 7mm Step 17mm  |
| BR-01133 Replaces OEM K5142-71820, 70712-34330 | Fits Kubota 44" Deck , RC44G, RCK44LT Stepped & Fluted Blade Right Hand cut Requires 3 blades per set. | Length 385mm Hole 18mm Width 50mm Thick 5mm Step 10mm  |
| BR-09230 Replaces OEM K5559-3433 K5700-34375 Bolt K5112-71333 Washer | 42" Deck Z122R, Z231KW, RCK42P-122Z Stepped & Fluted Blade Right Hand cut Requires 2 blades per set | Length 546mm Hole 18mm Width 65mm Thick 6mm Step 11mm  |
| BR-01560 Replaces OEM 70000-25010, K5112-71920 K5111-71940 | Fits Kubota 40 Deck RC40LT, T1400H, T1460, T1560, T1700H Stepped & Fluted Blade Right Hand cut Requires 2 per set. | Length 517mm Hole 18mm Width 65mm Thick 6mm Step 10mm  |
| BRA-K6845 & BRA-K6846 | BRA-K6845 Bolt suit some Blades with 29mm hole Replaces OEM 76539-34372, K5651-34372, K5651-34370 BRA-K6846 Washer suit various Replaces OEM 76550-34350 & K5651-34350, K5651-34352 |  |
| BRA-09120 & BRA-09119 | BRA-09120 Bolt suit some Blades Replaces OEM K5371-34372 BRA-09119 Washer suit various Replaces OEM K5371-34352 |  |

| Part Number | | Description | |  | |
|---------------------------------------|---|--|---|---|--|
| BR-07162A | 72" Deck Zt29, ZT33 Stepped & Fluted Blade RH cut Requires 3 per set | Length Hole Width Thick Step | 628mm 20mm 60mm 7mm 15mm |  | |
| BR-0525A Replaces OEM 3606888MZ | 60" Deck ZT29, ZT33 Stepped & Fluted Blade RH cut Requires 3 per set | Length Hole Width Thick Step | 527mm 20mm 60mm 7mm 15mm |  | |
| BR-08963 Replaces OEM | 50" Deck. ZTR Stepped & Fluted. Right Hand cut. Requires 3 blades per set (Replaces the OEM 6 point star hole) | Length Hole Width Thick Step | 452mm Suits the 6Pt Star 65mm 5mm 24mm |  BoronBlue™ Mulcher Blades | |
| BR-115227A Replaces OEM | 42" Deck MF42-20SD Mulcher Blade & Side Discharge Right Hand cut Requires 2 per set. (Replaces the OEM 6 point star hole) | Length Hole Width Thick Step | 539mm Suits the 6Pt star 70mm 4mm N/A |  | |
| BR-115225A Replaces OEM | 38" Deck MF38-15SD Mulcher Blade & Side Discharge Right Hand cut Requires 2 per set. (Replaces the OEM 6 point star hole) | Length Hole Width Thick Step | 491mm Suits the 6Pt star 70mm 4mm N/A |  | |
| Part Number | | Description | |  | |
| BR-09332 Replaces OEM | 60" Deck ECOTEQ / MEAN GREEN RIVAL Side Discharge, Right Hand cut. Requires 3 USE WITH: BRA-09337 FLAT WASHER BRA-09338 SPRING WASHER BRA-09336 BOLT | Length Hole Width Thick Step | 524mm 2 X 9.5mm & 12mm elongated Centre Hole 50mm 5mm N/A |  | |

LOOKING FOR BLADES TO SUIT YOUR ELECTRIC MOWER?

Talk to one of our sales team today!

Free Call 1800 253 229 or email sales@asproducts.com.au

| MTD | |  | |
|---|--|--|---|
| Part Number | Description | | |
| BR-08963 Replaces OEM 742-04053A, 942-04053B | 50" Deck. 2004 on Deep Deck Stepped & Fluted. Right Hand cut. Requires 3 blades per set <i>(Replaces the OEM 6 point star hole)</i> | Length 452mm Hole Suits the 6Pt Star Width 65mm Thick 5mm Step 24mm |  |
| BR-115227A Replaces OEM 742-0616, 942-0616, 942-04312 | 42" Deck Mulcher Blade & Side Discharge Right Hand cut Requires 2 per set. <i>(Replaces the OEM 6 point star hole)</i> | Length 539mm Hole Suits the 6Pt star Width 70mm Thick 4mm Step N/A |  |
| BR-115225A Replaces OEM 742-0610, 942-0610 | 38" Deck Mulcher Blade & Side Discharge Right Hand cut Requires 2 per set. <i>(Replaces the OEM 6 point star hole)</i> | Length 491mm Hole Suits the 6Pt star Width 70mm Thick 4mm Step N/A |  |
| NEW HOLLAND | |  | |
| Part Number | Description | | |
| BR-07473 | 72" Deck Flat Fluted Right Hand cut Requires 3 blades per set Replaces OEM: AUB163380, 163442 | Length 632mm Hole 23mm Width 65mm Thick 8mm Step N/A |  |
| BR-09019 Replaces OEM AUB163380, 163442 - has a 20mm step the BR-09019 is 10mm | 72" Deck Stepped Mulcher Right Hand cut Requires 3 blades per set | Length 632mm Hole 23mm Width 60mm Thick 8mm Step 10mm |  |
| BR-07473S Replaces OEM AUB163380, 163442 - has a 20mm step the BR-07473S is 10mm | 72" Deck Stepped & Fluted Right Hand cut Requires 3 blades per set | Length 632mm Hole 23mm Width 60mm Thick 8mm Step 10mm |  |
| BR-01588 Replaces OEM 162836 | 60" Deck Flat Fluted Right Hand cut Requires 3 blades per set | Length 517mm Hole 18mm Width 50mm Thick 6mm Step N/A |  |
| BR-01560 Replaces OEM 162122, 914, 914A | 60" Deck Fm60, CM224, CM274 Stepped & Fluted RH cut Requires 3 blades per set "Early Deck" | Length 517mm Hole 18mm Width 65mm Thick 6mm Step 10mm |  |

Part Number

NEW HOLLAND Continued

| | | |
|--|---|---|
| BR-06020 Replaces OEM 162122, 914, 914A | 60" Deck Fm60, CM224, CM274 Stepped & Fluted Right Hand cut Requires 3 blades per set. "Late Deck" | Length 517mm Hole 23mm Width 65mm Thick 6mm Step 10mm  |
| BR-06677 Replaces OEM SBA645310330 | 60" deck, 230GM, TZ25DA Stepped & Fluted Right Hand cut Requires 3 blades per set | Length 520mm Hole 29mm Width 65mm Thick 7mm Step 14mm  |
| BR-09020 Replaces OEM | Mulch blade alternative to BR-06677 Requires 3 Blades | Length 520mm Hole 29mm Width 65mm Thick 7mm Step 14mm  |
| Part Number | SCAG Description |  |
| BR-08207 Replaces OEM 481709, 48112, 48113 | 72" Deck Flat & Fluted Blade Right Hand cut Requires 3 blades per set. | Length 621mm Hole 16mm Width 65mm Thick 8mm Step N/A  |
| BR-08311 Replaces OEM 482879, 48111, 481708, | 61" Deck Stepped & Fluted Blade Right Hand cut Requires 3 blades per set. | Length 536mm Hole 16mm Width 65mm Thick 6mm Step 6mm  |
| BR-D18037 Replaces OEM 48108, 481707, 482462, 483317 36" Deck | 52" and 36" Decks Flat & Fluted Blade Right Hand cut Requires 3 per set for 52" and 2 per set for 36" | Length 457mm Hole 16mm Width 65mm Thick 5mm Step N/A  |
| BR-08891 Replaces OEM 48108, 481707, 482462 483317 36" Deck | 52" and 36" Decks Razorback Mulcher Blade Right Hand cut Requires 3 per set for 52" and 2 per set for 36" | Length 457mm Hole 16mm Width 65mm Thick 5mm Step 4mm  |
| BR-08407 Replaces OEM 48110, 48084, 481706 | 48" and 32" Decks Stepped & Fluted Blade Right Hand cut Requires 3 per set for 48" and 2 per set for 32" | Length 418mm Hole 16mm Width 65mm Thick 6mm Step N/A  |

ALL BLADES ARE SOLD AS SINGLES (INDIVIDUALLY) PLEASE ORDER THE QUANTITY REQUIRED TO MAKE UP A SET.

OEM Reference numbers are used for identification only, we also encourage you to check blade dimensions prior to ordering.

ASP blades are not sold as genuine.

| SHIBAURA | |  | |
|---|---|--|--|
| Part Number | Description | | |
| BR-07129 Replaces OEM | 72" Deck Stepped & Fluted Blade Right Hand cut Requires 3 Blades per set. | Length Hole Width Thick Step | 620mm 23mm 60mm 7mm 12mm  |
| BR-06677 Replaces OEM SBA645310221 | 60" Deck TMM60Y, ST321, ST325 Flat & Fluted Blade Right Hand cut Requires 3 Blades per set. | Length Hole Width Thick Step | 520mm 29mm 65mm 7mm 14mm  |
| BR-01588 Replaces OEM | 60" Deck SX24 Stepped & Fluted Blade Right Hand cut Requires 3 Blades per set. | Length Hole Width Thick Step | 517mm 18mm 50mm 6mm N/A  |
| BR-06676 Replaces OEM | 54" Deck SX21 Stepped & Fluted Blade Right Hand cut Requires 3 Blades per set. | Length Hole Width Thick Step | 473mm 29mm 65mm 6mm 10mm  |
| SUPERIOR | | | |
| Part Number | Description | | |
| BR-07503 Replaces OEM S1611, S3690 | 12' Trimdeck Contractor Stepped & Fluted LH cut Requires 3 per set Use BOLT KIT BRA-08067 (inc. 2 x bolts & nuts) | Length Hole Width Thick Step | 791mm (14mm x 134mm outer holes) 17.5mm 75mm 8mm 20mm  |
| BR-07500 Replaces OEM S1631 | 6' Outfront Stepped & Fluted Blade LH cut Requires 3 per set Use BOLT KIT BRA-08066 (inc. 2 x bolts & nuts) | Length Hole Width Thick Step | 632mm (11mm x 104mm outer holes) 17mm 75mm 8mm 20mm  |
| BR-07502 Replaces OEM S1508 | 5' Trim Deck Stepped & Fluted Blade LH cut Requires 3 per set. Use BOLT KIT BRA-08066 (inc. 2 x bolts & nuts) | Length Hole Width Thick Step | 510mm (10mm x 104mm outer holes) 16mm 65mm 6mm 16mm  |



| Part Number | Description |  |
|---|---|---|
| BR-09282 Replaces OEM 100-5754-03, 104-5183, 105-4089, 105-4089-03, 105-9810, 105-9810-03, 105-9810-05, 107-0235-03, 108-9026-03 | 4700-D, 4500-D & 3500-D WIDE AREA MOWERS. Stepped & Fluted. 30807, 30809, 30849, 30881, 30882 7 blades required Use BRA-09276 Anti Scalp Plate (OEM Ref 72-9361) | Length 685mm Hole 13mm Width 64mm Thick 6mm Step 11mm  COMING SOON |
| BR-09317 Replaces OEM 100-5754-03, 104-5183, 105-4089, 105-4089-03, 105-9810, 105-9810-03, 105-9810-05, 107-0235-03, 108-9026-03 | 4700-D, 4500-D & 3500-D WIDE AREA MOWERS. G3 Gator 96-741 Stepped & Mulch Blade. 30807, 30809, 30849, 30881, 30882 Use BRA-09276 Anti Scalp Plate (OEM Ref 72-9361) <i>(Blade is Oregon Gator, not ASP Boron)</i> | Length 685mm Hole 13mm Width 64mm Thick 6mm Step 11mm  |
| BR-08834 Replaces OEM 110-5946 | Fits Toro 16' Groundsmaster 5900/5910 Stepped & Fluted Blade RH cut Requires 11 per set. Use Blade Bolt BRA-08806, Washer BRA-08809 Use BRA-09278 Anti Scalp Plate | Length 504mm Hole 13mm Width 65mm Thick 6mm Step 15mm  |
| BR-09122 Replaces OEM 110-5948 | MULCH Toro 16' Groundsmaster 5900/5910 Stepped & Fluted Blade RH cut Requires 11 per set. Use Blade Bolt BRA-08806, Washer BRA-08809 Use BRA-09278 Anti Scalp Plate | Length 504mm Hole 13mm Width 65mm Thick 6mm Step 15mm  BoronBlue™ Mulcher Blades |
| BR-09163 Replaces OEM 130-9151 | Fits Toro 16' Groundsmaster NEW model 5900/5910, 31699 Stepped & Fluted Blade RH cut Requires 11 per set. Use BRA-09278 Anti Scalp Plate Use Blade Bolt BRA-08806, Washer BRA-08809 | Length 504mm Hole 13mm Width 65mm Thick 6mm Step 6mm  |
| BR-08695 Replaces OEM 92-5608, 107-0214 BR-08695NF OEM 110-6115-03 | Toro 4000D & 4010 & 62" Decks (3 blades) 4000D & 4010 Model 30410 requires 7 per set. Also 62" Rear Discharge & recycler 7200 / 7210 BR-08695NF is a NO FLUTE OPTION Use BRA-09278 Anti Scalp Plate Use Blade Bolt BRA-08806, Washer BRA-08809 | Length 552mm Hole 13mm Width 65mm Thick 6mm Step 15mm  BR-08695  BR-08695NF |
| BR-09121 Replaces OEM 92-5608, 107-0214 | MULCH blade Fits Toro 132" & 62" DECKS 4000D & 4010 Model 30410 requires 7 per set. Also 62" Rear Discharge 7200 / 7210 & 62" Recycler, requires 3 blades Use BRA-09278 Anti Scalp Plate Use Blade Bolt BRA-08806, Washer BRA-08809 | Length 552mm Hole 13mm Width 65mm Thick 6mm Step 15mm  BoronBlue™ Mulcher Blades |
| BR-09277 Replaces OEM 140-1246 | Fits Toro 96" DECKS 7500-D Model 72098 MULCH blade. Requires 4 per set. (Can use BR-09237 STANDARD Flute option) | Length 621mm Hole 24mm Width 65mm Thick 6mm Step 6mm  BoronBlue™ Mulcher Blades |
| BRA-09278 Replaces OEM 72-9361 | Anti Scalp Plate Suits most Toro Blades with a 13mm Bolt Hole. |  |


| | | |
|---|---|--|
| BR-08207 Replaces OEM 105-7711, 105-7784 | 72" Deck Side Discharge Z Master 74947, 74274, Z550-5970, Z550, Z558, Z589, Z597, 5000, 6000 & 7000 series 74918 & G3 with Holder. High Flow Blade RH cut Requires 3 per set. Flat & Fluted. Use Blade Bolt BRA-08808, Washer BRA-08807 | Length 621mm Hole 16mm Width 64mm Thick 8mm Step N/A  |
| BR-08726 Replaces OEM 105-7784 | 72" Deck Z Master Z550-5970, Z550, Z558, Z589, Z597, G3 Mulcher Blade RH cut requires 3 per set. Use Blade Bolt BRA-08808, Washer BRA-08807 | Length 621mm Hole 16mm Width 64mm Thick 7mm Step 6mm  BoronBlue™ Mulcher Blades |
| BR-08720 Replaces OEM 110-0622, 110-0621 | 72" Deck Side Discharge Groundsmaster 7200 / 7210 Models & GM360, 30360, 30361, 30362, 30363, 30364, 30365. High Lift Heavy Duty Blade Flat, RH cut Requires 3 per set. | Length 620mm Hole 13mm Width 64mm Thick 8mm Step N/A  |
| BR-08727 Replaces OEM 110-0622, 140-4852, 110-0624 | 72" Deck Groundsmaster 7200 / 7210 Models & GM360, 30360, 30361, 3300 30362, 30363, 30364, 30365. Stepped Mulcher Blade RH cut Requires 3 per set. | Length 620mm Hole 13mm Width 64mm Thick 7mm Step 6mm  BoronBlue™ Mulcher Blades |
| BR-09237 Replaces OEM 140-1238 Blade | 72" Deck High Flow Blade RH cut 6000 series 72968, 72947, 7000 series 72274 & 7500D series 72076. requires 3 per set. Flat & Fluted. Use Blade Bolt BRA-08806, Washer BRA-08809 (Can use BR-09277 MULCH option) | Length 620mm Hole 24mm Width 64mm Thick 6mm Step N/A  |
| BR-08515 Replaces OEM 110-0621 | 72" Deck Groundsmaster 3280 & 3320 Side Discharge. Model 3320, 30368 Stepped & Fluted Blade RH cut. Requires 3 per set. Use Blade Bolt BRA-08806, Washer BRA-08809 BRA-09278 Anti-Scalp Plate | Length 618mm Hole 13mm Width 65mm Thick 6mm Step 6mm  |
| BR-06271 Replaces OEM 93-4982, 108-1958, 85-6040 121-5347, 125-9444 | 72" Deck - Rear Discharge Groundsmaster / Z Master, Guardian Recycler, 217D, 220D, 957D, 3320, 3280 Z597 & 7200, Gm360. Use BRA-09278 Anti Scalp Plate Stepped & Fluted Blade RH cut 3 per set Use Bolt BRA-08806, Washer BRA-08809 | Length 639mm Hole 13mm Width 65mm Thick 6mm Step 6mm  |
| BR-06271NF Replaces OEM 112-9586-03 | 72" Deck - Rear Discharge, NO FLUTE Groundsmaster / Z Master, Guardian Recycler, 217D, 220D, 957D, 3320, 3280 Z597 & 7200, Gm360. Stepped & Fluted Blade RH cut 3 per set. Use BRA-09278 Anti Scalp Plate. Use Bolt BRA-08806, Washer BRA-08809 | Length 639mm Hole 13mm Width 65mm Thick 6mm Step 6mm  |
| BR-06251 Replaces OEM 44-6250 | 62" Deck Groundsmaster Z Master 220D, & 228D Side Discharge. Stepped & Fluted Blade RH cut requires 3 per set. Use Bolt BRA-08806, Washer BRA-08809 | Length 545mm Hole 13mm Width 65mm Thick 6mm Step 6mm  |
| BR-08210 Replaces OEM 105-7715, 105-7718, 105-7716, 103-0301, 133-2127, 115-9649 | 60" Deck 74958, 74950, 74955, 74945, 75318TA Z500, 74246-Z557, G3, Z587L, Z588E, Z597 & Z593, Z528, 5000, 6000 & 7000 series 74915 & 74930, Z558 with holder. Titan Zx6050 & Hd2000, 74946 Flat & Fluted R/H cut Requires 3 per set. Use Blade Bolt BRA-08808, Washer BRA-08807 | Length 520mm Hole 16mm Width 63mm Thick 6mm Step N/A  |










| | | |
|---|---|---|
| BR-08910 Replaces OEM 105-7715, 105-7718, 105-7716, 103-0301, 105-7777, 105-8777 | 60" Deck Mulcher Z500, 74246-Z557, G3, Z587L, Z588E, Z597 & Z593, Z528, Z558 with holder. Requires 3 per set. Use Blade Bolt BRA-08808, Washer BRA-08807 | Length 520mm Hole 16mm Width 63mm Thick 6mm Step N/A  BoronBlue™ Mulcher Blades |
| BR-08516 Replaces OEM 110-4701 110-4702 High 110-4703 Mulch | 60" Deck Groundsmaster 3280 & 3320, 31970 7200 / 7210 Flat & Fluted Blade RH cut Requires 3 per set | Length 520mm Hole 13mm Width 63mm Thick 6mm Step  |
| BR-09220 Replaces OEM | 60" Deck Mulcher Groundsmaster 3280 & 3320, 7200 / 7210 Flat & Fluted Blade RH cut Requires 3 per set | Length 520mm Hole 13mm Width 63mm Thick 6mm Step N/A  BoronBlue™ Mulcher Blades |
| BR-09235 Replaces OEM 140-1240 Blade 109-9220 Bolt / Washer | 60" Deck Flat & Fluted R/H cut 3000 series 72950, 72936 6000 series 72960, 72967, 72946 7000 series 72267 Use Blade Bolt BRA-08806, Washer BRA-08809 Requires 3 per set | Length 520mm Hole 24mm Width 63mm Thick 6mm Step N/A  |
| BR-09240 Replaces OEM 140-1241 Blade 109-9220 Bolt / Washer | 60" Deck REAR DISCHARGE, Right Hand cut - requires 2 & 1 x BR-09241 Left hand 5000 series 72943 7500D 72028 Use Blade Bolt BRA-08806, Washer BRA-08809 | Length 520mm Hole 24mm Width 63mm Thick 6mm Step N/A  BoronBlue™ Mulcher Blades |
| BR-09241 Replaces OEM 140-1244 109-9220 Bolt / Washer | 60" Deck REAR DISCHARGE Deck Flat & Fluted Blade Left Hand cut , use with 2 x BR-09240 blades. 7500, 72028 BRA-08806 Blade Bolt BRA-08809 Washer | Length 520mm Hole 24mm Width 65mm Thick 6mm Step N/A  |
| BR-09242 Replaces OEM 115-9650 Blade 115-2454 | 54" Deck Side Discharge Time Cutter & Titan, 75212, 75312TA, 74740, 75317TA Flat & Fluted RH cut Requires 3 blades per set | Length 475mm Hole 16mm Width 65mm Thick 5mm Step N/A  |
| BR-09299 Replaces OEM 539112078, 573953001, 577146101 | 54" Decks Flat Blade. G3 Gator 96-803 Time Cutter & Titan, 75212, 75312TA Flat & Fluted RH cut <i>(Blade is Oregon Gator, not ASP Boron)</i> | Length 475mm Hole 16mm Width 65mm Thick 5mm Step N/A  |
| BR-562390 Replaces OEM 56-2390, 27-0990 | 52" & 36" Decks Groundsmaster Z153, Z149 & Walk Behinds. Flat & Fluted Blade RH cut Requires 3 per set for 52", 2 per set for 36". | Length 456mm Hole 13mm Width 65mm Thick 5mm Step N/A  |
| BR-09234 Replaces OEM 140-1242 Blade 109-9220 Bolt / Washer 109-6873 | 52" Deck - 3000 & 7000, 72949 & 72266 Flat & Fluted Blade RH cut Requires 3 per set, Use Blade Bolt BRA-08806, Washer BRA-08809 | Length 457mm Hole 24mm Width 63mm Thick 6mm Step N/A  |


| Part Number | | TORO Continued | |
|---|---|--|---|
| BR-09245 Replaces OEM 140-4859 Blade 109-9220 Bolt / Washer | 52" Deck - 3000 & 7000, 72949 & 72266 Flat & Fluted Blade RH cut Requires 3 per set, Use Blade Bolt BRA-08806, Washer BRA-08809 | Length 457mm Hole 24mm Width 63mm Thick 6mm Step N/A |  BoronBlue™ Mulcher Blades |
| BR-D18037 Replaces OEM 106-2174, 105-7781, 55-4210, 40-3760, 108-1117, 105- 7779, 133-2134 | 52" Deck - Time Cutter 74806, 74906, 74955, ZX525, Z593D 453 Model & GM117. 74505, 74466, 74906, 74949, 3000 & 5000 & Titan Flat & Fluted Blade RH cut Requires 3 per set & 2 for 36" GRANDSTAND Use BRA-08938 Bolt & BRA-08807 washer | Length 457mm Hole 16mm Width 65mm Thick 5mm Step N/A |  |
| BR-08891 Replaces OEM 106-2174, 105-7781, 105-7779, 110-0409 | 52" Deck Time Cutter 74806, ZX525, TITAN Z593D 453 Model & Gm117. 2 for 36" GRANDSTAND Mulcher Blade RH cut Requires 3 per set, Use BRA-08938 Bolt & BRA-08807 washer | Length 457mm Hole 16mm Width 63mm Thick 6mm Step N/A |  BoronBlue™ Mulcher Blades |
| BR-08980 Replaces OEM 110-6837 115-5059 140-5134 | 50" Deck, 3 Blades & 34" Deck, 2 Blades MX5050 & MX 3450 Timecutter Z5000 SERIES 74370 & 75730TA Flat & Fluted Blade RH cut | Length 445mm Hole 16mm Width 60mm Thick 6mm Step 3mm |  |
| BR-09233 Replaces OEM 140-1243 Blade 109-9220 Bolt / Washer | 48" Deck 3000 series, 72952. 4000, 74000 & Grandstand, 74000TA Flat & Fluted Blade RH cut Requires 3 per set. Use Blade Bolt BRA-08806, Washer BRA-08809 | Length 418mm Hole 24mm Width 63mm Thick 6mm Step N/A |  |
| BR-09246 Replaces OEM 140-1243 Blade 109-9220 Bolt / Washer | 48" Deck Mulch 3000 series, 72952. 4000, 74000 & Grandstand, 74000TA Flat Mulch Blade RH cut Requires 3 per set. Use Blade Bolt BRA-08806, Washer BRA-08809 | Length 418mm Hole 24mm Width 63mm Thick 6mm Step N/A |  |
| BR-08407 Replaces OEM 107-3192, 107-3193 107-3194, 133-2137, 117-7277 | 48" Deck Titan HD 2000 series, Z master etc 74412-Z400, & 74417 Z450, 3000, 77280 G3 Z Master. ZX4820, Zx4800 Flat & Fluted Blade RH cut Requires 3 per set. Use Blade Bolt BRA-08808, Washer BRA-08807 | Length 418mm Hole 16mm Width 63mm Thick 6mm Step N/A |  |
| BR-08895 Replaces OEM 107-3192, 107-3193 107-3194 | 48" Deck 74412-Z400, & 74417 Z450, Zx4800 & ZX4820, 3000, G3 Z Master Mulcher Blade Requires 3 per set. Use Blade Bolt BRA-08808, Washer BRA-08807 | Length 418mm Hole 16mm Width 63mm Thick 6mm Step N/A |  BoronBlue™ Mulcher Blades |

Don't forget your
Trimmer Line!

See page 82 for
details



| | | |
|--|--|---|
| BR-08546 LH Replaces OEM 130-2861 BR-08547 RH Replaces OEM 130.2862 | 48" Deck 8000 Series & Navigator Stepped & Fluted Require: 1 x BR-08546 & 1 x BR-08547 For Catcher | Length 640mm (7.5mm holes @ 76mm centres) Hole 23mm Width 60mm Thick 5mm Step 20mm  |
| BR-08463 Replaces OEM 106-2247, 106-8744 131-3939-03 (High Lift) | 42" Deck Mx4260, Z4220, Time Cutter 74403-Z420, 74403-16-42Z, Z4200 Flat & Fluted Blade RH cut Requires 2 per set | Length 548mm Hole 16mm Width 60mm Thick 5mm Step 12mm  |
| BR-08504 LH Replaces OEM 130-2860 BR-08505 RH Replaces OEM 130-2859 | 42" Deck 8000 Series & Navigator Stepped & Fluted Require: 1 x BR-08504 & 1 x BR-08505 For Catcher | Length 560mm (7.5mm holes @ 76mm centres) Hole 23mm Width 60mm Thick 5mm Step 20mm  |
| BR-09297 Replaces OEM 116-6358-03 | 30" Deck TimeMaster 20199 , 20200 , 2014 30" cut TurfMaster Walk Behind Mowers Step Mulch Blade RH cut Requires 2 per set | Length 389mm Centre Hole 16mm (2 x Outer Holes 7.5mm) Width 64mm Thick 4mm Step 11mm  |
| | | |
| Part Number | VENTRAC Description |  |
| BR-09015 Replaces OEM 79.0048 | Suits Ventrac Mower Tough Cut Flat, Double edge blade LH & RH cut | Length 584mm Hole 13mm Width 65mm Thick 8mm Step N/A  |
| Part Number | WALKER Description |  |
| BR-08222 LH Replaces OEM 7705-2 BR-08223 RH Replaces OEM 7705-1 | 48" Deck 08222 LEFT Hand & 08223 RIGHT Hand, Stepped & Fluted LH cut Require: 1 x BR-08223 & 1 x BR-08222 For GHS Use BRA-08239 Shear bolt & BRA-08240 nut | Length 640mm (5.5mm holes @ 76mm centres) Hole 16mm Width 60mm Thick 5mm Step 20mm  |
| BR-355032 LH Replaces OEM 5705-4 BR-355024 RH Replaces OEM 5705-3 | 42" Deck 355032 LEFT Hand & 355024 RIGHT Hand, Stepped & Fluted LH cut Require 1 x BR-355032 & 1 x BR-355024 for GHS Use BRA-08239 Shear bolt & BRA-08240 nut | Length 560mm (5.5mm holes @ 76mm centres) Hole 16mm Width 60mm Thick 5mm Step 20mm  |



LENGTH IS
MEASURED
TIP TO TIP



| LENGTH | HOLE | STEP | WIDTH | THICK | PART NUMBER |
|--------|----------|------|-------|-------|-------------|
| 372 | 5PT STAR | 0 | 65 | 5 | BR-08957 |
| 379 | 18 | 0 | 63 | 5 | BR-09303 |
| 385 | 18 | 10 | 50 | 5 | BR-01133 |
| 389 | 16 | 11 | 64 | 4 | BR-09297 |
| 397 | 16 | 0 | 70 | 5 | BR-09307 |
| 412 | 5PT STAR | 0 | 65 | 5 | BR-08956 |
| 413 | 16 | 0 | 75 | 6 | BR-09304 |
| 418 | 16 | 0 | 65 | 6 | BR-08407 |
| 418 | 16 | 0 | 65 | 7 | BR-08895 |
| 420 | 18 | 22 | 50 | 5 | BR-01132 |
| 420 | 18 | 10 | 65 | 6 | BR-09312 |
| 422 | 29 | 17 | 65 | 7 | BR-09259 |
| 422 | 23 | 16 | 75 | 6 | BR-09311 |
| 422 | 18 | 17 | 65 | 7 | BR-09115 |
| 422 | 18 | 8 | 65 | 5 | BR-06673 |
| 422 | 23 | 17 | 65 | 7 | BR-08890 |
| 424 | 5PT STAR | 0 | 64 | 5 | BR-09319 |
| 430 | 21 | 7 | 65 | 5 | BR-127500 |
| 430 | 23 | 17 | 65 | 6 | BR-08701 |
| 432 | 7PT STAR | 6 | 63 | 5 | BR-09298 |
| 432 | 19 | 11 | 75 | 6 | BR-09313 |
| 452 | 6PT STAR | 24 | 65 | 5 | BR-08963 |
| 445 | 16 | 3 | 60 | 6 | BR-08980 |
| 451 | 5PT STAR | 0 | 75 | 4 | BR-09306 |
| 456 | 13 | 0 | 65 | 5 | BR-562390 |
| 457 | 16 | 0 | 65 | 5 | BR-D18037 |
| 457 | 16 | 0 | 65 | 6 | BR-08891 |
| 457 | 24 | 0 | 63 | 6 | BR-09234 |
| 469 | 5PT STAR | 12 | 64 | 5 | BR-09302 |
| 470 | 16 | 0 | 65 | 6 | BR-08951 |
| 470 | 23 | 10 | 65 | 6 | BR-08940 |
| 472 | 29 | 10 | 65 | 6 | BR-06676 |
| 473 | 21 | 7 | 65 | 5 | BR-330365 |
| 473 | 23 | 10 | 65 | 6 | BR-06676-23 |
| 473 | 18 | 10 | 65 | 6 | BR-09012 |
| 475 | 16 | 0 | 65 | 5 | BR-09242 |
| 480 | 20 | 10 | 65 | 6 | BR-08962 |
| 480 | 13 | 6 | 65 | 6 | BR-08552 |
| 481 | 20 | 12 | 75 | 6 | BR-09309 |
| 483 | 23 | 7 | 65 | 5 | BR-08470 |
| 483 | 23 | 10 | 75 | 6 | BR-09310 |
| 483 | 19 | 15 | 75 | 5 | BR-09314 |
| 489 | 5PT STAR | 0 | 65 | 5 | BR-08957 |
| 494 | 18 | 7 | 75 | 5 | BR-330397 |
| 494 | 18 | 7 | 65 | 5 | BR-330290 |
| 495 | 18 | 10 | 75 | 6 | BR-09308 |
| 504 | 13 | 15 | 65 | 6 | BR-08834 |
| 504 | 13 | 6 | 65 | 6 | BR-09163 |
| 510 | 16 | 16 | 65 | 6 | BR-07502 |
| 517 | 18 | 0 | 50 | 6 | BR-01588 |
| 517 | 23 | 7 | 65 | 6 | BR-06020 |
| 517 | 18 | 10 | 65 | 6 | BR-01560 |
| 518 | 13 | 6 | 65 | 6 | BR-08516 |
| 520 | 16 | 0 | 65 | 6 | BR-08952 |
| 520 | 16 | 0 | 65 | 7 | BR-08910 |
| 520 | 34 | 14 | 65 | 7 | BR-09078 |

| LENGTH | HOLE | STEP | WIDTH | THICK | PART NUMBER |
|--------|----------|------|-------|-------|-------------|
| 520 | 29 | 14 | 65 | 7 | BR-06577 |
| 520 | 16 | 0 | 63 | 6 | BR-08210 |
| 520 | 24 | 0 | 63 | 6 | BR-09235 |
| 521 | 23 | 0 | 65 | 6 | BR-06253 |
| 527 | 20 | 15 | 60 | 7 | BR-0525A |
| 532 | 16 | 6 | 65 | 6 | BR-D18036 |
| 533 | 19 | 13 | 75 | 5 | BR-09315 |
| 533 | 5PT STAR | 0 | 75 | 4 | BR-09300 |
| 533 | 23 | 10 | 65 | 8 | BR-128485 |
| 535 | 5PT STAR | 0 | 57 | 4 | BR-08224 |
| 536 | 16 | 6 | 65 | 6 | BR-08311 |
| 539 | 6PT STAR | 0 | 70 | 4 | BR-115227A |
| 543 | 20 | 0 | 65 | 4.5 | BR-09183 |
| 543 | 7PT STAR | 0 | 65 | 4 | BR-08756 |
| 545 | 17 | 0 | 65 | 5 | BR-20249 |
| 546 | 18 | 11 | 65 | 6 | BR-09230 |
| 548 | 16 | 0 | 60 | 5 | BR-08463 |
| 550 | 13 | 15 | 65 | 6 | BR-08695 |
| 550 | 13 | 15 | 65 | 6 | BR-08695NF |
| 555 | 23 | 8 | 65 | 8 | BR-08560 |
| 560 | 23 | 20 | 60 | 6 | BR-08546 |
| 560 | 23 | 20 | 60 | 6 | BR-08547 |
| 560 | 16 | 20 | 60 | 5 | BR-355024 |
| 560 | 16 | 20 | 60 | 5 | BR-355032 |
| 581 | 5PT STAR | 8 | 70 | 4 | BR-09301 |
| 606 | 16 | 0 | 65 | 6 | BR-08954 |
| 618 | 13 | 6 | 65 | 6 | BR-08515 |
| 620 | 24 | 0 | 64 | 6 | BR-09237 |
| 621 | 24 | 6 | 65 | 6 | BR-09277 |
| 620 | 13 | 0 | 63 | 8 | BR-08720 |
| 620 | 13 | 10 | 65 | 6 | BR-08727 |
| 620 | 23 | 12 | 60 | 7 | BR-07129 |
| 621 | 16 | 10 | 65 | 6 | BR-08726 |
| 621 | 16 | 0 | 65 | 8 | BR-08207 |
| 621 | 16 | 10 | 65 | 6 | BR-08726 |
| 622 | 34 | 14 | 65 | 7 | BR-09077 |
| 622 | 29 | 15 | 75 | 7 | BR-08826 |
| 622 | 29 | 14 | 65 | 7 | BR-07462 |
| 622 | 29 | 14 | 65 | 7 | BR-08703 |
| 622 | 34 | 15 | 75 | 7 | BR-09085 |
| 628 | 20 | 15 | 60 | 7 | BR-07162A |
| 630 | 16 | 6 | 65 | 6 | BR-08217 |
| 630 | 23 | 10 | 60 | 8 | BR-07473S |
| 632 | 23 | 0 | 65 | 8 | BR-07473 |
| 632 | 17 | 20 | 75 | 8 | BR-07500 |
| 634 | 23 | 15 | 75 | 7 | BR-08772 |
| 634 | 23 | 7 | 65 | 8 | BR-08466 |
| 639 | 13 | 6 | 65 | 7 | BR-06271 |
| 639 | 13 | 6 | 65 | 6 | BR-06271NF |
| 640 | 23 | 23 | 60 | 6 | BR-08504 |
| 640 | 23 | 23 | 60 | 6 | BR-08505 |
| 640 | 16 | 23 | 60 | 6 | BR-08222 |
| 640 | 16 | 23 | 60 | 6 | BR-08223 |
| 685 | 13 | 11 | 64 | 6 | BR-09317 |
| 791 | 17.5 | 20 | 75 | 8 | BR-07503 |

EDGER BLADES

| Part Number | Description | |
|---|---|---|
| BM-802310 | Edger blade. OEM Ref L129 Suits Little Wonder, Kawasaki, MTD, Masport, Toro etc. Blades are 250mm long, 45mm wide, 3mm thick and have a 13mm hole. |  |
| BM-802720 | Edger blade. OEM Ref ME63222G Suits Victa etc. Blades are 250mm long, 50mm wide, 3mm thick and have a 16mm hole. |  |
| BM-09137 | Edger blade. Suits Various. Blades are 300mm long, 50mm wide, 3mm thick and have a 16mm hole. |  |
| BM-08908 | Edger blade. Stihl OEM 41337134102 Suits Ryobi, Shindaiwa, Stihl & Husq. Combi ECA850 & ESA850 Blades are 195mm long, 50mm wide, 3mm thick and have a 25mm hole. |  |
| BM-08565 | Edger blade to fit select professional edgers. Ref 43105 One piece heavy duty steel blade. 2.5mm thick steel 265mm long x 13mm hole x 45mm wide |  |
| BM-08326 | Edger blade to fit select professional edgers. Ref 43105 One piece extra heavy duty BORON steel blade. 3mm thick steel 265mm long x 13mm hole x 45mm wide | |
| <p>ASP edger blades are not sold as genuine. Any reference to OEM brands or part numbers are for description purposes & reference only. As with any aftermarket part please consult your warranty prior to use.</p> | | |
|  | |   |
| ASP-1069 | Gyrals Edger Disc. OEM Ref T1679 Disc's are 13" diameter, 52mm round centre hole with 5 X 7mm radial holes at 94mm PCD. 27mm Dish Depth. BORON steel. | |

LIGHTNING TRIMMER LINE

Professional Grade trimmer line for ultimate performance & durability!

ASP heavy duty 'Lightning Line' is the perfect choice for commercial operators, offering resistance to fraying, welding & breakage. Delivering efficient cuts at affordable pricing.



Available in 1lb, 3lb & 5lb rolls
2.4mm, 2.7mm, 3.0mm, 3.3mm &
4.0mm

Made in the USA



ROUND

| | | | |
|--------|-------|-----|--------|
| BM-826 | 2.0mm | 1lb | 90mtr |
| BM-813 | 2.4mm | 1lb | 80mtr |
| BM-814 | 2.7mm | 1lb | 70mtr |
| BM-815 | 3.0mm | 1lb | 54mtr |
| BM-816 | 2.4mm | 3lb | 256mtr |
| BM-817 | 2.7mm | 3lb | 210mtr |
| BM-818 | 3.0mm | 3lb | 163mtr |
| BM-819 | 2.4mm | 5lb | 427mtr |
| BM-820 | 2.7mm | 5lb | 350mtr |
| BM-821 | 3.0mm | 5lb | 272mtr |
| BM-822 | 3.3mm | 5lb | 269mtr |
| BM-860 | 4.0mm | 5lb | 150mtr |



DIAMOND

| | | | |
|--------|-------|-----|--------|
| BM-834 | 2.4mm | 1lb | 70mtr |
| BM-835 | 2.7mm | 1lb | 66mtr |
| BM-836 | 3.0mm | 1lb | 54mtr |
| BM-837 | 2.4mm | 3lb | 241mtr |
| BM-838 | 2.7mm | 3lb | 198mtr |
| BM-839 | 3.0mm | 3lb | 163mtr |
| BM-840 | 2.4mm | 5lb | 401mtr |
| BM-841 | 2.7mm | 5lb | 329mtr |
| BM-842 | 3.0mm | 5lb | 273mtr |
| BM-843 | 3.3mm | 5lb | 240mtr |
| BM-862 | 4.0mm | 5lb | 140mtr |

www.asproducts.com.au

F-ONE SERIES BUMP FEED HEADS

Made in Italy - Professional Grade


✓ INNOVATIVE "LINE SHIELDER"

Stops the line from breaking at the eyelets, therefore preventing it from going back inside the head, assuring a continuous job without interruption.




✓ RC SYSTEM: EASY RETOOLING

Simply line up the arrow with the eyelet, then thread the line through the head, making sure that both lengths are equal on either side. Just by twisting the head the line is wound onto the spool. It's very easy, no need to take the head apart!



LINE NEVER BREAKS AT THE EYELET!



PART NUMBER THREAD SIZE

F-ONE 396 (4 INCH) HEADS

| | |
|----------|------------|
| BM-08897 | 8X1.25MLH |
| BM-08898 | 10X1.25MLH |
| BM-08899 | 8X1.25FLH |
| BM-08900 | 10X1.00FLH |
| BM-08901 | 10X1.25FLH |
| BM-09374 | 12X1.25FLH |
| BM-09375 | 12X1.50FLH |
| BM-09376 | 12X1.75FLH |

| | |
|-----------|---|
| BM-09377 | UNIVERSAL FIT (Fits like a cutting blade) |
| BM-101279 | Replacement Face for above Heads |

F-ONE 596 (4 1/2" INCH) HEADS

| | |
|----------|----------------------------------|
| BM-09378 | 596 SERIES LARGE HEAD 10X1.00FLH |
| BM-09379 | 596 SERIES LARGE HEAD 10X1.25FLH |

Max line size 4.0mm (Round)

UNIVERSAL BUMP FEED HEADS

SPEED FEED 400



BM-08900SF

- Loads in 30 seconds
 - Rugged semi-matic head for medium to h/duty applications
 - Inner wall reduces amount of dirt inside head
 - Large, durable eyelets enhance line life
 - Line tensioning system with split spool reduces vibration
 - Holds 10 feet of .095" line (Max line size 2.7mm)
- Fits: Most straight shaft brushcutters.
Diameter: 4"

Kit Consists of:

- 1 x M10 x 1.25 LHF
- 1 x M10 x 1.00 LHF
- 1 x M8 x 1.25 LHF
- 1 x Stud 8mm x 1.25 LHM
- 1 x Stud 7mm x 1.00 LHM

BM-08900SF-B
REPLACEMENT COVER

SPEED FEED 450



BM-09280SF

- Loads in 30 seconds
 - Rugged semi-matic head for medium to h/duty applications
 - Inner wall reduces amount of dirt inside head
 - Large, durable eyelets enhance line life
 - Line tensioning system with split spool reduces vibration
 - Holds 20 feet of .095" line (Max line size 2.7mm)
- Fits: Most straight shaft brushcutters.
Diameter: 4 1/2", 114.3 mm

Kit Consists of:

- 1 x M10 x 1.25 LHF
- 1 x M10 x 1.25 LHF
- 1 x Stud 8mm x 1.25 LHM
- 1 x Stud 7mm x 1.00 LHM
- 1 x M10 x 1.00 LHF

BM-09280SF-B
REPLACEMENT COVER

TRIMMER HEADS & LITTER TOOLS

BM-08091

Manual Feed Trimmer Head

BM-08091 SEMI-AUTOMATIC TRIMMER HEAD. The BM-08091 represents a new generation of manual heads. (There's no need to loosen the knob to lengthen the line). Made in Italy. Please specify which arbour you require when ordering. (suits Straight Shaft only).

Refer to application list over the page for correct arbour size.



Part

BM-102480
BM-102481
BM-102482
BM-102483
BM-102489
BM-102490
BM-102487

Size

8 x 1.25 FEMALE LEFT HAND (COMES IN HEAD)
10 x 1.00 FEMALE LEFT HAND
10 x 1.00 FEMALE LEFT HAND - (STIHL MODELS)
10 x 1.25 FEMALE LEFT HAND
8 x 1.25 MALE LEFT HAND
10 x 1.25 MALE LEFT HAND
12 x 1.75 FEMALE LEFT HAND



BM-08019

TANAKA STYLE ALLOY TRIMMER HEAD.

The BM-08019 head is a universal multi fit head which mounts the same as you would a cutting blade. 2 outlets. 14mm hole. Ref: CH-100



BM-08027

TANAKA STYLE ALLOY TRIMMER HEAD.

The BM-08027 head is a universal multi fit head which mounts the same as you would a cutting blade. Spool type head with 4 outlets. 25mm hole. Ref: CH-300



33" (84cm) &
40"(100cm) long,
large jaw style Litter Picker.

33" (84cm) Industrial-quality, durable, lightweight, versatile pick-up tool, made with a sturdy aluminum shaft, and high impact plastic handle. Pick up a coin or a 2 litre bottle. Widest Jaw opening on the market.

BM-08848 84cm long
BM-08849 100cm long



32" (80cm) &
40"(100cm) long,
rubber suction style Litter Picker.

Lightweight aluminum shaft, high impact plastic handle, rubber cups that can pick up a coin or a brick. Heavy duty, durable and lightweight.



BM-08462 80cm long
BM-08499 100cm long
BM-08711 Replacement Grip Rubber Cups (sold as a pair)

QUALITY AT COMPETITIVE PRICES!

ASP supply quality wear resistant parts at extremely competitive prices. All our products come with a 3 month Replacement Parts Warranty (refer to inside of back page for conditions) and are backed by a \$20m Product Liability Insurance.

ASP ships Australia wide with fast & reliable freight companies and pass on our excellent freight rates to you. All items are despatched from our Brisbane warehouse and stocked items leave the same day they are ordered (if order is received prior to 2pm).

Call 07 3881 3464 Fax 07 3881 3474 or email sales@asproducts.com.au

ARBOUR APPLICATION CHART

| BRUSHCUTTER MAKE & MODEL | ARBOUR SIZE | | BRUSHCUTTER MAKE & MODEL | ARBOUR SIZE |
|-----------------------------------|-----------------|--|----------------------------------|-----------------|
| CRAFTSMAN (MSAA) | | | HONDA | |
| KAWASAKI 2400, 2410 | 8 x 1.25mm LHF | | UMK422, UMK425, UMK435 | 10x 1.25mm LHF |
| KIORITZ 206F | 8 x 1.25mm LHF | | | |
| MITSUBISHI 1600, 1605, 1810 | 8 x 1.25mm LHF | | HUSQVARNA | |
| 636-79534C, 218151-2816 | 10 x 1.25mm LHF | | 16R, 22R, 24R | 8 x 1.25mm LHM |
| 636-795451, 795454, 796231 | 10 x 1.00mm LHF | | 24R, 25R (Prior 86) | 8 x 1.25mm LHM |
| 636-796232, 796233, 796234 | 10 x 1.00mm LHF | | 24R (After S/N 603702) | 8 x 1.25mm LHF |
| 636-796242, 636-796243 | 10 x 1.00mm LHF | | 225L, 225RI, (1995) | 10 x 1.25mm LHF |
| 79534C | 10 x 1.25mm LHM | | 545 FR, FX, FXT, RX, RXT | 12 x 1.75mm LHF |
| 9-89658L2, 979551C, 979552C | 10 x 1.25mm LHF | | JONSERED | |
| | | | BR SERIES, BR400, BR450 | 8 x 1.25mm LHM |
| ECHO - KIORITZ | | | LR-200, LR-220B, LR-220L, | 8 x 1.25mm LHM |
| SRM 1400, 140DA, 190, | 10 x 1.25mm LHF | | LR-260B, LR-300 | 8 x 1.25mm LHM |
| 200DA, 200BE | 10 x 1.25mm LHF | | LR-320, LR-400, LR-420, | 8 x 1.25mm LHM |
| SRM 200DB, 200AE, 200CE, 300E | 10 x 1.25mm LHF | | LR-450, LR-460 | 8 x 1.25mm LHM |
| SRM 250E, 2510 | 10 x 1.25mm LHF | | TIGER 40 | 8 x 1.25mm LHM |
| SRM 300, 300AE, 300A/E, 303E | 10 x 1.25mm LHF | | | |
| SRM 302DBX, 400AE, | 10 x 1.25mm LHF | | KAWASAKI | |
| 400BE, 402DE | 10 x 1.25mm LHF | | TT30R | 10 x 1.25mm LHF |
| SRM 501DE, 1400, 140DA, | 10 x 1.25mm LHF | | TD & TG 24 | 8 x 1.25mm LHF |
| 1500, 1501 | 10 x 1.25mm LHF | | | |
| SRM 2200, 2201, 2205, 2210 | 10 x 1.25mm LHF | | McCULLOCH | |
| SRM 2300, 2301, 2400, 2410 | 10 x 1.25mm LHF | | MAC22, MAC23 | 8 x 1.25mm LHM |
| SRM 2500, 2501, 2501S, 2502, 3000 | 10 x 1.25mm LHF | | MAC57 | 10 x 1.25mm LHM |
| SRM 3001, 3010, 3800, 4600 | 10 x 1.25mm LHF | | MAC100A, MAC270, | 10 x 1.25mm LHF |
| STM3000, 3010 | 10 x 1.25mm LHF | | MAC90A, 95A, 95 PRO | 10 x 1.25mm LHF |
| RM 303E | 10 x 1.25mm LHF | | 100A, EB240, PSII | 10 x 1.25mm LHF |
| GT1100, 1100A, GT2101, 2103 | 10 x 1.25mm LHF | | 85A, 85S, 85SL, 90, 95, 95A, 99A | 10 x 1.25mm LHF |

| BRUSHCUTTER MAKE & MODEL | ARBOUR SIZE | | BRUSHCUTTER MAKE & MODEL | ARBOUR SIZE |
|-----------------------------------|-----------------|--|------------------------------|-----------------|
| McCULLOCH cont | | | STIHL cont | |
| EB-IIIVSL | 10 x 1.25mm LHF | | FS74, FS76 10 x 1.00mm LHF | 10 x 1.00mm LHF |
| EB-280, EB-285BC, | 10 x 1.25mm LHF | | FS90, FS110, FS130, FS91 | 10 x 1.00mm LHF |
| EB-285BCS, FM-3000 | 10 x 1.25mm LHF | | 4 mix models, | 10 x 1.00mm LHF |
| PRO-SCRAPER 1, II, IIHD, IV | 8 x 1.25mm LHM | | FS25-4, FS65-4, | 10 x 1.00mm LHF |
| PRO-SCRAPER EB I, II, III, IV, V | 10 x 1.25mm LHF | | FS81AVE, FS81AVRE, | 10 x 1.00mm LHF |
| SM100 | 10 x 1.25mm LHF | | FS86AVE, FS86AVRE | 10 x 1.00mm LHF |
| TITAN 2300, 2300A/V | 10 x 1.25mm LHF | | FR106, FS106, FS106AVE | 10 x 1.00mm LHF |
| TITAN 2400, 2500, 2500A/V | 10 x 1.25mm LHF | | | |
| TITAN 2250, 2310, 2360, | 10 x 1.25mm LHF | | TANAKA | |
| 2560av, 2565av | 10 x 1.25mm LHF | | AST-5000 | 10 x 1.25mm LHM |
| TITAN 3000, 3900 | 10 x 1.25mm LHF | | AST-700, AST-7000, AST-7000S | 8 x 1.25mm LHM |
| | | | BC-350, BC-400 | 10 x 1.25mm LHM |
| POULAN | | | LT-210, LT-210E, NC-301 | 10 x 1.25mm LHF |
| 900 | 10 x 1.25mm LHF | | SUM-301, SUM-321 | 8 x 1.25mm LHM |
| 1000 | 10 x 1.50mm LHF | | TB-220, TB-220E | 8 x 1.25mm LHM |
| 150, 200 | 10 x 1.25mm LHF | | TBC-160 | 8 x 1.25mm LHF |
| 2620, 2820 | 10 x 1.25mm LHF | | TBC-16D, TBC-215 | 8 x 1.25mm LHM |
| | | | TBC-202, TBC-205, TBC-210 | 8 x 1.25mm LHF |
| RYOBI | | | TBC-2110, TBC-2510 | 8 x 1.25mm LHF |
| GRASS HORNET/WEED HORNET | 8 x 1.25mm LHF | | TBC-220, TBC-220SS, | 8 x 1.25mm LHM |
| RGH-600 | 8 x 1.25mm LHF | | TBC-232, TBC-233 | 8 x 1.25mm LHM |
| RSH-1100MK2 | 10 x 1.25mm LHM | | TBC-240, TBC250, | 8 x 1.25mm LHM |
| SCRUB HORNET RHS900, | 8 x 1.25mm LHM | | TBC-262, TBC-265 | 8 x 1.25mm LHM |
| RSH900HB | 8 x 1.25mm LHM | | TBC-301, TBC-322, | 8 x 1.25mm LHM |
| | | | TBC-325 (Older Model) | 8 x 1.25mm LHM |
| SHINDAIWA | | | TBC-300, TBC-321, TBC-322, | 10 x 1.25mm LHM |
| B40, C35, C350, RC45, BP35, | 10 x 1.25mm LHM | | TBC-355, TBC-373 | 10 x 1.25mm LHM |
| BP45, B450 | 10 x 1.25mm LHM | | TBC-422C, TBC-425, | 10 x 1.25mm LHM |
| BP35, C25, 45, C25, 27, F18, F20, | 8 x 1.25mm LHM | | TBC-500, TBC-501 | 10 x 1.25mm LHM |
| T260, C260, T270, C270, T350 | 8 x 1.25mm LHM | | TBC-425, TBC-4000, TBC-4500 | 10 x 1.25mm LHM |
| R20, 25, 35, T25, T250, T260 | 8 x 1.25mm LHM | | TN-3100, TN-3300 (Brain) | 10 x 1.25mm LHM |
| | | | | |
| STIHL | | | TORO | |
| FS40, FS44, FS55, FS90, FS110, | 10 x 1.00mm LHF | | 1000, 2000, 2100 | 10 x 1.25mm LHF |
| FS85, FS120, FS200 | 10 x 1.00mm LHF | | 30900, 30910, 30920 | 10 x 1.25mm LHF |
| FS50, FS50E, FS51, FS60, FS61, | 8 x 1.25mm LHM | | 51550, 51603, 51604, 51606, | 10 x 1.25mm LHF |
| FS65, FS80 (old), FS90 (old) | 8 x 1.25mm LHM | | 51607, 51608 | 10 x 1.25mm LHF |
| FS52AVRE, FS62AVRE, FS66AVE | 10 x 1.00mm LHF | | CL-700, CL-2100 | 10 x 1.25mm LHF |
| FS56AVE, FS56AVRE, | 10 x 1.00mm LHF | | TC SERIES | 10 x 1.25mm LHF |
| FS66AVE, FS66AVRE | 10 x 1.00mm LHF | | | |

How to return goods

Parts are not sold on a trial basis and can only be returned if fully resalable, and are returned within 14 days from date of purchase. Parts returned after 14 days will incur a restocking fee. When returning goods please ensure your details are clearly marked on packaging or include your proof of purchase with the returned goods.

Shipping Discrepancies / Damages

(Incorrect parts, shortages, overage & damaged products) must be reported within 24 hours of receipt. Damages must be reported immediately. All external damages should be reported to the carrier and noted on the delivery / shipping document when signing for receipt of goods. Any damages not reported within 24 hours cannot be adjusted / credited.

Please check that the correct number of parcels have been received before signing for receipt of goods.

We stock all of our parts in a 1200m² warehouse in Clontarf QLD, and operate a fully computerised system that will ensure your orders are promptly and efficiently despatched. Orders for stocked parts will be available for despatch within 60 minutes of order acceptance by ASP, and transport arrangements from our part of Brisbane to all Australian towns, are excellent.

We normally use Star Track Express or registered Post for deliveries unless otherwise directed, please allow 2-4 days to QLD and NSW , 4-7 days to VIC, NT and SA, and 5-9 days to WA and TAS.

3 month Replacement Parts Warranty

All ASP's replacement parts carry a warranty against defects in material and workmanship for 3 months from date of purchase. This warranty is subject to normal wear and tear.

Product Liability Insurance

ASP's Public/Product Liability Insurance policy is maintained with reputable insurers to provide Public/Product indemnity of \$20 million.

Disclaimer

Any reference to Original Equipment Manufacturers, ASP competitors, and their part numbers are for reference only. All parts listed are supplied to fit machines indicated and are not sold as genuine.

IMPORTANT

The information and specifications given in this catalogue is given in good faith as being correct and an accurate guide to ordering and correct part identification. Customers are nevertheless encouraged to thoroughly check for part number correctness before ordering, by verifying sizes, and models fitted, and OEM cross references to ensure any part ordered is correct for your application. ASP reserve the right to upgrade specifications without prior notice.

© Alloy & Stainless Products Pty Ltd 2003. All rights reserved. No data, information, images etc in this catalogue may be copied, produced, stored on a retrieval system, or transmitted in any form or by any means, without the prior written consent of Alloy & Stainless Products Pty Ltd. "ASP" and "Lightning" are registered Trade Marks of Alloy & Stainless Products Pty Ltd.



PH: 07 3881 3464

FX: 07 3881 3474

WEB: www.asproducts.com.au

Email: sales@asproducts.com.au

PO Box 3175 Clontarf DC Qld 4019,
359 MacDonnell Rd Clontarf Qld 4019

Ph: 07 3881 3464

Email: sales@asproducts.com.au

www.asproducts.com.au

ABN: 91 088 139 520



ASP
Components TM



In association with our 25 year partnership with La Pina, ASP supply an array of wear resistant products that are manufactured to World Class Standards.

Production of parts incorporates the latest technological advantages in Boron Steel processing. Boron steel is used to provide our customers with superior wear resistant characteristics and excellent value for money! ASP distribute our parts Australia wide and provide fast delivery coupled with great customer service.